



JETECH TOOL CO., LTD.HONGKONG


Add: 10/F, Room C, ACME Building, 22-28, Nanking Street, Jordan,
Kowloon, Hong Kong.
Tel +852 2508 6481
Fax +852 2508 6450

SHANGHAI JETECH TOOL CO., LTD.

Add:C-801,No.518,Shenchang Road,Minhang,Shanghai P.C.:201107
Tel: 86-(0)21-5169 9381
Fax: 86-(0)21-6760 1439

NINGBO FACTORY

Add: No.178,Rd Qianshan ,Beilun District, Ningbo, Zhejiang Province
Tel: 86-(0)574-2687 7700
Fax: 86-(0)574-2687 7789




2020-2021 CATALOGUE

CONTENTS



INDEX



Page 137-146



1		Power Tools	Page 002-010
2		Hydraulic Equipment	Page 011-014
3		Pneumatic Tools	Page 015-018
4		Impact Socket	Page 019-030
5		Socket	Page 031-047
6		Auto Repair Tools	Page 048-060
7		Tool Set	Page 061-065
8		Wrench	Page 066-073
9		Roller Cabinet	Page 074-081
10		Screwdriver	Page 082-089
11		Bit	Page 090-093
12		Hex Key	Page 094-101
13		Holding Tools	Page 102-108
14		Insulated Tools	Page 109-110
15		Electronic Tools	Page 111-117
16		Measuring Tools	Page 118-121
17		Striking Tools	Page 122-125
18		Cutting Tools	Page 126-134
19		Twist Drill Bit	Page 135-136
20		Index	Page 137-146



Company website
www.jetechtool.com



■ “Lifetime Guaranty” is provided only for products with “Lifetime Guaranty” printed.



Lifetime guarantee item:

- If product has the quality defect by normal use only, customer may depend on the purchase certificate to the original purchase store to repair or replace free of charge.
- The followings don't belong to lifetime guaranty, such as product surface scratch and damage, rusting, damage of plastic handle and product packaging materials.
- These damages which are caused by improper use of goods, external beating and force majeure are not applicable lifetime guaranty.
- The JETECH product must be identical on products. If the mark is not identical, not applicable lifetime guaranty.
- The above rights reserved by the company JETECH group

100000 00 GLOBAL USERS LIFELONG GUARANTEE

Shanghai JETECH TOOL CO.,LTD, is high quality general hand tools manufacturer. Headquarter is located in Hongqiao CBD, Shanghai.
Ningbo Plant is located in Ningbo with 14,000sqm. There are approximately 140 employees workers in the company and ten branches in China.
JETECH produces and sells 18 categories of products and in total 4,000 product items.



We have the branch office located in Mexico

■ Shenyang Branch



We have office in Shenyang and Dalian, who is responsible for the sales in northeast region of China.

• With Dalian Office

☎ 024-2393-5722

■ Beijing Branch



We have office in Beijing and Tianjin, who is responsible for the sales of Beijing, Neimeng, Tianjin, Hebei and Shanxi.

• With Tianjin Office

☎ 010-8580-2058

■ Guangzhou Branch



We have office in Guangzhou and Shenzhen, who is responsible for the sales of Guangdong, Fujian, Guangxi, Hainan and Yunnan.

• With Shenzhen Office

☎ 020-8130-2570

■ Xinjiang Branch



We have office in Xinjiang to sell in Xinjiang Province.

☎ 0991-2302-962



■ Wuhan Branch



We have office in Wuhan, who is responsible for the sales of Jiangxi, Hubei, Hu'nan and He'nan.

☎ 027-8544-8584

■ Chengdu Branch



We have office in Chengdu, Sichuan Province, who is responsible for the sales in west region of China.

☎ 028-8765-0787

■ Nanjing Branch



We have office in Nanjing, Hefei and Wuxi, who is responsible for the sales of Jiangsu Province and Anhui.

• With Hefei Office and Wuxi Office

☎ 025-8689-5702

■ Shanghai Office



We have office in Shanghai, who is responsible for the sales of Shanghai, Zhejiang Province and Suzhou.

☎ 021-5308-5079

Power Tools

■ Angle Grinder See detail P3-5



■ Cordless Drill See detail P6-7



■ Polishing machine See detail P8



■ Hot air gun See detail P8



■ Roller Cabinet Tool Set See detail P77



■ Cantilever Tool Set See detail P80



■ T Type Hex Key Set See detail 97



■ Snap Ring Pliers See detail P106



■ Wire Crimper See detail P116





■ Vernier Caliper See detail P121



■ Aviation Snip Cutting Edge See detail P130



■ Drill bit See detail P134



Good Heat Dissipation Performance

By test compared, under rated road, the temperature of jetech angle grinder's motor increases slower than others at the same time. It's related to our aerodynamics ventilation design.



760W Angle Grinder Side Switch (4")



Model no:	JPT-GS100-S11
Code:	510113
Rated voltage(V):	220
Rated power(W):	760
No-load speed(r/min):	11000
Grinding wheel diameter:	100
Output shaft thread:	M10
Weight(Kg):	1.4
Protection class:	□/II


760W Angle Grinder Back Switch (4")



Model no:	JPT-GS100-B11
Code:	510112
Rated voltage(V):	220
Rated power(W):	760
No-load speed(r/min):	11000
Grinding wheel diameter:	100
Output shaft thread:	M10
Weight(Kg):	1.4
Protection class:	□/II

Multi- function

Professional Angle Grinder



- By test, we find that JETECH power tool's efficiency is highest, it decreases little when increase the torque, best overload capacity.



860W Angle Grinder Side Swirch(4")



Model no:	JPT-GX100-S11
Code:	510115
Rated voltage(V):	220
Rated power(W):	860
No-load speed(r/min):	11000
Grinding wheel diameter:	100
Output shaft thread:	M50
Weight(Kg):	1.5
Protection class:	□/II

860W Angle Grinder Back Swirch(4")



Model no:	JPT-GX100-B11
Code:	510114
Rated voltage(V):	220
Rated power(W):	860
No-load speed(r/min):	11000
Grinding wheel diameter:	100
Output shaft thread:	M50
Weight(Kg):	1.5
Protection class:	□/II




1150W Angle Grinder Side Swirch (4")

Model no:	JPT-GL100-S11
Code:	510105
Rated voltage(V):	220
Rated power(W):	1150
No-load speed(r/min):	11000
Grinding wheel diameter:	100
Output shaft thread:	M10
Weight(Kg):	1.7
Protection class:	□/II

1150W Angle Grinder Back Swirch (4")



Model no:	JPT-GL125-S11
Code:	510106
Rated voltage(V):	220
Rated power(W):	1150
No-load speed(r/min):	11000
Grinding wheel diameter:	125
Output shaft thread:	M14
Weight(Kg):	1.8
Protection class:	□/II





810W Angle Grinder Side Switch (4.5")



Model no:	JPT-GM115-S11
Rated voltage(V):	220
Rated power(W):	810
No-load speed(r/min):	11000
Grinding wheel diameter:	115
Output shaft thread:	M14
Weight(Kg):	1.8
Protection class:	□/II

Optimize Heat Dissipation Mode



Powerful Motor



JETECH uses the special motor design, premium silicon steel sheet and copper for jetech motor to make it small size, big power and big overload capacity, greatly advance the use of comfort and working efficiency.

1500W Angle Grinder Back Switch (6")



Model no:	JPT-GL150-B10
Code:	510110
Rated voltage(V):	220
Rated power(W):	1500
No-load speed(r/min):	10000
Grinding wheel diameter:	150
Output shaft thread:	M14
Weight(Kg):	2.7
Protection class:	□/II

450W Electric Drill(10mm)



Model no:	JPT-D10-450
Code:	520101
Rated voltage(V):	220
Rated power(W):	450
No-load speed(r/min):	0-2800
Drill capacity(mm)	Steel : 10
	Wood: 25
Weight(Kg):	1.4
Protection class:	□/II



Exact Mechanical Angle

Ergonomic design, exact mechanical Angle design, more comfortable and easy

Drill

Professional

Internal structure arrangement is clear and reasonable, Efficient heat dissipation



600W Electric Drill(13mm)



Model no:	JPT-D13-600
Code:	520102
Rated voltage(V):	220
Rated power(W):	600
No-load speed(r/min):	0-2800
Drill capacity(mm)	Steel : 13
	Wood: 30
Weight(Kg):	1.6
Protection class:	□/II



Lithium - Ion

12V Cordless Driver Drill




Model no:	JPT-DM12-Li
Code:	520103
Rated voltage(V):	12 
Unloaded speed(r/min):	Low speed: 0-400
	High speed: 0-1400
Maximum torque(N · m):	35
Maximum chuck diameter(mm):	10
Maximum screw diameter(mm):	8
Weight(excluding battery pack)(mm):	0.843
Battery type:	Lithium ion storage unit
Charging voltage(V):	220
Battery voltage(V):	12
Rechargeable temperature range(°C):	0-45

Drill/Driver

Professional



BRUSHLESS!
Optimum weight
Powerful



**Energy-efficient !
Robust with a long
battery runtime!**

- Jetech Lab Tests:
- Working on 40mm thickness pine board, Jetech product can drill 31 holes by ϕ 20mm puncher.
 - Continuously drill 473 holes in wood by 4.2x30 bolt.

1400W Polisher Machine



Model no:	JPT-P180-1400
Code:	560101
Rated voltage(V):	220
Rated power(W):	1400
No-load speed(r/min):	3000
Drive disc diameter(mm)	180
Output shaft thread:	M14
Weight(Kg):	2.9
Protection class:	□/II

1600W Hot Air Gun



Model no:	JPT-HG-1600
Code:	570101
Rated voltage(V):	220
Rated power(W):	1600
The gas flow:	"I" : 240L/min
	"II" : 450L/min
Muzzle temperature:	"I" : 300°C
	"II" : 500°C
Weight(Kg):	0.7
Protection class:	□/II

Hot Air Gun

Thermal control

Removable cover

Made of flame retardant material



Unique design to allow the internal of hot air gun cool down rapidly. The spiral design of the air outlet tube make it more stable. The high quality heating element helps to achieve the required temperature quickly.





■ 1650W Electric Circular Saw



Model no:	JPT-C190-67
Code:	550101
Rated voltage(V):	220
Rated power(W):	1650
No-load speed(r/min):	5500
Grinding wheel diameter(mm):	190
Cut inner hole diameter(mm)	20
Maximum cutting depth(mm):	90° -67 45° -45
Output shaft thread:	M6
Weight(Kg):	0.7
Protection class:	□/II

Electric Circular saw

Professional



High efficient motor design and aerodynamics ventilation design, greatly advance the overload capacity and working life, applicable to the concrete and etc bad operating environment.



■ 1500W Marble Cutter



Model no:	JPT-CM110-34
Code:	530102
Rated voltage(V):	220
Rated power(W):	1500
No-load speed(r/min):	13000
Grinding wheel diameter(mm):	110
Maximum cutting depth(mm):	34
Cutting Angle(°)	0-45
Output shaft thread:	M8
Weight(Kg):	2.9
Protection class:	□/II

■ 1650W Marble Cutter



Marble Cutter

Professional



High efficient motor design and aerodynamics ventilation design, greatly advance the overload capacity and working life, applicable to the concrete and etc bad operating environment.

Model no:	JPT-C110-34
Code:	530101
Rated voltage(V):	220
Rated power(W):	1650
No-load speed(r/min):	13000
Grinding wheel diameter(mm):	110
Maximum cutting depth(mm):	34
Cutting Angle(°)	0-45
Output shaft thread:	M8
Weight(Kg):	3.4
Protection class:	□/II





Hydraulic Jack




More Than Double Life Time!


- **DUAL HYDRAULIC PUMPS FOR FAST LIFTING**
- Adopting two special-made aluminum alloy hydraulic pumps, the dual hydraulic pump system achieves a rapid lifting to save you time and effort greatly.



- **PROTECTIVE FOAMS AND PADS**
- To provide a double protection for the vehicles, the floor jack comes with a foam handle bumper and a durable protective plastic saddle pad to avoid any damages.
- **CONVENIENT CASTERS**
- It's easy to move with casters. The rear omni swivel casters are made with high strength steel for durability, and the aluminum alloy front ones are of great wear resistance.



Various Height Chassis Selection



- **Widely Used**
- It designed for residential and commercial use, which can lift most car, van, off-road vehicle, commercial vehicle, minivan, etc. astic saddle pad to avoid any damages.

2T Hydraulic Bottle Jack



Specification :	
Model no:	HBJ-2
Rated capacity:	2000KG
Min height:	181mm
Height:	116mm
Adjustable height:	60mm
Max height:	357mm
Weight:	2.7kg

3T Hydraulic Bottle Jack



Specification :	
Model no:	HBJ-3
Rated capacity:	3000KG
Min height:	195mm
Height:	126mm
Adjustable height:	60mm
Max height:	381mm
Weight:	3.4kg

5T Hydraulic Bottle Jack



Specification :	
Model no:	HBJ-5
Rated capacity:	5000KG
Min height:	216mm
Height:	145mm
Adjustable height:	70mm
Max height:	431mm
Weight:	4.6kg

8T Hydraulic Bottle Jack



Specification :	
Model no:	HBJ-8
Rated capacity:	8000KG
Min height:	230mm
Height:	156mm
Adjustable height:	80mm
Max height:	466mm
Weight:	5.8kg

10T Hydraulic Bottle Jack



Specification :	
Model no:	HBJ-10
Rated capacity:	10000KG
Min height:	230mm
Height:	156mm
Adjustable height:	80mm
Max height:	466mm
Weight:	6.5kg

16T Hydraulic Bottle Jack



Specification :	
Model no:	HBJ-16
Rated capacity:	16000KG
Min height:	230mm
Height:	150mm
Adjustable height:	80mm
Max height:	460mm
Weight:	8.3kg



Model no:	HBJ-20
Rated capacity:	20000KG
Min height:	242mm
Height:	160mm
Adjustable height:	80mm
Max height:	482mm
Weight:	11kg

A red 32-ton hydraulic jack with a lifting handle and a pressure gauge. The jack is shown from a side-on perspective, highlighting its robust construction and the yellow label with technical specifications.

Model no:	HBJ-32
Rated capacity:	32000KG
Min height:	285mm
Height:	180mm
Adjustable height:	80mm
Max height:	465mm
Weight:	21kg

Model no:	HBJ-50
Rated capacity:	50000KG
Min height:	300mm
Height:	180mm
Adjustable height:	80mm
Max height:	480mm
Weight:	31.2kg

Drop forged alloy steel construction for quality and durability
Inner/outer welded structure delivers leak-free performance
Designed for residential and commercial use;



A red and white toy Formula 1 car, likely a Scalextric model, shown from a side profile. The car has a white body with red accents and a yellow sticker with the number '1000' on the side. It features black wheels and a detailed cockpit area.

Model no:	HFJ-30
Code:	200103
Rated capacity(Kg):	3000kg
Min height(mm):	130mm
Max height(mm):	460mm
Weight:	32.2kg


- Adopting two special-made aluminum alloy hydraulic pumps, the dual hydraulic pump system achieves a rapid lifting to save you time and effort greatly.



Model no:	HFJ-25
Code:	200125
Rated capacity(Kg):	2500kg
Min height(mm):	75mm
Max height(mm):	505mm
Weight:	34kg



Pneumatic Tools



- ☐ Twin hammering structure, molding by hot forging, which makes sure strong torque output.
- ☐ Twin hammerblock and principal axis are made of Chrome Molybdenum Manganese and processed by three times hot forging, making sure strong and durable.



Principal axis and hammering part are made of Chrome Molybdenum Nickel alloy steel, processed by special hot forging, which makes this product suitable for using in production line.

Composite Pneumatic Impact Wrench

6 Months Warranty

- ☐ Twin hammering structure, molding by hot forging, which makes sure strong torque output.
- ☐ Handle is made of composite material, high torque but light, only 1.3kg, 30% lighter than the products with same torque.
- ☐ Super short body, only 160mm total length, which is convenience in narrow space.
- ☐ Reversible three gears adjustment, easy to operate.
- ☐ Air output from bottom, which makes sure the output air will not blow to working object and operator



Code	Model No.	Model name	PCS	Kg	mm
200001	AMW-3/8-608	3/8"Composite Pneumatic Impact Wrench	15.90	1105x535x1100	10pcs(1x10box)
Specification	Drive axle size: 3/8"		Bolt capacity: 16MM		
	Free speed: 11000RPM		Air Consumption: 4.5CFM		
	Working torque: 540N.M		Air inlet: 1/4"		
	Max torque: 608N.M		N.W.: 1.3KG		
	Working pressure: 6.3KGF/CM ²				

6 Months Warranty

- ☐ Twin hammering structure, molding by hot forging, which makes sure strong torque output.
- ☐ Handle is made of composite material, high torque but light, only 2.3kg, 30% lighter than the products with same torque.
- ☐ Super short body, only 200mm total length, which is convenience in narrow space.
- ☐ Reversible three gears adjustment, easy to operator.
- ☐ Air output from bottom, which makes sure the output air will not blow to working object and operator



Code	Model No.	Model name	PCS	Kg	mm
200003	AMW-3/4-1154	3/4"Composite Pneumatic Impact Wrench	47.00	1105x535x1100	10pcs(1x10box)
Specification	Drive axle size: 3/4"		Bolt capacity: 25MM		
	Free speed: 8500RPM		Air Consumption: 4.9CFM		
	Working torque: 878N.M		Air inlet: 1/4"		
	Max torque: 1154N.M		N.W.: 2.3KG		
	Working pressure: 6.3KGF/CM ²				

6 Months Warranty

- ☐ Twin hammering structure, molding by hot forging, which makes sure strong torque output.
- ☐ Super light and short, only 145mm, and net weight only 1.5kg.
- ☐ Best torque among same grade impact wrench, reach 351N.M.
- ☐ 3 parts structure, easy for assembling and repairing.
- ☐ Hanger is attached, convenience for hanging whenever.
- ☐ Air output from bottom, which makes sure the output air will not blow to working object and operator.



Code	Model No.	Model name	PCS	Kg	mm
200004	AMW-3/8-400	3/8" Pneumatic Impact Wrench	10(1x10box)	18.70	1105x535x1100
Specification	Drive axle size: 3/8"		Bolt capacity: 14MM		
	Free speed: 12500RPM		Air Consumption: 8.0CFM		
	Working torque: 120-351N.M		Air inlet: 1/4"		
	Max torque: 400N.M		N.W.: 1.5KG		
	Working pressure: 6.3KGF/CM ²				

Pneumatic Impact Wrench

6 Months Warranty

- ☐ Twin hammering structure, molding by hot forging, which makes sure strong torque output.
- ☐ Design by Ergonomics, 100% aluminium polished handle, easy and comfortable for holding, also easy for cleaning.
- ☐ Air output from bottom, which makes sure the output air will not blow to working object and operator.
- ☐ Suitable for car repair and basic assembling.
- ☐ Use in production line is not suggested.



Code	Model No.	Model name	PCS	Kg	mm
200007	AMW-1/2-678	1/2" Pneumatic Impact Wrench	8(1x8box)	28.00	1105x535x1100
Specification	Drive axle size: 1/2"		Bolt capacity: 18MM		
	Free speed: 7000RPM		Air Consumption: 4.2CFM		
	Working torque: 40-504N.M		Air inlet: 1/4"		
	Max torque: 678N.M		N.W.: 2.9KG		
	Working pressure: 6.3KGF/CM ²				

6 Months Warranty

- ☐ 1"DRJ9"extention bar.
- ☐ Professional product for Auto repair and assembling and disassembling of heavy duty machanical bolt.
- ☐ Made from Chrome Molybdenum Nickel alloy steel, processed by special hot forging, light and durable.
- ☐ Single hammer clutch without inserted pin, high power, and long life usage.
- ☐ The body is well protected by rubber cover.
- ☐ 45° air inlet joint design, with reversible switch, easy to operator.



Code	Model No.	Model name	PCS	Kg	mm
200010	AMW-1-3200	1" Pneumatic Impact Wrench	1(1x1box)	16.1	720 x 255 x 180
Specification	Main axle size: 1"		Main axle length: 9"		
	Working torque: 1500-3000 N.m		Free speed: 3200RPM		
	Air inlet: 1/2"				

6 Months Warranty

- ☐ Twin hammering structure, molding by hot forging, which makes sure strong torque output.
- ☐ Twin hammerblock and principal axis are made of Chrome Molybdenum Manganese and processed by three times hot forging , making sure strong and durable.
- ☐ High torque output, reach 1054N.M.
- ☐ 3 parts structure, easy for assembling and repairing.
- ☐ Hanger is attached, convenience for hanging whenever.
- ☐ Air output from bottom, which makes sure the output air will not blow to working object and operator.



Code	Model No.	Model name	PCS	Kg	mm
200005	AMW-1/2-1054	1/2"High torque Pneumatic Impact Wrench	33.40	1105x535x1100	8pcs(1x8box)
Specification	Drive axle size: 1/2"		Bolt capacity: 22MM		
	Free speed: 9000RPM		Air Consumption: 5.4CFM		
	Working torque: 68-810N.M		Air inlet: 1/4"		
	Max torque: 1054N.M		N.W.: 2.6KG		
	Working pressure: 6.3KGF/CM ²				

High Torque Pneumatic Impact Wrench

1/4" Straight Handle Pneumatic Screwdriver

- Principal axis and hammering part are made of Chrome Molybdenum Nickel alloy steel, processed by special hot forging.
- Hammering part are made of hot forging alloy steel, solid and durable.
- Well casted cast steel cylinder,solid and wear-resistant.
- Exhaust hood is 360° revolvable, for safety air outlet.



Code	Model No.	PCS	Kg	mm
200020	AMS-1/4-6	10(1x10box)	10.90	1105x535x1100
Specification	Chuck size: 1/4"		Screw capacity: M4-M6	
	Free speed: 10000RPM		Air Consumption: 7CFM	
	Working torque: 28N.M		Air inlet: 1/4"	
	Max torque: 40N.M		N.W.: 0.85KG	
	Working pressure: 6.3KGF/CM ²			

Pneumatic Ratchet Wrench &Gun type Pneumatic Screwdriver

1/2" Pneumatic Ratchet Wrench

- The Gear Part is made of well casted Chrome Molybdenum, precise process and special hot forging make the size precision and the product durable.
- Precision planetary gear working in nitriding steel inner gear canal, steady and enduring.
- Exhaust hood is 360° revolvable, for safety air outlet, no influence to operator.



Code	Model No.	PCS	Kg	mm
200031	AMR-1/2-81	10(1x10box)	27.40	1105x535x1100
Specification	Drive axle size: 1/2"		Bolt capacity: 10MM	
	Free speed: 160RPM		Air Consumption: 4CFM	
	Working torque: 14-76N.M		Air inlet: 1/4"	
	Max torque: 81N.M		N.W.: 1.13KG	
	Working pressure: 6.3KGF/CM ²			

Pneumatic Drill

3/8" Composite Reversible Pneumatic Drill

- 3/8"drill chuck, professional and durable.
- Composite handle cover, low noise, light weight, only 0.97kg.
- Whole sealing reversible switch, well dustproof.
- CVT trigger, easy for initial position when starting operation.
- Suitable for precision drilling, grinding, reaming, fraising ect...various usage.



Code	Model No.	PCS	Kg	mm
200032	AMD-3/8-3	10(1x10box)	12.50	1105x535x1100
Specification	Drill Chuck size: 3/8"		Air Consumption: 1.92CFM	
	Free speed: 1800RPM		Air inlet: 1/4"	
	Rated Power: 260W		N.W.: 0.97KG	
	Working pressure: 6.3KGF/CM ²			

1/4" Pistol Grip Pneumatic Screwdriver

- Principal axis and hammering part are made of Chrome Molybdenum Nickel alloy steel, processed by special hot forging.
- Handle is made of composite material, only 0.9kg.
- Whole sealing reversible switch, well dustproof.
- CVT trigger, easy for initial position when starting operation.



Code	Model No.	PCS	Kg	mm
200021	AMS-1/4-12	10(1x10box)	11.40	1105x535x1100
Specification	Chuck size: 1/4"		Screw capacity: M5-M12	
	Free speed: 10000RPM		Air Consumption: 13.7CFM	
	Working torque: 14-88N.M		Air inlet: 1/4"	
	Max torque: 95N.M		N.W.: 0.96KG	
	Working pressure: 6.3KGF/CM ²			

Pneumatic Drill

3/8" Reversible Pneumatic Drill

- Super powerful industrial grade Pneumatic Drill, suitable for precision drilling, grinding, reaming, fraising etc...
- Well casted cast steel cylinder,solid and wear-resistant.
- Cage planetary gear set, provides well transmission and steady support to main axle.
- CVT trigger, easy for initial position when starting operation.



Code	Model No.	 PCS	 Kg	 mm
200033	AMD-3/8-5	10(1x10box)	15.70	1105x535x1100
Specification	Drill chuck size: 3/8"		Air Consumption: 25CFM	
	Free speed: 1800RPM		N.W.: 1.1KG	
	Rated power: 450W		Working pressure: 6.3KGF/CM	

Grinder

5" Pneumatic Grinder

- Aluminium alloy base, strong construction.
- Strong grinding force, very stable, low vibration.
- Low vibration design, drop the centre of gravity,make the surface be smooth and without the vortex.
- 75mm soft grip, it obtains the soft and comfortable gripping while operating.
- Nylon buckles plate, direction abrasive paper sticking.



Code	Model No.	 PCS	 Kg	 mm
200037	AMS-NV-5	12(1x12box)	16.90	1105x535x1100
Specification	Grinding wheel size:5" sticky buckle style		Eccentricity: 5mm	
	Air inlet: 1/4"		Working pressure: 6.3KGF/CM ²	
	Free speed: 12000RPM		Air consumption: 16.9CFM	

Angle Grinder



- Industrail grade grinder design and production, available for light production line and regular repairing use.
- Well casted special cast steel cylinder, wear-resistant and long life use.
- Precision processed flexible clamp, which makes it running steady, little runout and little shake.



Code	Model No.	Model name	PCS	Kg	mm
200034	AMG—S—6	6" Pneumatic Grinder	20(1x20box)	17.30	1105x535x1100
Specification	Drill chuck size: 6MM		Air Consumption: 3CFM		
	Free speed: 20000RPM		Air inlet: 1/4"		
	N.W.: 0.6KG		Working pressure: 6.3KGF/CM ²		

Angle Grinder



- Industrial grinder design and production, available for 4",4.5" and 5" grinding wheel.
- Scroll bevel gear made of Chrome
- Molybdenum Nickel alloy steel, processed by special hot forging, running powerful but steady and durable.
- Motor coaxial centrifugal speed control device, which can control motor speed exactly, avoid grinding wheel broken to hurt people.
- Exhaust hood is 360° revolvable, for safety air outlet, no influence to operator.



10pcs/1x10box					
Code	Model No.	Model name	PCS	kg	mm
200035	AMG-A-5	5"Angle Grinder	10(1x10box)	27.30	1105x535x1100
Specification	Suitable for grinding wheel size: 4" 4.5" 5"			Air Consumption: 5CFM	
	Main axle: M10 x 1.5			Air inlet: 1/4"	
	Free speed: 11000RPM			N.W.: 1.8KG	
	Working pressure: 6.3KGF/CM ²				

Grinder



- It's convenient to connect with the vacuum dust absorption system,collect the impurity and dust after polishing.
- Aluminium alloy base, strong construction
- Strong grinding force, very stable, low vibration.
- Low vibration design, drop the centre of gravity, make the surface be smooth and without the vortex.
- 75mm soft grip, it obtains the soft and comfortable gripping while operating.



Nylon buckles plate, direction abrasive paper sticking.					
			 12pcs(1x12box)		
Code	Model No.	Model name	PCS	kg	mm
200036	AMS-CV-5	5" Central Vacuum Pneumatic Grinder	16.20	1105x535x1100	
Specification	Grinding wheel size:5" sticky buckle style		Eccentricity: 5mm		
	Air inlet: 1/4"		Working pressure: 6.3KGF/CM ²		
	Free speed: 12000RPM		Air consumption: 16.9CFM		

Pneumatic Tools

- Standard:GB/T 26548.2-2011
- Built in pneumatic impact wrench for 6 months



Code	Model No.	Model name	PCS	Kg	mm
200111	AMW-1/2-11S	1/2 11pcs Impact Wrench Set	4(1x4box)	20.20	385x250x300
7pcs	1/2' Impact Socket(mm) 14 17 19 21 22 23 24				
1pcs	1/2' Impact Wrench				
1pcs	1/2' Flat end Extra long hex key				
2pcs	1/4' Joint 1/2' Impact Extension bar				



- features with added strength, higher working temperatures and corrosion resistance. It's much stronger to stand greater impact force than chrome vanadium ones.



- The lifespan of both the fastener and socket will be greatly prolonged with the torque distributed to the inwall.




- A fine and dense coating brings more corrosion and wear resistance for longtime use.



Code	Model No.	Model name	 PCS
016280	FK1/2–T8S	8PCS 1/2 DR Torque–Bit Impact Deep Socket	16(1x16box)

8PCS	1/2 DR Torque-Bit Impact Deep Socket (mm) T30D T40D T45D T47D T50D T55D T60D T70D	
------	--	---




Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	mm PCS	kg	h- mm
015008	FK1/2-EB6-8	15	26.2	25.1	150	60(6x10box)	16.30	239x237x90
015010	FK1/2-EB6-10	17.7	26.2	25.1	150	60(6x10box)	16.60	239x237x90
015012	FK1/2-EB6-12	20.3	26.2	25.1	150	60(6x10box)	16.90	280x187x245
015013	FK1/2-EB6-13	21.5	26.2	25.1	150	60(6x10box)	17.10	280x187x245
015014	FK1/2-EB6-14	22.4	26.2	25.1	150	60(6x10box)	17.40	280x187x245
015015	FK1/2-EB6-15	23.4	26.2	25.1	150	60(6x10box)	17.90	280x187x245
015017	FK1/2-EB6-17	21.8	26.2	25.1	150	60(6x10box)	18.20	280x187x245
015019	FK1/2-EB6-19	28.5	26.2	25.1	150	60(6x10box)	18.40	280x187x245
015020	FK1/2-EB6-20	30.3	26.2	25.1	150	60(6x10box)	18.60	214x206x291
015021	FK1/2-EB6-21	30.6	26.2	25.1	150	60(6x10box)	18.80	214x206x291
019908	FK1/2-EB8-8	15.1	26.2	25.1	200	60(6x10box)	20.80	234x206x291
019910	FK1/2-EB8-10	17.7	26.2	25.1	200	60(6x10box)	21.10	234x206x291
019912	FK1/2-EB8-12	20.3	26.2	25.1	200	60(6x10box)	21.30	234x206x291
019913	FK1/2-EB8-13	21.5	26.2	25.1	200	60(6x10box)	21.60	234x206x291
019914	FK1/2-EB8-14	22.4	26.2	25.1	200	60(6x10box)	21.90	234x206x291
019915	FK1/2-EB8-15	23.4	26.2	25.1	200	60(6x10box)	22.40	234x206x291
019917	FK1/2-EB8-17	21.5	26.2	25.1	200	60(6x10box)	22.80	285x225x234
019919	FK1/2-EB8-19	28.5	26.2	25.1	200	60(6x10box)	22.90	285x225x234
019920	FK1/2-EB8-20	30.3	26.2	25.1	200	60(6x10box)	23.10	285x225x234
019921	FK1/2-EB8-21	30.6	26.2	25.1	200	60(6x10box)	23.40	285x225x234




Code	Model No.	Model name	PCS
012580	FK1/2-H8S	8PCS 1/2 DR Hex-Bit Impact Socket	16(1x16box)

8PCS	1/2 DR Hex-Bit Impact Socket HX5 HX6 HX8 HX10 HX12 HX14 HX17 HX19	
------	--	---




CR-Mo		Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
014706	FK3/8-EB6-6	10.9	19.7	14.9	150	120(10x12box)	19.20	362x360x125
014708	FK3/8-EB6-8	12.6	19.7	14.9	150	120(10x12box)	19.30	362x360x125
014710	FK3/8-EB6-10	15.6	19.7	14.9	150	120(10x12box)	19.60	362x360x125
014712	FK3/8-EB6-12	18.4	19.7	14.9	150	120(10x12box)	19.90	362x360x125
014713	FK3/8-EB6-13	19.9	19.7	14.9	150	120(10x12box)	20.10	362x360x125
014714	FK3/8-EB6-14	20.9	19.7	14.9	150	120(10x12box)	20.50	362x360x125
014715	FK3/8-EB6-15	21.4	19.7	14.9	150	120(10x12box)	20.70	362x360x125
014716	FK3/8-EB6-16	23.4	19.7	14.9	150	120(10x12box)	20.90	362x360x125
014717	FK3/8-EB6-17	24.3	19.7	14.9	150	120(10x12box)	21.00	362x360x125
014906	FK3/8-EB8-6	10.9	19.7	14.9	200	120(10x12box)	24.60	478x337x112
014908	FK3/8-EB8-8	12.6	19.7	14.9	200	120(10x12box)	24.60	478x337x112
014910	FK3/8-EB8-10	15.6	19.7	14.9	200	120(10x12box)	24.80	478x337x112
014912	FK3/8-EB8-12	18.4	19.7	14.9	200	120(10x12box)	25.00	478x337x112
014913	FK3/8-EB8-13	19.9	19.7	14.9	200	120(10x12box)	25.00	478x337x112
014914	FK3/8-EB8-14	20.9	19.7	14.9	200	120(10x12box)	25.10	478x337x112
014915	FK3/8-EB8-15	21.4	19.7	14.9	200	120(10x12box)	25.40	478x337x112
014916	FK3/8-EB8-16	23.4	19.7	14.9	200	120(10x12box)	25.50	478x337x112
014917	FK3/8-EB8-17	24.3	19.7	14.9	200	120(10x12box)	25.70	478x337x112


1/2" DR Impact Socket

1/2" DR Impact Socket							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016308	FK1/2-8	25	38	8	120(10x12box)	8.40	286x146x154
016310	FK1/2-10	25	38	10	120(10x12box)	10.10	208x174x198
016311	FK1/2-11	25	38	11	120(10x12box)	11.30	208x174x198
016312	FK1/2-12	25	38	12	120(10x12box)	9.10	208x174x198
016313	FK1/2-13	25	38	13	120(10x12box)	9.50	208x174x198
016314	FK1/2-14	25	38	14	120(10x12box)	9.90	286x142x200
016315	FK1/2-15	30	40	15	120(10x12box)	9.60	286x142x200
016316	FK1/2-16	30	40	16	120(10x12box)	14.40	286x142x200
016317	FK1/2-17	30	40	17	120(10x12box)	11.70	253x194x197
016318	FK1/2-18	30	40	18	120(10x12box)	14.60	360x200x175
016319	FK1/2-19	30	40	19	120(10x12box)	15.10	360x200x175
016321	FK1/2-21	30	40	21	120(10x12box)	15.50	360x200x175
016322	FK1/2-22	32	40	22	120(10x12box)	16.50	360x200x175
016323	FK1/2-23	34	40	23	120(10x12box)	15.40	298x214x238
016324	FK1/2-24	34	40	24	120(10x12box)	20.20	298x214x238
016327	FK1/2-27	38	43	27	60(10x6box)	11.10	234x206x184
016329	FK1/2-29	40	43	29	60(10x6box)	11.30	234x206x184
016330	FK1/2-30	42	45	30	60(10x6box)	17.80	254x206x184
016332	FK1/2-32	43	45	32	60(10x6box)	19.20	254x206x184


1/2" DR Impact Deep Socket (78mm)

							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016408	FK1/2-D8	25	78	8	120(10x12box)	23.30	286x202x214
016410	FK1/2-D10	25	78	10	60(6x10box)	9.60	237x209x190
016411	FK1/2-D11	25	78	11	60(6x10box)	9.90	237x209x190
016412	FK1/2-D12	25	78	12	60(6x10box)	11.00	237x209x190
016413	FK1/2-D13	25	78	13	60(6x10box)	11.00	237x209x190
016414	FK1/2-D14	25	78	14	60(6x10box)	13.30	237x209x190
016415	FK1/2-D15	30	78	15	60(6x10box)	14.50	214x206x291
016416	FK1/2-D16	26	78	16	60(6x10box)	15.10	214x206x291
016417	FK1/2-D17	26	78	17	60(6x10box)	14.10	214x206x291
016418	FK1/2-D18	28	78	18	60(6x10box)	16.80	214x206x291
016419	FK1/2-D19	28	78	19	60(6x10box)	17.80	214x206x291
016421	FK1/2-D21	30	78	21	60(6x10box)	15.30	214x206x291
016422	FK1/2-D22	30	78	22	60(6x10box)	20.00	234x206x291
016424	FK1/2-D24	30	78	24	60(6x10box)	22.50	234x206x291
016426	FK1/2-D26	30	78	26	60(6x10box)	24.80	234x206x291
016427	FK1/2-D27	30	78	27	40(4x10box)	19.20	234x206x291
016429	FK1/2-D29	30	78	29	40(4x10box)	18.80	234x206x291
016430	FK1/2-D30	30	78	30	40(4x10box)	22.70	234x206x291
016432	FK1/2-D32	30	78	32	40(4x10box)	25.50	234x206x291


1/2" DR 12P.T Bit Socket (60mm)

							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
011605	FK1/2-M5	25	60	4.6	60(6x10box)	5.90	172x126x210
011606	FK1/2-M6	25	60	5.9	60(6x10box)	59.0	172x126x210
011608	FK1/2-M8	25	60	7.1	60(6x10box)	6.20	172x126x210
011610	FK1/2-M10	25	60	9.5	60(6x10box)	6.50	172x126x210
011612	FK1/2-M12	25	60	11.3	60(6x10box)	7.00	172x126x210
011614	FK1/2-M14	25	60	13.1	60(6x10box)	7.20	172x126x210
011616	FK1/2-M16	25	60	15.3	60(6x10box)	7.80	172x126x210
011618	FK1/2-M18	25	60	16.9	60(6x10box)	7.90	200x188x181


1/2" DR 12P.T Bit Deep Socket

							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
011705	FK1/2-M5D	25	100	4.6	60(6x10box)	6.30	410x185x105
011706	FK1/2-M6D	25	100	5.9	60(6x10box)	6.40	410x185x105
011708	FK1/2-M8D	25	100	7.1	60(6x10box)	6.80	410x185x105
011710	FK1/2-M10D	25	100	9.5	60(6x10box)	7.70	410x185x105
011712	FK1/2-M12D	25	100	11.3	60(6x10box)	8.80	410x185x105
011714	FK1/2-M14D	25	100	13.1	60(6x10box)	10.3	410x185x105
011716	FK1/2-M16D	25	100	15.3	60(6x10box)	11.7	410x185x105
011718	FK1/2-M18D	25	100	16.9	60(6x10box)	12.5	410x185x105


1/2" DR Impact Socket

1/2" DR Torx-Bit Impact Socket							
							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016220	FK1/2-T20	25	60	3.8	60(6x10box)	5.20	170x170x182
016225	FK1/2-T25	25	60	4.4	60(6x10box)	5.60	170x170x182
016227	FK1/2-T27	25	60	4.9	60(6x10box)	6.20	170x170x182
016230	FK1/2-T30	25	60	5.5	60(6x10box)	6.50	170x170x182
016240	FK1/2-T40	25	60	6.6	60(6x10box)	7.00	170x170x182
016245	FK1/2-T45	25	60	7.8	60(6x10box)	7.50	170x170x182
016247	FK1/2-T47	25	60	8.4	60(6x10box)	8.00	170x170x182
016250	FK1/2-T50	25	60	8.8	60(6x10box)	8.40	170x170x182
016255	FK1/2-T55	25	60	11.2	60(6x10box)	8.80	170x170x182
016260	FK1/2-T60	25	60	13.2	60(6x10box)	9.30	170x170x182
016270	FK1/2-T70	25	60	15.5	60(6x10box)	9.50	170x170x182

1/2" DR Torx-Bit Impact Deep Socket

							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
013020	FK1/2-T20D	25	78	3.8	60(6x10box)	5.80	192x174x185
013025	FK1/2-T25D	25	78	4.4	60(6x10box)	6.10	192x174x185
013027	FK1/2-T27D	25	78	4.9	60(6x10box)	6.50	192x174x185
013030	FK1/2-T30D	25	78	5.5	60(6x10box)	6.90	192x174x185
013040	FK1/2-T40D	25	78	6.6	60(6x10box)	7.30	192x174x185
013045	FK1/2-T45D	25	78	7.8	60(6x10box)	7.80	192x174x185
013047	FK1/2-T47D	25	78	8.4	60(6x10box)	8.30	192x174x185
013050	FK1/2-T50D	25	78	8.8	60(6x10box)	8.70	192x174x185
013055	FK1/2-T55D	25	78	11.2	60(6x10box)	9.00	192x174x185
013060	FK1/2-T60D	25	78	13.2	60(6x10box)	9.60	192x174x185
013070	FK1/2-T70D	25	78	15.5	60(6x10box)	10.10	192x174x185

1/2" DR Hex-Bit Impact Socket

							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012504	FK1/2-HX4	25	78	4.0	60(6x10box)	6.30	200x175x200
012505	FK1/2-HX5	25	78	5.0	60(6x10box)	6.40	200x175x200
012506	FK1/2-HX6	25	78	6.0	60(6x10box)	6.60	200x175x200
012507	FK1/2-HX7	25	78	7.0	60(6x10box)	6.80	200x175x200
012508	FK1/2-HX8	25	78	8.0	60(6x10box)	7.20	200x175x200
012510	FK1/2-HX10	25	78	10.0	60(6x10box)	7.50	200x175x200
012512	FK1/2-HX12	25	78	12.0	60(6x10box)	8.40	200x175x200
012514	FK1/2-HX14	25	78	14.0	60(6x10box)	9.10	200x175x200
012517	FK1/2-HX17	25	78	17.0	60(6x10box)	11.30	200x175x200
012518	FK1/2-HX18	25	78	18.0	60(6x10box)	11.80	200x175x200
012519	FK1/2-HX19	25	78	19.0	60(6x10box)	12.40	200x175x200


1/2" DR Hex-Bit Universal Joint

							
							
Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
014510	FUJ1/2-10	28	66	15.0	60(6x10box)	10.00	353x145x148
014511	FUJ1/2-11	28	66	17.0	60(6x10box)	10.20	353x145x148
014512	FUJ1/2-12	28	66	19.0	60(6x10box)	10.60	353x145x148
014513	FUJ1/2-13	28	66	20.0	60(6x10box)	10.90	353x145x148
014514	FUJ1/2-14	28	66	22.0	60(6x10box)	11.20	353x145x148
014515	FUJ1/2-15	28	66	24.0	60(6x10box)	11.40	353x145x148
014516	FUJ1/2-16	28	66	24.0	60(6x10box)	11.70	353x145x148
014517	FUJ1/2-17	28	66	26.0	60(6x10box)	12.00	353x145x148
014518	FUJ1/2-18	28	66	26.0	60(6x10box)	12.20	353x145x148
014519	FUJ1/2-19	28	66	28.0	60(6x10box)	12.40	353x145x148
014520	FUJ1/2-20	28	66	30.0	60(6x10box)	12.60	353x145x148
014521	FUJ1/2-21	28	66	30.0	60(6x10box)	12.80	353x145x148
014522	FUJ1/2-22	28	66	32.0	60(6x10box)	13.00	353x145x148
014523	FUJ1/2-23	28	66	32.0	60(6x10box)	13.60	353x145x148
014524	FUJ1/2-24	28	66	34.0	60(6x10box)	13.60	353x145x148



1/2" DR Impact Socket

1/2" DR Hex-Bit Universal Joint for Deep Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
014610	FUJ1/2-D10	28	90	15.0	60(6x10box)	11.40	239x237x190
014611	FUJ1/2-D11	28	90	17.0	60(6x10box)	11.80	239x237x190
014612	FUJ1/2-D12	28	90	19.0	60(6x10box)	12.60	239x237x190
014613	FUJ1/2-D13	28	90	20.0	60(6x10box)	13.20	239x237x190
014614	FUJ1/2-D14	28	90	22.0	60(6x10box)	13.90	239x237x190
014615	FUJ1/2-D15	28	90	24.0	60(6x10box)	14.50	239x237x190
014616	FUJ1/2-D16	28	90	24.0	60(6x10box)	15.00	239x237x190
014617	FUJ1/2-D17	28	90	26.0	60(6x10box)	15.90	239x237x190
014618	FUJ1/2-D18	28	90	26.0	60(6x10box)	16.20	239x237x190
014619	FUJ1/2-D19	28	90	26.0	60(6x10box)	17.30	239x237x190
014620	FUJ1/2-D20	28	90	28.0	60(6x10box)	18.50	239x237x190
014621	FUJ1/2-D21	28	90	30.0	60(6x10box)	18.60	239x237x190
014622	FUJ1/2-D22	28	90	30.0	60(6x10box)	18.60	239x237x190
014623	FUJ1/2-D23	28	90	32.0	60(6x10box)	18.70	239x237x190
014624	FUJ1/2-D24	28	90	34.0	60(6x10box)	18.80	239x237x190


Cr-Mo 1/2" Magnetic Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015708	FKM1/2-8	25	38	13.5	120(10x12box)	8.90	208x174x198
015709	FKM1/2-9	25	38	15.0	120(10x12box)	9.00	208x174x198
015710	FKM1/2-10	25	38	17.0	120(10x12box)	9.90	208x174x198
015711	FKM1/2-11	25	38	18.1	120(10x12box)	9.90	208x174x198
015712	FKM1/2-12	25	38	19.3	120(10x12box)	10.40	208x174x198
015713	FKM1/2-13	25	38	20.1	120(10x12box)	10.60	208x174x198
015714	FKM1/2-14	25	38	21.3	120(10x12box)	11.20	360x200x175
015715	FKM1/2-15	30	38	23.1	120(10x12box)	15.30	360x200x175
015716	FKM1/2-16	30	38	23.9	120(10x12box)	15.60	360x200x175
015717	FKM1/2-17	30	38	26.1	120(10x12box)	16.90	360x200x175
015718	FKM1/2-18	30	38	27.3	120(10x12box)	17.30	360x200x175
015719	FKM1/2-19	30	38	28.1	120(10x12box)	16.70	360x200x175
015720	FKM1/2-20	30	38	29.1	120(10x12box)	17.30	360x200x175
015721	FKM1/2-21	30	38	30.0	120(10x12box)	17.30	360x200x175
015722	FKM1/2-22	30	38	31.9	120(10x12box)	18.50	360x200x175
015724	FKM1/2-24	30	40	34.0	120(10x12box)	20.40	227x206x312

1/2" DR Hex-Bit Magnetic Impact Deep Socket




CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015808	FKM1/2-D8	25	78	13.5	60(6x10box)	7.20	360x170x145
015809	FKM1/2-D9	25	78	15.0	60(6x10box)	7.80	360x170x145
015810	FKM1/2-D10	25	78	17.0	60(6x10box)	9.10	360x170x145
015811	FKM1/2-D11	25	78	18.1	60(6x10box)	10.10	360x170x145
015812	FKM1/2-D12	25	78	19.3	60(6x10box)	10.50	360x170x145
015813	FKM1/2-D13	25	78	20.1	60(6x10box)	11.10	360x170x145
015814	FKM1/2-D14	25	78	21.3	60(6x10box)	11.80	360x170x145
015815	FKM1/2-D15	30	78	23.1	60(6x10box)	14.20	476x184x126
015816	FKM1/2-D16	30	78	23.9	60(6x10box)	15.70	476x184x126
015817	FKM1/2-D17	30	78	26.1	60(6x10box)	16.20	476x184x126
015818	FKM1/2-D18	30	78	27.3	60(6x10box)	16.80	476x184x126
015819	FKM1/2-D19	30	78	28.1	60(6x10box)	17.20	476x184x126
015820	FKM1/2-D20	30	78	29.1	60(6x10box)	18.40	214x206x291
015821	FKM1/2-D21	30	78	30.0	60(6x10box)	18.80	214x206x291
015822	FKM1/2-D22	30	78	31.9	60(6x10box)	20.70	214x206x291
015824	FKM1/2-D24	30	78	34.0	60(6x10box)	22.30	214x206x291

1/2" DR Impact Socket Accessories


1/2 Extension Bar for Impact Socket



CR-Mo

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
011203	FEB1/2-3	12.5	25	25	75	60(6x10box)	9.40	237x176x174
011205	FEB1/2-5	12.5	25	25	125	60(6x10box)	14.50	262x165x190
012210	FEB1/2-10	12.5	25	25	250	60(6x10box)	26.50	287x264x235

1/2" DR Universal Joint for Impact Socket




CR-Mo

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
011100	FUJ1/2	37	23	28	31	12.5	65	120(10x12box)	21.00	460x215x190

1" DR Impact Socket

1" DR Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
01 9319	FK1-19	49	80	19	36(1x36box)	21.60	370x177x177
01 9321	FK1-21	49	80	21	36(1x36box)	21.55	370x177x177
01 9322	FK1-22	49	80	22	36(1x36box)	21.75	370x177x177
01 9323	FK1-23	49	80	23	36(1x36box)	22.05	370x177x177
01 9324	FK1-24	49	80	24	36(1x36box)	22.35	370x177x177
01 9327	FK1-27	49	80	27	24(1x24box)	15.35	255x195x177
01 9328	FK1-28	49	80	28	24(1x24box)	15.25	255x195x177
01 9329	FK1-29	49	80	29	24(1x24box)	15.25	255x195x177
01 9330	FK1-30	52	80	30	24(1x24box)	16.25	233x179x182
01 9332	FK1-32	52	80	32	24(1x24box)	16.85	233x179x182
01 9333	FK1-33	53	80	33	24(1x24box)	17.20	233x179x182
01 9334	FK1-34	53	80	34	24(1x24box)	16.60	233x179x182
01 9335	FK1-35	53	80	35	24(1x24box)	16.25	233x179x182
01 9336	FK1-36	53	80	36	24(1x24box)	18.45	233x179x182
01 9338	FK1-38	54	80	38	24(1x24box)	18.40	255x195x177
01 9341	FK1-41	54	80	41	12(1x12box)	10.10	258x198x101
01 9346	FK1-46	54	80	46	12(1x12box)	12.25	270*185*177
01 9350	FK1-50	57	83	50	12(1x12box)	14.60	270x185x177
01 9355	FK1-55	57	85	55	12(1x12box)	17.70	270x185x177
01 9360	FK1-60	60	87	60	12(1x12box)	21.55	408x311x114
01 9365	FK1-65	65	92	65	12(1x12box)	23.95	408x311x114


1" DR Impact Socket (80mm)



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016619	FK1-M19	54	80	19	36(1x36box)	31.80	310x200x240
016621	FK1-M21	54	80	21	36(1x36box)	31.30	310x200x240
016622	FK1-M22	54	80	22	36(1x36box)	31.00	310x200x240
016623	FK1-M23	54	80	23	36(1x36box)	31.80	310x200x240
016624	FK1-M24	54	80	24	36(1x36box)	33.80	310x200x240
016627	FK1-M27	54	80	27	24(1x24box)	22.50	240x240x190
016628	FK1-M28	54	80	28	24(1x24box)	22.70	240x240x190
016629	FK1-M29	54	80	29	24(1x24box)	22.40	240x240x190
016630	FK1-M30	54	80	30	24(1x24box)	22.60	280x210x200
016632	FK1-M32	54	80	32	24(1x24box)	22.50	280x210x200
016633	FK1-M33	54	80	33	24(1x24box)	22.70	240x220x260
016634	FK1-M34	54	80	34	24(1x24box)	22.80	240x220x260
016635	FK1-M35	54	80	35	24(1x24box)	22.70	240x220x260
016636	FK1-M36	54	80	36	24(1x24box)	22.80	320x290x260
016638	FK1-M38	54	80	38	24(1x24box)	24.30	320x290x260
016641	FK1-M41	54	80	41	12(1x12box)	13.60	270x180x200
016646	FK1-M46	54	80	46	12(1x12box)	15.80	270x180x200
016650	FK1-M50	54	80	50	12(1x12box)	18.20	240x250x190
016655	FK1-M55	54	80	55	12(1x12box)	20.20	330x210x230
016660	FK1-M60	54	80	60	12(1x12box)	19.40	380x260x190
016665	FK1-M65	54	80	65	12(1x12box)	20.80	330x250x210

1" DR Impact Deep Socket (90mm)




CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
01 9819	FK1-D19	49	90	19	24(1x24box)	20.50	284x218x208
01 9821	FK1-D21	49	90	21	24(1x24box)	20.65	284x218x208
01 9824	FK1-D24	49	90	24	24(1x24box)	22.00	284x218x208
01 9827	FK1-D27	49	90	27	24(1x24box)	23.05	284x218x208
01 9828	FK1-D28	49	90	28	24(1x24box)	22.70	284x218x208
01 9830	FK1-D30	52	90	30	24(1x24box)	23.50	284x218x208
01 9832	FK1-D32	52	90	32	24(1x24box)	20.75	284x218x208
01 9833	FK1-D33	53	90	33	24(1x24box)	24.85	284x218x208
01 9834	FK1-D34	53	90	34	24(1x24box)	23.85	284x218x208
01 9835	FK1-D35	53	90	35	24(1x24box)	23.10	284x218x208
01 9836	FK1-D36	53	90	36	24(1x24box)	24.95	284x218x208
01 9838	FK1-D38	54	90	38	24(1x24box)	26.25	304x233x222
01 9841	FK1-D41	54	90	41	24(1x24box)	28.10	304x233x222
01 9846	FK1-D46	55	100	46	24(1x24box)	32.25	304x233x222
01 9850	FK1-D50	55	100	50	12(1x12box)	19.45	320x240x116
01 9855	FK1-D55	55	105	55	12(1x12box)	23.55	396x302x125
01 9860	FK1-D60	60.5	110	60	12(1x12box)	26.25	396x302x125

3/4" DR Impact Socket

3/4" DR Impact Socket



CR-Mo


Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
01 9417	FK3/4-17	38	53	17	48(1x48box)	12.30	249x171x177
01 9418	FK3/4-18	38	53	18	48(1x48box)	12.20	249x171x177
01 9419	FK3/4-19	38	53	19	48(1x48box)	12.50	249x171x177
01 9421	FK3/4-21	38	53	21	48(1x48box)	12.10	249x171x177
01 9422	FK3/4-22	38	53	22	48(1x48box)	12.50	249x171x177
01 9423	FK3/4-23	38	53	23	48(1x48box)	12.50	249x171x177
01 9424	FK3/4-24	38	53	24	48(1x48box)	15.30	249x171x177
01 9426	FK3/4-26	40	53	26	48(1x48box)	13.65	249x171x177
01 9427	FK3/4-27	42	53	27	48(1x48box)	13.80	320x187x177
01 9428	FK3/4-28	43	53	28	48(1x48box)	16.10	320x187x177
01 9429	FK3/4-29	43	53	29	48(1x48box)	15.60	320x187x177
01 9430	FK3/4-30	46	53	30	36(1x36box)	15.80	309x162x177
01 9432	FK3/4-32	48	53	32	36(1x36box)	16.70	309x162x177
01 9433	FK3/4-33	48	53	33	36(1x36box)	17.70	309x162x177

3/4" DR Impact Socket

3/4" DR Impact Socket

Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
019434	FK3/4-34	51	53	34	36(1x36box)	17.20	309x162x177
019435	FK3/4-35	52	53	35	36(1x36box)	18.60	370x177x177
019436	FK3/4-36	54	53	36	36(1x36box)	18.80	370x177x177
019438	FK3/4-38	54	53	38	36(1x36box)	20.40	370x177x177
019440	FK3/4-40	57	53	40	24(1x24box)	14.20	255x195x177
019441	FK3/4-41	57	53	41	24(1x24box)	15.30	255x195x177
019442	FK3/4-42	62	53	42	24(1x24box)	15.60	255x195x177
019446	FK3/4-46	67	60	46	24(1x24box)	18.60	284x218x208
019448	FK3/4-48	68	65	48	24(1x24box)	10.60	282x216x114
019450	FK3/4-50	68	65	50	12(1x12box)	13.10	320x240x116
019455	FK3/4-55	77	73	55	12(1x12box)	15.10	270x185x177
019460	FK3/4-60	83	80	60	12(1x12box)	16.30	270x185x177
019465	FK3/4-65	88	83	65	12(1x12box)	18.50	405x311x114


3/4" DR Impact Deep Socket



CR-Mo


Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
019717	FK3/4-D17	38	80	17	48(1x48box)	20.30	278x190x208
019718	FK3/4-D18	38	80	18	48(1x48box)	20.20	278x190x208
019719	FK3/4-D19	38	80	19	48(1x48box)	20.90	278x190x208
019721	FK3/4-D21	38	80	21	48(1x48box)	20.10	278x190x208
019722	FK3/4-D22	38	80	22	48(1x48box)	21.10	278x190x208
019723	FK3/4-D23	38	80	23	48(1x48box)	21.10	278x190x208
019724	FK3/4-D24	38	80	24	48(1x48box)	21.10	278x190x208
019727	FK3/4-D27	38	80	27	48(1x48box)	24.20	278x190x208
019728	FK3/4-D28	38	80	28	48(1x48box)	27.60	278x190x208
019729	FK3/4-D29	38	80	29	48(1x48box)	26.40	278x190x208
019730	FK3/4-D30	40	80	30	36(1x36box)	25.50	344x180x202
019732	FK3/4-D32	40	80	32	36(1x36box)	27.10	344x180x202
019733	FK3/4-D33	40	80	33	36(1x36box)	29.20	344x180x202
019734	FK3/4-D34	42	80	34	36(1x36box)	30.70	344x180x202
019735	FK3/4-D35	42	80	35	36(1x36box)	28.20	344x180x202
017836	FK3/4-D36	44	80	36	36(1x36box)	30.20	344x180x202
019738	FK3/4-D38	44	80	38	24(1x24box)	21.30	284x218x208
019740	FK3/4-D40	44	80	40	24(1x24box)	21.60	284x218x208
019741	FK3/4-D41	44	80	41	24(1x24box)	23.20	284x218x208
019742	FK3/4-D42	44	80	42	24(1x24box)	25.10	284x218x208
019746	FK3/4-D46	46	93	46	12(1x12box)	13.40	282x216x114
019748	FK3/4-D48	48	100	48	12(1x12box)	13.60	282x216x114
019750	FK3/4-D50	48	100	50	12(1x12box)	16.80	320x240x116

3/4" DR Impact Deep Socket (SAE)



Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
019765	FK3/4-D3/4	38	80	3/4	48(1x48box)	20.90	278x190x208
019766	FK3/4-D13/16	38	80	13/16	48(1x48box)	20.10	278x190x208
019767	FK3/4-D7/8	38	80	7/8	48(1x48box)	21.10	278x190x208
019768	FK3/4-D15/16	38	80	15/16	48(1x48box)	21.10	278x190x208
019769	FK3/4-D1	44	90	1	48(1x48box)	32.20	354x272x224
019770	FK3/4-D1-1/16	38	80	17/16	48(1x48box)	27.60	278x190x208
019771	FK3/4-D1-1/8	38	80	11/8	48(1x48box)	26.40	278x190x208
019772	FK3/4-D1-3/16	40	80	19/16	36(1x36box)	25.50	344x180x202
019773	FK3/4-D1-1/4	40	80	11/4	36(1x36box)	27.10	344x180x202
019774	FK3/4-D1-5/16	40	80	21/16	36(1x36box)	29.20	344x180x202
019775	FK3/4-D1-3/8	42	80	13/8	36(1x36box)	28.20	344x180x202
019776	FK3/4-D1-7/16	44	80	23/16	36(1x36box)	30.20	344x180x202
019777	FK3/4-D1-1/2	44	80	11/2	24(1x24box)	21.30	284x218x208
019778	FK3/4-D1-9/16	44	80	19/16	24(1x24box)	21.60	284x218x208
019779	FK3/4-D1-5/8	44	80	15/8	24(1x24box)	23.20	284x218x208
019780	FK3/4-D1-11/16	44	80	11/16	24(1x24box)	25.10	284x218x208
019781	FK3/4-D1-3/4	44	90	3/4	24(1x24box)	27.60	313x289x240
019782	FK3/4-D1-13/16	46	93	13/16	12(1x12box)	13.40	282x216x114
019783	FK3/4-D1-7/8	48	100	7/8	12(1x12box)	13.60	282x216x114
019784	FK3/4-D1-15/16	48	100	15/16	12(1x12box)	16.80	320x240x116
019785	FK3/4-D2	48	100	2	12(1x12box)	16.80	320x240x116

3/4" DR Hex-Bit Impact Socket




CR-Mo

Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
010110	FK3/4-HX10	44	100	10.0	48(1x48box)	21.30	278x190x230
010112	FK3/4-HX12	44	100	12.0	48(1x48box)	22.10	278x190x230
010114	FK3/4-HX14	44	100	14.0	48(1x48box)	24.20	278x190x230
010117	FK3/4-HX17	44	100	17.0	48(1x48box)	26.50	414x262x212
010119	FK3/4-HX19	44	100	19.0	48(1x48box)	27.30	414x262x212
010122	FK3/4-HX22	44	100	22.0	48(1x48box)	29.50	278x190x230
010124	FK3/4-HX24	44	100	24.0	48(1x48box)	32.10	278x190x230
010127	FK3/4-HX27	44	100	27.0	48(1x48box)	34.50	278x190x230
010130	FK3/4-HX30	44	100	30.0	48(1x48box)	36.70	278x190x230

3/4" DR Impact Socket Accessories


3/4" DR Extension Bar for Impact Socket



CR-Mo

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm
018403	FEB3/4-3	20	33	44	76	36(6x6box)	17.45	236x230x181
018404	FEB3/4-4	20	33	44	100.5	36(6x6box)	22.60	252x242x181
018406	FEB3/4-6	20	33	44	153	24(6x4box)	18.95	217x208x212
018407	FEB3/4-7	20	33	44	178	24(6x4box)	21.70	234x210x242
018408	FEB3/4-8	20	33	44	200	12(3x4box)	11.95	252x242x128
018410	FEB3/4-10	20	33	44	250	12(3x4box)	14.60	294x290x128

3/4" DR Universal Joint for Impact Socket




CR-Mo

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	D _{mm}	E _{mm}	L _{mm}	PCS	Kg	mm
018702	FUJ3/4	54	38	40	45	20	89.5	36(1x36box)	18.40	278x147x210

3/8" DR Impact Socket

3/8" DR Impact Socket




CR-Mo

3/8" DR Impact Socket

Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
013106	FK3/8-6	19	28	11.4	120(10x12box)	4.50	272x125x104
013107	FK3/8-7	19	28	12.3	120(10x12box)	4.60	272x125x104
013108	FK3/8-8	19	28	13.6	120(10x12box)	4.80	272x125x104
013109	FK3/8-9	19	28	14.6	120(10x12box)	5.20	272x125x104
013110	FK3/8-10	19	28	15.8	120(10x12box)	5.60	272x125x104
013111	FK3/8-11	19	30	17.2	120(10x12box)	6.00	272x125x104
013112	FK3/8-12	19	30	18.4	120(10x12box)	6.40	272x125x104
013113	FK3/8-13	22	30	19.7	120(10x12box)	6.40	272x125x104
013114	FK3/8-14	22	30	20.9	120(10x12box)	7.40	272x125x104
013115	FK3/8-15	22	30	22.0	120(10x12box)	7.90	286x146x154
013116	FK3/8-16	22	30	24.0	120(10x12box)	8.60	286x146x154
013117	FK3/8-17	22	32	24.0	120(10x12box)	9.00	286x146x154
013118	FK3/8-18	22	32	25.9	120(10x12box)	9.30	286x146x154
013119	FK3/8-19	22	32	27.9	120(10x12box)	9.60	286x146x154
013120	FK3/8-20	22	32	28.2	120(10x12box)	10.20	286x146x154
013121	FK3/8-21	22	32	30.0	120(10x12box)	10.40	286x146x154
013122	FK3/8-22	22	32	31.9	120(10x12box)	10.80	333x217x184
013124	FK3/8-24	22	32	34.3	120(10x12box)	11.00	333x217x184


3/8"DR Impact Socket



CR-Mo

Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
015607	FK3/8-D7	19	63	12.2	120(10x12box)	9.80	353x145x148
015608	FK3/8-D8	19	63	13.5	120(10x12box)	10.00	353x145x148
015609	FK3/8-D9	19	63	14.6	120(10x12box)	10.30	353x145x148
015610	FK3/8-D10	19	63	15.8	120(10x12box)	11.00	353x145x148
015611	FK3/8-D11	19	63	17.2	120(10x12box)	11.80	353x145x148
015612	FK3/8-D12	19	63	18.4	120(10x12box)	12.40	353x145x148
015613	FK3/8-D13	19	63	19.7	120(10x12box)	13.40	353x145x148
015614	FK3/8-D14	22	63	20.9	120(10x12box)	13.80	353x145x148
015615	FK3/8-D15	22	63	22.1	120(10x12box)	14.30	353x145x148
015616	FK3/8-D16	22	63	24.1	120(10x12box)	14.60	353x145x148
015617	FK3/8-D17	22	63	24.1	60(6x10box)	8.10	353x145x148
015618	FK3/8-D18	22	63	25.9	60(6x10box)	8.80	353x145x148
015619	FK3/8-D19	22	63	27.9	60(6x10box)	9.60	353x145x148
015620	FK3/8-D20	22	63	28.2	60(6x10box)	10.40	353x145x148
015621	FK3/8-D21	22	63	30.1	60(6x10box)	12.00	353x145x148
015622	FK3/8-D22	22	63	31.9	60(6x10box)	13.40	353x145x148
015624	FK3/8-D24	22	63	34.3	60(6x10box)	14.80	353x145x148


3/8" DR Torx-Bit Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012709	FK3/8-T9	19	50	2.5	120(10x12box)	5.30	248x239x96
012710	FK3/8-T10	19	50	2.7	120(10x12box)	5.40	248x239x96
012715	FK3/8-T15	19	50	3.2	120(10x12box)	5.60	248x239x96
012720	FK3/8-T20	19	50	3.8	120(10x12box)	5.60	248x239x96
012725	FK3/8-T25	19	50	4.4	120(10x12box)	5.70	248x239x96
012727	FK3/8-T27	19	50	4.9	120(10x12box)	5.80	248x239x96
012730	FK3/8-T30	19	50	5.5	120(10x12box)	5.80	248x239x96
012740	FK3/8-T40	19	50	6.6	120(10x12box)	6.20	248x239x96
012745	FK3/8-T45	19	50	7.8	120(10x12box)	6.20	248x239x96
012747	FK3/8-T47	19	50	8.3	120(10x12box)	6.30	248x239x96
012750	FK3/8-T50	19	50	8.8	120(10x12box)	6.30	248x239x96


3/8" DR Hex-Bit Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
011103	FK3/8-HX3	19	50	3.0	120(10x12box)	5.10	248x239x96
011104	FK3/8-HX4	19	50	4.0	120(10x12box)	5.40	248x239x96
011105	FK3/8-HX5	19	50	5.0	120(10x12box)	5.60	248x239x96
011106	FK3/8-HX6	19	50	6.0	120(10x12box)	5.80	248x239x96
011107	FK3/8-HX7	19	50	7.0	120(10x12box)	6.30	248x239x96
011108	FK3/8-HX8	19	50	8.0	120(10x12box)	7.20	248x239x96
011110	FK3/8-HX10	19	50	10.0	120(10x12box)	8.10	248x239x96
011112	FK3/8-HX12	19	50	12.0	120(10x12box)	9.00	248x239x96
011114	FK3/8-HX14	19	50	14.0	120(10x12box)	10.00	248x239x96


3/8" DR Universal Joint



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
019508	FUJ3/8-8	24	52.5	14.0	60(6x10box)	6.10	224x138x237
019509	FUJ3/8-9	24	52.5	15.0	60(6x10box)	6.20	224x138x237
019510	FUJ3/8-10	24	52.5	15.0	60(6x10box)	6.40	224x138x237
019511	FUJ3/8-11	24	52.5	17.0	60(6x10box)	6.70	224x138x237
019512	FUJ3/8-12	24	52.5	19.0	60(6x10box)	6.90	224x138x237
019513	FUJ3/8-13	24	52.5	19.0	60(6x10box)	7.20	224x138x237
019514	FUJ3/8-14	24	52.5	21.5	60(6x10box)	7.20	224x138x237
019515	FUJ3/8-15	24	52.5	22.0	60(6x10box)	7.20	224x138x237
019516	FUJ3/8-16	24	52.5	23.0	60(6x10box)	7.40	224x138x237
019517	FUJ3/8-17	24	52.5	25.0	60(6x10box)	7.40	224x138x237
019518	FUJ3/8-18	24	52.5	25.0	60(6x10box)	7.60	224x138x237
019519	FUJ3/8-19	24	52.5	27.0	60(6x10box)	7.60	224x138x237
019520	FUJ3/8-20	24	52.5	28.0	60(6x10box)	7.90	224x138x237
019521	FUJ3/8-21	24	52.5	30.0	60(6x10box)	7.90	224x138x237
019522	FUJ3/8-22	24	52.5	32.0	60(6x10box)	8.30	224x138x237


3/8" DR Universal Joint for Impact Deep Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
019608	FUJ3/8-D8	24	80	14.0	60(6x10box)	7.50	455x224x110
019609	FUJ3/8-D9	24	80	15.0	60(6x10box)	7.60	455x224x110
019610	FUJ3/8-D10	24	80	15.0	60(6x10box)	8.10	455x224x110
019611	FUJ3/8-D11	24	80	17.0	60(6x10box)	8.40	455x224x110
019612	FUJ3/8-D12	24	80	19.0	60(6x10box)	8.90	455x224x110
019613	FUJ3/8-D13	24	80	19.0	60(6x10box)	9.40	455x224x110
019614	FUJ3/8-D14	24	80	21.5	60(6x10box)	9.50	455x224x110
019615	FUJ3/8-D15	24	80	22.0	60(6x10box)	10.60	455x224x110
019616	FUJ3/8-D16	24	80	23.0	60(6x10box)	11.10	455x224x110
019617	FUJ3/8-D17	24	80	25.0	60(6x10box)	11.30	455x224x110
019618	FUJ3/8-D18	24	80	25.0	60(6x10box)	11.60	455x224x110
019619	FUJ3/8-D19	24	80	27.0	48(6x8box)	12.00	455x224x110
019620	FUJ3/8-D20	24	80	28.0	48(6x8box)	12.30	455x224x110
019621	FUJ3/8-D21	24	80	30.0	48(6x8box)	12.50	455x224x110
019622	FUJ3/8-D22	24	80	32.0	48(6x8box)	12.60	455x224x110


3/8" DR Magnetic Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015406	FKM3/8-6	19	28	11.4	120(10x12box)	4.80	249x205x157
015407	FKM3/8-7	19	28	12.3	120(10x12box)	5.00	249x205x157
015408	FKM3/8-8	19	28	13.6	120(10x12box)	5.20	249x205x157
015409	FKM3/8-9	19	28	14.6	120(10x12box)	5.40	249x205x157
015410	FKM3/8-10	19	28	15.8	120(10x12box)	5.80	249x205x157
015411	FKM3/8-11	19	30	17.2	120(10x12box)	6.20	249x205x157
015412	FKM3/8-12	19	30	18.4	120(10x12box)	6.80	249x205x157
015413	FKM3/8-13	22	30	19.7	120(10x12box)	7.10	249x205x157
015414	FKM3/8-14	22	30	20.9	120(10x12box)	7.60	249x205x157
015415	FKM3/8-15	22	30	22.0	120(10x12box)	8.30	249x205x157
015416	FKM3/8-16	22	30	24.0	120(10x12box)	8.90	249x205x157
015417	FKM3/8-17	22	32	24.0	120(10x12box)	9.40	249x205x157
015418	FKM3/8-18	22	32	25.9	120(10x12box)	9.80	249x205x157
015419	FKM3/8-19	22	32	27.9	120(10x12box)	10.3	249x205x157


3/8" DR Magnetic Impact Deep Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015506	FKM3/8-D6	19	63	11.4	120(10x12box)	9.60	353x149x135
015507	FKM3/8-D7	19	63	12.3	120(10x12box)	10.10	353x149x135
015508	FKM3/8-D8	19	63	13.6	120(10x12box)	10.50	353x149x135
015509	FKM3/8-D9	19	63	14.6	120(10x12box)	11.20	353x149x135
015510	FKM3/8-D10	19	63	15.8	120(10x12box)	11.50	353x149x135
015511	FKM3/8-D11	19	63	17.2	120(10x12box)	11.80	353x149x135
015512	FKM3/8-D12	19	63	18.4	120(10x12box)	12.90	353x149x135
015513	FKM3/8-D13	22	63	19.7	120(10x12box)	13.60	353x149x135
015514	FKM3/8-D14	22	63	20.9	120(10x12box)	14.10	289x159x215
015515	FKM3/8-D15	22	63	22.0	120(10x12box)	14.60	289x159x215
015516	FKM3/8-D16	24	63	24.0	120(10x12box)	14.60	289x159x215
015517	FKM3/8-D17	24	63	24.0	120(10x12box)	14.70	289x159x215
015518	FKM3/8-D18	26	63	25.9	120(10x12box)	15.00	289x159x215
015519	FKM3/8-D19	26	63	27.9	120(10x12box)	15.00	289x159x215

3/8" DR Universal Joint



CR-Mo

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
018701	FUJ3/8	34	22.5	22	27.5	10	54.5	120(10x12box)	12.30	289x159x215

1/4" DR Impact Socket


1/4" DR Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012904	FK1/4-4	13	23	7.5	240(10x24box)	3.20	206x202x157
012945	FK1/4-4.5	13	23	8.2	240(10x24box)	3.40	206x202x157
012905	FK1/4-5	13	23	8.4	240(10x24box)	3.50	206x202x157
012955	FK1/4-5.5	13	23	9.3	240(10x24box)	3.80	206x202x157
012906	FK1/4-6	13	23	10.0	240(10x24box)	4.10	206x202x157
012907	FK1/4-7	13	23	11.3	240(10x24box)	4.40	206x202x157
012908	FK1/4-8	13	23	12.5	240(10x24box)	4.90	206x202x157
012909	FK1/4-9	13	23	13.2	240(10x24box)	5.10	206x202x157
012910	FK1/4-10	13	23	14.6	240(10x24box)	5.70	206x202x157
012911	FK1/4-11	13	23	15.9	240(10x24box)	6.10	206x202x157
012912	FK1/4-12	13	23	16.9	240(10x24box)	6.20	249x205x157
012913	FK1/4-13	13	23	19.1	240(10x24box)	6.90	249x205x157
012914	FK1/4-14	13	23	20.0	240(10x24box)	7.30	249x205x157

1/4" DR Impact Deep Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012604	FK1/4-D4	13	50	7.6	240(10x24box)	6.90	230x206x185
012645	FK1/4-D4.5	13	50	8.3	240(10x24box)	7.30	230x206x185
012605	FK1/4-D5	13	50	8.9	240(10x24box)	8.10	230x206x185
012655	FK1/4-D5.5	13	50	9.6	240(10x24box)	8.30	230x206x185
012606	FK1/4-D6	13	50	10.1	240(10x24box)	8.70	230x206x185
012607	FK1/4-D7	13	50	11.4	240(10x24box)	8.80	230x206x185
012608	FK1/4-D8	13	50	12.5	240(10x24box)	9.20	230x206x185
012609	FK1/4-D9	13	50	13.3	240(10x24box)	11.70	230x206x185
012610	FK1/4-D10	13	50	14.7	240(10x24box)	12.60	230x206x185
012611	FK1/4-D11	13	50	15.9	240(10x24box)	13.50	230x206x185
012612	FK1/4-D12	13	50	17.0	240(10x24box)	13.70	246x202x238
012613	FK1/4-D13	13	50	19.1	240(10x24box)	17.80	246x202x238
012614	FK1/4-D14	13	50	20.0	240(10x24box)	18.60	246x202x238

1/4" DR Impact Socket


1/4" DR Magnetic Impact Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015204	FKM1/4-4	13	23	7.5	240(10x24box)	3.30	206x202x157
015245	FKM1/4-4.5	13	23	8.2	240(10x24box)	4.10	206x202x157
015205	FKM1/4-5	13	23	8.4	240(10x24box)	4.20	206x202x157
015255	FKM1/4-5.5	13	23	9.3	240(10x24box)	4.30	206x202x157
015206	FKM1/4-6	13	23	10.0	240(10x24box)	4.50	206x202x157
015207	FKM1/4-7	13	23	11.3	240(10x24box)	4.70	206x202x157
015208	FKM1/4-8	13	23	12.5	240(10x24box)	5.10	206x202x157
015209	FKM1/4-9	13	23	13.2	240(10x24box)	5.60	206x202x157
015210	FKM1/4-10	13	23	14.6	240(10x24box)	6.10	206x202x157
015211	FKM1/4-11	13	23	15.9	240(10x24box)	6.60	206x202x157
015212	FKM1/4-12	13	23	16.9	240(10x24box)	6.70	249x205x157
015213	FKM1/4-13	13	23	19.1	240(10x24box)	8.20	249x205x157
015214	FKM1/4-14	13	23	20.0	240(10x24box)	8.50	249x205x157

1/4" DR Magnetic Impact Deep Socket



CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015304	FKM1/4-D4	13	50	7.6	240(10x24盒)	7.50	230x206x185
015345	FKM1/4-D4.5	13	50	8.3	240(10x24盒)	7.90	230x206x185
015305	FKM1/4-D5	13	50	8.9	240(10x24盒)	8.30	230x206x185
015355	FKM1/4-D5.5	13	50	9.6	240(10x24盒)	8.70	230x206x185
015306	FKM1/4-D6	13	50	10.1	240(10x24盒)	8.90	230x206x185
015307	FKM1/4-D7	13	50	11.4	240(10x24盒)	9.30	230x206x185
015308	FKM1/4-D8	13	50	12.5	240(10x24盒)	9.40	230x206x185
015309	FKM1/4-D9	13	50	13.3	240(10x24盒)	9.90	230x206x185
015310	FKM1/4-D10	13	50	14.7	240(10x24盒)	12.20	230x206x185
015311	FKM1/4-D11	13	50	15.9	240(10x24盒)	13.20	230x206x185
015312	FKM1/4-D12	13	50	17.0	240(10x24盒)	14.30	246x202x238
015313	FKM1/4-D13	13	50	19.1	240(10x24盒)	18.50	246x202x238
015314	FKM1/4-D14	13	50	20.0	240(10x24盒)	19.60	246x202x238

Impact Socket Accessories


Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018703	FWJ1/2-3/8	22	18.5	33.5	120(10x12box)	7.20	286x146x154	1/2	3/8


Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018704	FWJ3/8-1/2	25	22	38	120(10x12box)	9.00	253x174x197	3/8	1/2


Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018705	FWJ3/4-1/2	44	32	58	60(1x60box)	20.20	360x170x175	3/4	1/2


Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018706	FWJ1/2-3/4	30	24	48	60(1x60box)	20.90	278x233x182	1/2	3/4

Impact Adapter




CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018707	FWJ3/8-1/4	18.8	16.8	27.8	120(10x12box)	4.50	204x140x119	3/8	1/4

Impact Socket Accessories


Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018708	FWJ1/4-3/8	13.9	14.3	27	120(10x12box)	3.30	249x145x124	1/4	3/8


Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018709	FWJ3/4-1	44.1	32.3	63.2	36(1x36box)	17.00	278x190x182	3/4	1

Impact Adapter



CR-Mo

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018710	FWJ1-3/4	54.1	32.3	10.1	36(1x36box)	21.40	313x289x240	1	3/4

Impact Socket For Protruding Head Screws

Impact Socket For Protruding Head Screws



CR-Mo

1/2" Dr Impact Socket For Protruding Head Screws

Code	Model No.	PCS
010260	FK1/2-M6-P1.0	120(10x12box)
010261	FK1/2-M7-P1.0	120(10x12box)
010262	FK1/2-M8-P1.25	120(10x12box)
010263	FK1/2-M10-P1.25	120(10x12box)
010264	FK1/2-M10-P1.5	120(10x12box)
010265	FK1/2-M12-P1.25	120(10x12box)
010266	FK1/2-M12-P1.5	120(10x12box)
010267	FK1/2-M12-P1.75	120(10x12box)
010268	FK1/2-M14-P1.5	120(10x12box)
010269	FK1/2-M14-P2.0	120(10x12box)

3/8" Dr Impact Socket For Protruding Head Screws

Code	Model No.	PCS
010250	FK3/8-M5-P0.8	120(10x12box)
010251	FK3/8-M6-P1.0	120(10x12box)
010252	FK3/8-M7-P1.0	120(10x12box)
010253	FK3/8-M8-P1.0	120(10x12box)
010254	FK3/8-M8-P1.25	120(10x12box)
010255	FK3/8-M10-P1.25	120(10x12box)
010256	FK3/8-M10-P1.5	120(10x12box)






Socket

High Precisionally Processed




The inner part of handle is made of advanced PP material and the outer part is made of the elastic rubber resin to advance the grab feel and torsion.




45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space.

1



2



- Press top button to push square head into socket
- Releasing top button, making spring supported ball inside automatically locks the socket to ratchet head.



One piece internal crescent shaped gear makes the products durable enough against wear off.

45 Teeth Gears



Jetech sockets and rachet wrenches are made of high quality Cr.V alloy steel. Big size socket is made of Cr.Mo, cold forging and processed with precision.



Guaranteed maximum torsion of ratchet wrench handles in three different drive sizes.



max N.m

1/2 douille 512 N.m

3/8 douille 203 N.m

1/4 douille 62 N.m

Internal part is made by cold extrusion forming to ensure precision.

Socket Set

1/2"Light Pack Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016010	SK1/2-10SJ	1/2"10pcs Socket Set	24(4x6box)	53.50	720x310x238
9pcs	1/2" Socket (mm): 8 10 11 12 13 14 15 17 19		10 PCS		
1pcs	1/2" Ratchet Wrench				

3/8"Light Pack Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016011	SK3/8-11SJ	3/8"11pcs Socket Set	24(4x6box)	24.05	433x265x220
10pcs	3/8" Socket (mm): 9 10 11 12 13 14 15 16 17 19		11 PCS		
1pcs	3/8" Ratchet Wrench				

1/4"Light Pack Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016014	SK1/4-14SJ	1/4"14pcs Socket Set	24(4x6box)	42.00	720x310x238
13pcs	1/4" Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14		14 PCS		
1pcs	1/4" Ratchet Wrench				

1/2"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016015	SK1/2-15S	15pcs 1/2"DR Metric Socket Set	6(1x6box)	16.00	375x300x175
12pcs	1/2 Socket (mm): 10 11 12 13 14 15 16 17 18 19 22 24		15 PCS		
3pcs	1/2 Extension Bar5" 1/2 Universal Joint 1/2 Softgrip Ratchet Wrench				

1/2"DR Socket Set




Code	Model No.	Model name	PCS	Kg	mm
016020	SK1/2-20SF	20pcs 1/2" DR Metric Socket Set	6(1x6box)	18.80	420x315x245
12pcs	1/2 Socket (mm): 10 11 12 13 14 15 16 17 18 19 22 24		20 PCS		
3pcs	1/2 Deep Socket (mm): 13 17 19				
5pcs	1/2 Softgrip Ratchet Wrench 1/2 Socket Joint(Hole3/8-Head1/2) 1/2 Universal Joint 1/2 Spark Plug Socket 16mm 1/2 Extension Bar10"				

1/2"DR Socket Set (SAE)



Code	Model No.	Model name	PCS	Kg	mm
016019	SK1/2-21NS	21pcs 1/2" DR socket set	4(1x4box)	18.552	557 x 410 x 195
15pcs	1/2 Socket(mm): 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4 1-3/16		21 PCS		
2pcs	1/2 Torque Socket(mm): 5/8 13/16				
4pcs	1/2 Universal Joint 1/2 Extension Bar 10" Tri-function Joint 1/2 Softgrip Ratchet				



INDEX

Socket Set

1/2"DR Socket Set (SAE)





Code	Model No.	Model name	PCS	Kg	mm
016022	SK1/2-22INSP	22pcs 1/2" DR Socket Set	4(1x4box)	21.20	557x410x195
15pcs	1/2 Socket (inch): ● 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4				
7pcs	1/2 Universal Joint 1/2 Extension Bar5", 10" 1/2 Speeding Handle15" 1/2 Hinge Handle10" 1/2 Ratchet Wrench 45 Teeth 1/2 Sliding Bar				

22 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
017224	SK1/2-24S	24pcs 1/2" DR Metric Socket Set	2(1x2box)	12.45	470x290x130
18pcs	1/2 Socket(mm): ● 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
6pcs	1/2 Soft Grip Quick Release Ratchet Wrench 1/2 Speeding Handle 1/2 Universal Joint 1/2 Sliding Rod 1/2 Extension Bar 5", 10"				

24 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016024	SK1/2-24SP	24pcs 1/2" DR Metric Socket Set	6(1x6box)	22.00	445x375x255
20pcs	1/2 Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32				
4pcs	1/2 Soft Grip Ratchet Wrench 1/2 Socket Joint(Hole3/8-Head1/2) 1/2 Universal Joint 1/2 Extension Bar10"				

24 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016124	SK1/2-24ASP	24pcs 1/2" DR Metric Socket Set	6(1x6box)	23.10	445x375x255
18pcs	1/2 Socket (mm): ● 8 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32				
6pcs	1/2 Extension Bar 5",10" 1/2 Spark Plug Socket 21mm 1/2 Universal Joint 1/2 Sliding Rod 1/2 Ratchet Wrench				

24 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016025	SK1/2-25SP	25pcs 1/2" DR Metric Socket Set	6(1x6box)	21.00	455x330x250
12pcs	1/2 Metric Socket (mm): ● 10 11 12 13 14 15 16 17 18 19 22 24				
3pcs	1/2 Metric Deep Socket (mm): ● 13 17 19				
5pcs	Mirror Polished Combination Wrench (mm): 10 11 12 13 14				
5pcs	1/2 Soft Grip Quick Release Ratchet Wrench (72teeth) 1/2 Extension Bar 10" 1/2 Universal Joint 1/2 Tri-Function Joint (Hole3/8-Head1/2) 1/2 Spark Plug Socket 16				

25 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016027	SK1/2-27S	27pcs 1/2" DR Metric Socket Set	4(1x4box)	19.30	420x425x145
21pcs	1/2 Metric Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
6pcs	1/2 Soft Grip Quick Release Ratchet Wrench (72teeth) 1/2 Extension Bar 10" 1/2 Universal Joint 1/2 Tri-Function Joint (Hole3/8-Head1/2) 1/2 Metric Spark Plug Socket 16mm 21mm				

27 PCS

Socket Set

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016032	SK1/2-32SP	32pcs 1/2" DR Series Metric Socket Set	4(1X4box)	23.00	420x385x295
20pcs	1/2 Metric Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32				
5pcs	1/2 Metric Impact Socket (mm): ● 14 17 19 21 23				
7pcs	1/2 Soft Grip Quick Release Ratchet Wrench 1/2 Tri-Function Joint (hole3/8-head1/2) 1/2 Universal Joint 1/2 Speeding Handle 1/2 L wrench 1/2 Extension Bar 5" 10"				

32 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016132	SK1/2-32ASP	1/2" 32pcs Socket Set	6(1x6box)		
19pcs	1/2 Metric Socket (mm): 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32				
6pcs	1/2 12P.T.Socket (mm): 10 12 14 15 17 19				
2pcs	1/2 Spark Plug Socket (mm): 16mm 21mm				
5pcs	1/2 Ratchet Wrench 1/2 Universal Joint 1/2 Tri-Function Joint 1/2 Extension Bar 5" 10"				

32 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
016037	SK1/2-37S	37pcs 1/2" Series Metric Socket Set	2(1X2box)	15.55	470x290x130
21pcs	1/2 Metric Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
8pcs	1/2 Metric Deep Socket (mm): ● 10 11 12 13 14 15 17 19				
8pcs	1/2 Soft Grip Quick Release Ratchet Wrench 1/2 Tri-Function Joint (hole3/8-head1/2) 1/2 Universal Joint 1/2 Metric Spark Plug Socket 16mm, 21mm 1/2 Extension Bar 5" 10" 1/2 Hinge Handle				

37 PCS

1/2"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
018248	SK1/2-48SP	48pcs 1/2" DR Metric Socket Set	2(1X2box)	14.00	405x285x190
21pcs	1/2 Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
8pcs	1/2 Deep Socket (mm): ● 8 10 12 13 14 15 17 19				
11pcs	1/2 Socket(inch): ● 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1				
8pcs	1/2 Softgrip Ratchet Wrench 1/2 Socket Joint(Hole3/8-Head1/2) 1/2 Universal 1/2 Spark Plug 16mm,21mm 1/2 Extension Bar5",10" 1/2 Hinge Handle				

48 PCS

1/4"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
018320	SK1/4-20SP	20PCS 1/4" DR Metric Socket set	12(1x12box)	13.00	495x355x150
13pcs	1/4 Metric Socket (mm): ● 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
4pcs	1/4 Metric Deep Socket (mm): ● 8 10 12 13				
3pcs	1/4 Extension Bar2" 1/4 Ratchet Wrench (43teeth) 1/4 Spinner Handle				

20 PCS

1/4"DR Socket Set





Code	Model No.	Model name	PCS	Kg	mm
018325	SK1/4-25SP	25pcs 1/4" Series Metric Socket Set	12(1x12box)	16.15	410x318x254
13pcs	1/4 Metric Socket (mm): ● 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
7pcs	1/4 Metric Deep Socket (mm): ● 8 9 10 11 12 13 14				
5pcs	1/4 Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Sliding Rod 1/4 Extension 2", 4"				

25 PCS

Socket Set

1/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018339	SK1/4-39SP	39pcs 1/4" DR Series Socket Set	12(1X12box)	15.30	410x318x254
13pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
20pcs	1/4 Bits Socket (mm): HX3 HX4 HX5 HX6 HX8 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
6pcs	1/4 Quick Release Ratchet Wrench 1/4 Hinge Handle 1/4 Universal Joint 1/4 Sliding Rod 1/4 Extension Bar 2", 4"				

39
PCS

1/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016041	SK1/4-41S	41pcs 1/4" DR Socket Set	6(1x6box)	11.30	395x325x185
13pcs	1/4 Metric Socket (MM): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
7pcs	1/4 Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Universal Joint 1/4 Bit Joint 1/4 Extension 2",4",6"				

41
PCS

1/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018346	SK1/4-46SP	46sp 1/4" Metric Socket Set	4(1x4box)	5.28	340x263x112
13pcs	1/4 Metric Socket (MM): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
22pcs	1/4" Bit Socket: HX3, HX4, HX5, HX6,HX7, HX8, PH1, PH2,PH3, PZ1,PZ2, PZ3,T8,T10,T15, T20,T25,T30,T40,SL4.0,SL5.5,SL7				
7pcs	1/4" Universal Joint, 1/4" Quick Release Ratchet Wrench, 1/4" Extension Bar 2"and 4", 1/4" Spinner Handle,1/4" Sliding Bar, 1/4" Soft Extension Bar 6"				
4pcs	Flat End Black Finish Hex Key: 1.27mm, 1.5mm, 2mm, 2.5mm				

46
PCS

1/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018351	SK1/4-51SP	51pcs 1/4" DR Socket Set	4(1x4box)	5.55	300x270x185
13pcs	1/4 Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
10pcs	1/4 Socket (inch) 5/32 3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
7pcs	1/4 Ratchet Wrench 1/4 Spinner Handle 1/4 Universal 1/4 Bit Adapter 1/4 Extension Bar2",4",6"				

51
PCS

1/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016056	SK1/4-56S	56pcs 1/4" Socket Set	4(1X4box)	12.60	420x230x240
13pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
13pcs	1/4 Metric Deep Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
9pcs	1/4 Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Universal Joint 1/4 Sliding Rod 1/4 Hinge Handle 1/4 Bit Adapter 1/4 Extension 2",4",6"				

56
PCS

Torx Bit Socket Set

18
PCS



Code	Model No.	Model name	PCS	Kg	mm
016018	SKT-18SP	18Pcs Torx-Bit Socket Set	12(1x12box)	17.70	415x315x285
6pcs	1/2 Torx-Bit Socket T30 T40 T45 T50 T55 TT60				
6pcs	1/2 Torx-Bit Deep Socket T30 T40 T45 T50 T55 TT60				
6pcs	1/2 Torx-Bit Deep Socket T10 T15 T20 T25 T30 T40				

Socket Set

1/4"-3/8"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
017775	SK 1/4-3/8-75SP	75pcs 1/4" + 3/8" Socket Set	2(1X2box)	8.35	385x245x155
13pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
15pcs	3/8 Metric Socket (mm): 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24				
9pcs	1/4 Metric Deep Socket (mm): 5.5 6 7 8 9 10 11 12 13 3/8 Metric Deep Socket (mm): 14 15 16 17 18 19				
6pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10				
21pcs	T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
11pcs	3/8 Extension Bar 3", 6" 3/8 Universal Joint 1/4 Bit Adapter 3/8 Tri-Function (Hole 1/2-Head 3/8) 3/8 Metric Spark Plug Socket 16mm, 21mm 1/4 Soft Grip Quick Release Ratchet Wrench 3/8 Soft Grip Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Sliding Rod				

75
PCS

1/4"-1/2"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
017879	SK 1/4-1/2-79SP	79pcs 1/4" + 1/2" Socket	2(1x2box)	14.00	430x290x165
9pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10				
21pcs	1/2 Metric Socket (mm): 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
9pcs	1/4 Deep Metric Socket (mm): 5.5 6 7 8 9 10 11 12 13				
4pcs	1/2 Deep Metric Socket (mm): 14 15 17 19				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
15pcs	1/4 Extension Bar 2", 4" 1/4 Universal Joint 1/4 Soft Grip Quick Release Ratchet Wrench 1/2 Extension Bar5",10" 1/2Universal Joint 1/2 Soft Grip Quick Release Ratchet Wrench 1/4 Bit Adapter 1/4 Sliding Rod 1/4 Spinner Handle 1/2 Metric Spark Plug Socket16mm, 21mm, 1/2 Hinge Handle 1/2Tri-Function Joint(Hole3/8-Head1/2)				

79
PCS

3/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016121	SK3/4-21SP	3/4" 21pcs Socket Set	1(1x1box)	14.30	550x370x130
16pcs	3/4 Dodecagonal Metric Mirror Polished Socket (mm): 19 20 22 23 24 26 27 28 30 32 34 36 38 41 46 50				
5pcs	3/4 Ratchet Wrench 3/4 Extension Bar 4", 8" 3/4 Sliding Rod 3/4 Universal Joint				

21
PCS

3/4"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016126	SK3/4-26SP	3/4+1" 26pcs Socket Set	1(1x1box)	26.70	550X370X130
17pcs	3/4 Dodecagonal Metric Mirror Polished Socket (mm) : 21 22 23 24 26 27 28 29 30 31 32 34 36 38 41 46 50				
3pcs	1" Dodecagonal Metric Mirror Polished Socket (mm) : 55 60 65				
6pcs	3/4 Ratchet Wrench 3/4 Extension Bar 8" 3/4 Spinner Handle 20" 3/4 Sliding Rod 3/4 Universal Joint Socket Joint				

26
PCS

3/8"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016021	SK3/8-21SP	21pcs 3/8" Socket Set	12(1X12box)	21.80	495x355x150
14pcs	3/8 Metric Socket (mm): 6 7 8 9 10 11 12 13 14 15 16 17 18 19				
4pcs	3/8 Metric Deep Socket (mm): 12 13 17 19				
3pcs	3/8 Spark Plug Socket 16 3/8 Extension 6" 3/8 Ratchet Wrench 41teeth				

21
PCS

3/8"DR Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016046	SK3/8-46S	46pcs 3/8" Socket Set	4(1X4box)	12.10	385x190x235
20pcs	3/8 Metric Socket (mm): 5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
5pcs	3/8 Quick Release Ratchet Wrench 3/8 Extension Bar 3", 6" 3/8 Universal Joint 3/8 Bit Adapter				

46
PCS

Socket Set

3/8"DR Socket Set (SAE)

26
PCS





Code	Model No.	Model name	PCS	Kg	mm
017226	SK3/8-26INSP	26pcs 3/8" DR Inch Socket Set	6	15.40	355x330x250
13pcs	3/8 Socket (inch): ●	1/2 3/4 13/16 3/8 1/4 15/32 19/32 5/16 5/8 11/16 7/16 7/8 9/16			
19pcs	3/8 Deep Socket (inch): ●	1/2 3/4 13/16 3/8 5/8 11/16 7/16 7/8 9/16			
4pcs	3/8 Extension Bar3" 3/8 Softgrip Ratchet Wrench 3/8 Universal 3/8 Socket Adapter				

3/8"DR Socket Set

61
PCS





Code	Model No.	Model name	PCS	Kg	mm
016061	SK3/8-61S	61pcs 3/8" Socket Set	2(1X2box)	10.90	445x120x285
20pcs	3/8 Metric Socket (mm): ●	5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24			
10pcs	3/8 Metric Deep Socket (mm): ●	8 9 10 11 12 13 14 15 17 19			
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6 3/8 Quick Release Soft Grip Ratchet Wrench 3/8 Extension Bar3", 6", 10" 3/8 Universal Joint 3/8 Bit Adapter 3/8 Metric Spark Plug Socket 16mm, 21mm 3/8 Spinner Handle 3/8 Tri-Function Adapter (Hole1/2, Head3/8)				
10pcs					

Socket Set

121
PCS





Hex key and automotive circuit tester is not in the warranty range

Code	Model No.	Model name	PCS	Kg	mm
018121	SK-121SP	121pcs Set	2(1x2box)	19.80	500x380x192
36pcs	1/2 Socket (mm):● 20 21 22 24 27 30 32 1/4 Socket (mm):● 4 5 6 7 8 9 10 11 12 13 Deep Socket (mm): 8 9 10 12 3/8 Socket (mm):● 9 10 11 12 13 14 15 16 17 18 19 Deep Socket (mm):13 14 15 17				
8pcs	3/8 Torque Socket (mm): 8 10 11 12 14 16 18 20				
17pcs	3/8 Hex-Bit Socket (mm):HX3 HX4 HX5 HX6; PH1 PH2 (各2个); SL5 SL6; TT45 TT50 TT55 TT60; T20 T30 T40				
9pcs	Hexkey Set (mm): 1.5 2 2.5 3 4 5 6 8 10				
18pcs	25mm Bit (mm)SL:4 5 6; PH:1 3; TT: 10 15 20 25 27 30 40 HX:3 4 5 6; PZ: 1 2				
11pcs	Mirror Finish Combination Wrench(mm): 8 9 10 11 12 13 14 16 17 18 19 1/2 Softgrip Ratchet Wrench 3/8 Softgrip Ratchet Wrench 1/4 Softgrip Ratchet Wrench 3/8 Spark Plug(16mm,21mm) 3/8 Extension Bar3",10" 1/2 Extension Bar5",10" 1/4 Extension Bar2" Oil Filter Wrench Oil Cylinder Socket Automotive Circuit Tester 1/4 Universal 3/8 Universal 1/2 Universal 1/4 Spinner Handle 1/4 Bit Adapter Socket Adapter(3/8-1/2,3/8-1/4) Go through screwdriver ⌀⊕ 6×100mm				

Socket Set

123
PCS





Bits are beyond the scope of warranty.

Code	Model No.	Model name	PCS	Kg	mm
018123	SK-123SP	123pcs Set	2(1x2box)	19.40	500x323x213
10pcs	1/4 Socket (mm):● 4 5 6 7 8 9 10 11 12 13				
11pcs	3/8 Socket (mm):● 9 10 11 12 13 14 15 16 17 18 19				
8pcs	3/8 Torque Socket (mm):● 8 10 11 12 14 16 18 20				
7pcs	1/2 Socket (mm):● 20 21 22 24 27 30 32				
4pcs	1/4 Deep Socket (mm):● 8 9 10 12				
4pcs	3/8 Deep Socket (mm):● 13 14 17 19				
4pcs	1/2 Metric Impact Socket (mm):17 19 21 23				
4pcs	1/2 Socket (inch): ● 15/16" 1" 1-1/16" 1-1/4"				
10pcs	1/4 Socket (inch): ● 5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"				
9pcs	3/8 Socket (inch): ● 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8"				
10pcs	25mm Bits T10 T15 T20 T25 T27 T30 T40 PH 1 PH 2 PH 3 Hx3 HX4 HX5 HX6 SL 5 SL 6 PZ 1 PZ 2 PH 1 PH 2				
17pcs	3/8 Bits Socket T20 T30 T40 T45 T50 T55 TT60 Hx3 HX4 HX5 HX6 SL 5 SL 6 PZ 1 PZ 2 PH 1 PH 2				
10pcs	Combination Wrench (mm): 8 9 10 11 12 13 14 17 18 19 1/4 Bit Adapter 1/4 Softgrip Ratchet Wrench 3/8 Softgrip Ratchet Wrench 1/2 Softgrip Ratchet Wrench 1/4 Universal 3/8 Universal 1/2 Universal Joint 1/4 Extension Bar2" 3/8 Extension Bar3",6" 1/2 Extension5", 10" 1/4 Spinner Handle 3/8 Metric Spark Plug Socket 16mm, 21mm				
15pcs					

Socket Set

131
PCS





Hex key, bits, automotive circuit tester is not applicable to lifetime guarantee.

Code	Model No.	Model name	PCS	Kg	mm
016030	SK-131SP	131pcs Set	2(1x2box)	12.70	520x380x195
41pcs	1/4 Metric Socket:4 5 6 7 8 9 10 11 12 13 Deep Socket : 8 9 10 12 3/8 Metric Socket:9 10 11 12 13 14 15 Deep Socket:13 14 15 17 1/2 Metric Socket:16 17 18 19 20 21 22 24 3/8 6P,T torque socket:8 10 11 12 14 16 18 20				
10pcs	Flat plated long hex key: 1.5 2 2.5 3 4 5 6 8 10 Metric hex key set				
15pcs	Mirror finishing combination spanner:8 9 10 11 12 13 14 15 16 17 18 19 21 Flare nut wrench: 8-10 9-11				
36pcs	Bit socket, T20 T30 T40 TT45 TT50 TT55 TT60 HX3 HX4 HX5 HX6 PH1 PH2 SL5.0 SL6.0 25mm bit: PZ 1 2; TT 10 15 20 25 27 30 40; PH 0 1 2 3 SL 4 5 6 Hex bit: 2 3 4 5 6 1/4 bit joint, 1/4 spinner handle, 1/2 soft grip ratchet wrench, 1/4 soft grip ratchet wrench, 3/8 soft grip ratchet wrench, 1/2 universal joint, 1/4 universal joint, 3/8 universal joint, 1/2 extension bar 5" 10", 3/8 extension bar 3" 6", 1/4 extension bar 2", 3/8 spark plug socket (16, 21),ultra-thin spark plug 12P.T 14 spark plug, socket joint(3/8-1/2,3/8-1/4), 1/2" joint 1/2" socket joint, soft grip go through hex screwdriver (-)(+)*6"100mm, automobile circuit tester, combination filter wrench, cylinder head screw socket, Volkswagen shock absorber socket, 8" slip-joint plier, M16 torque screw, H17 hex screw, stainless steel plastic buckle nail extractor,				
29pcs					

Socket Set

142
PCS





Code	Model No.	Model name	PCS	Kg	mm
016142	SK-142SP	142sp Metric Socket Set	2(1x2box)	19.40	500x323x213
9pcs	1/4 Metric Socket (MM): ● 4 4.5 5 5.5 6 7 8 9 10				
26pcs	25mm Bit Socket: HX2, HX3, HX4, HX5,HX6, HX10, Hx10,PH0,PH1, PH2,PH3, PZ0,PZ1,PZ2, PZ3,T8,TT10,TT15, TT20,TT25,TT27,TT30, TT40,SL5.5,SL7				
5pcs	1/4 Torx Bit Socket: E4, E5, E6, E7, E8				
9pcs	1/4 Quick Release Ratchet Wrench , 1/4 Extension Bar 2",4" and 6", 1/4Univeral Joint, Tri-Function Joint 3/8-1/4, Bit Holder, 1/4 Flexible Extention				
15pcs	3/8 12PT Socket (mm): 6, 7,8,9,10,11,12,13,14,15,16,17,18,19,21,22				
4pcs	3/8 Quick Release Ratchet Wrench, 3/8 Extension Bar 3" and 6", 3/8 Universal Joint				
19pcs	1/2 Socket(mm): 8, 10, 12, 13,14,15,16,17,18,19,20, 21, 22, 23, 24, 25,27, 30, 32				
5pcs	1/2 Torx Bit Socket: E10,E12,E14, E16, E20				
9pcs	1/2 Quick Release Ratchet Wrench , 1/2 Hinge Handle 18", 1/2 Univeral Joint, 1/2 Extension Bar 3" and 10", Tri-Function Joint 3/8-1/2, 1/2 Spark Plug Socket 16mm and 21mm, 1/2 L Type Wrench				
17pcs	Combination Wrench(mm): 6, 7,8,9,10,11,12,13,14,15,16,17,18,19,21,22,24				
5pcs	Flare Nut Wrench(mm):8x10, 10x12, 11x13,12x14,17x19				
10pcs	Flat End Plated Hex Key(mm):2.5,3, 4,5, 6,7,8,10,12,14				
9pcs	300g Machinist Hammer, 7"Combination Pliers, 10"Straight Jaw Locking Pliers, Screwdriver :5x25+,5x25-, 6x100+, 6x150-, Go Through Screwdriver :6x150+,6x150-				

Socket Set

150
PCS






Code	Model No.	Model name	PCS	Kg	mm
018150	SK-150SP	150pcs Set	1(1x1box)	12.70	550x370x130
12PCS	Mirror Finish Combination Wrench (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19				
3PCS	Gear Socket Wrench (mm): ● 8-10 12-13 17-19				
6PCS	1/4" 6P,T Deep Socket (mm): ● 4 5 6 7 8 9				
6PCS	3/8" 6P,T Deep Socket (mm): ● 10 11 12 13 14 15				
6PCS	1/2" 6P,T Deep Socket (mm): ● 10 12 13 14 17 19				
10PCS	1/4" 6P,T Metric Socket (mm): ● 4 5 6 7 8 9 10 11 12 13				
11PCS	3/8" 6P,T Metric Socket (mm): ● 9 10 11 12 13 14 15 16 17 18 19				
7PCS	1/2" 12P,T Metric Socket (mm): ● 20 21 22 24 27 30 32				
4PCS	1/2" Impact Socket (mm): ● 17 19 21 23				
8PCS	3/8" Torque Socket: ● E8 E10 E11 E12 E14 E16 E18 E20 3/8" Bits Socket: ● T20 T30 T40 TT45 TT50 TT55 TT60 HX3 HX4 HX5 HX6 HX8 HX10 PH1 PH2 PH3 SL4 SL5 SL6 25mm Bit (mm): TT: 10 15 20 25 27 30 40				
7PCS	25mm Bit (mm): TT: 10 15 20 25 27 30 40				
10PCS	1/4" 6P,T Hex-Bit Socket (inch):● 5/32 3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2				
9PCS	3/8" 6P,T Hex-Bit Socket(inch): ● 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8				
4PCS	1/2" 12P,T Hex-Bit Socket (inch): ● 15/16 1 1-1/16 1-1/4				
10PCS	10pcs Flat Hex Key Set: ● 1.5 2 2.5 3 4 5 6 8 10 12				
15PCS	1/4 Extension Bar4" 3/8 Extension Bar3",6" 1/2 Extension Bar5",10" 1/4 Bit Adapter 1/4 Universal 3/8 Universal 1/2 Universal 1/4 Softgrip Ratchet 3/8 Softgrip Ratchet 1/2 Softgrip Ratchet 1/4 Spinner Handle 3/8 Spark Plug 16mm,21mm				

1/2" DR Metric Socket


1/2" DR 6 P.T Socket (Cr-V)





Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
011208	SK1/2-8	21.8	13	8	14	38	120(10x12box)	6.10	286x146x154
011209	SK1/2-9	21.8	14	9	14	38	120(10x12box)	6.10	286x146x154
011210	SK1/2-10	21.8	15	10	15	38	120(10x12box)	6.10	286x146x154
011211	SK1/2-11	21.8	16.5	11	15	38	120(10x12box)	6.40	286x146x154
011212	SK1/2-12	21.8	18	12	14	38	120(10x12box)	6.80	286x146x154
011213	SK1/2-13	21.8	19	13	14	38	120(10x12box)	6.90	286x146x154
011214	SK1/2-14	21.8	20.5	14	13.5	38	120(10x12box)	7.10	286x146x154
011215	SK1/2-15	21.8	21.8	15	13	38	120(10x12box)	7.50	286x146x154
011216	SK1/2-16	21.8	21.8	16	14	38	120(10x12box)	7.20	286x146x154
011217	SK1/2-17	21.8	23.8	17	14	38	120(10x12box)	8.30	286x166x154
011218	SK1/2-18	25.8	25.8	18	14	38	120(10x12box)	10.00	253x194x197
011219	SK1/2-19	26.8	26.8	19	18	38	120(10x12box)	9.20	253x194x197
011220	SK1/2-20	27.8	27.8	20	19	38	120(10x12box)	10.20	253x194x197
011221	SK1/2-21	28.8	28.8	21	19	38	120(10x12box)	10.20	253x194x197
011222	SK1/2-22	29.8	29.8	22	18	38	120(10x12box)	11.60	253x194x197
011223	SK1/2-23	31.8	31.8	23	18	38	120(10x12box)	13.00	253x194x197
011224	SK1/2-24	32	32	24	18	38	120(10x12box)	13.00	253x194x197
011225	SK1/2-25	33.8	33.8	25	17	40	120(10x12box)	16.70	335x205x185
011226	SK1/2-26	33.8	33.8	26	19	42	120(10x12box)	17.50	335x205x185
011227	SK1/2-27	35.8	35.8	27	21.5	42	120(10x12box)	19.85	335x205x185
011228	SK1/2-28	37.8	37.8	28	18	42	120(10x12box)	21.80	358x219x197
011229	SK1/2-29	37.8	37.8	29	18	42	60(10x6box)	10.80	234x206x184
011230	SK1/2-30	39.8	39.8	30	20	43	60(10x6box)	12.60	234x206x184
011232	SK1/2-32	41.8	41.8	32	22	45	60(10x6box)	13.70	234x206x184

1/2"DR 6P.T Deep Socket (Cr-V)






Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
012408	SK1/2-D8	22	13	8	20	77	120(10x12box)	11.60	286x202x214
012410	SK1/2-D10	22	15.5	10	25	77	120(10x12box)	11.60	286x202x214
012411	SK1/2-D11	22	17	11	26	77	120(10x12box)	11.90	286x202x214
012412	SK1/2-D12	22	18.5	12	26	77	120(10x12box)	13.10	286x202x214
012413	SK1/2-D13	22	19.5	13	26	77	120(10x12box)	14.00	286x202x214
012414	SK1/2-D14	22	20.5	14	35	77	120(10x12box)	14.00	286x202x214
012415	SK1/2-D15	22	21.5	15	35	77	120(10x12box)	14.80	286x202x214
012416	SK1/2-D16	22	22	16	35	77	120(10x12box)	13.40	286x202x214
012417	SK1/2-D17	22	24	17	36	77	120(10x12box)	15.40	286x202x214
012418	SK1/2-D18	24	26	18	38	77	120(10x12box)	19.75	326x206x246
012419	SK1/2-D19	24	26	19	38	77	120(10x12box)	18.60	326x206x246
012420	SK1/2-D20	24	28	20	37	77	60(6x10box)	11.90	214x206x291
012421	SK1/2-D21	26	28	21	37	77	60(6x10box)	11.20	214x206x291
012422	SK1/2-D22	26	30	22	37	77	60(6x10box)	13.20	214x206x291
012423	SK1/2-D23	28	32	23	32	77	60(6x10box)	14.00	234x206x291
012424	SK1/2-D24	28	32	24	35	77	60(6x10box)	13.70	234x206x291
012427	SK1/2-D27	31	27	27	34	77	60(6x10box)	21.00	274x192x276
012430	SK1/2-D30	36	30	30	38	77	60(6x1		


1/2"DR Socket (SAE)

1/2"DR 6P.T Deep Socket (SAE) (Cr-V)




Code	Model No.	A _{mm}	B _{mm}	C _{inch}	P _{mm}	L _{mm}	PCS	Kg	mm
014216	SK1/2-D5/8	22	22	5/8	32	76	120(10x12box)	13.60	286x202x214
014220	SK1/2-D13/16	26	28	13/16	37	77	60(6X10box)		287x264x235
014221	SK1/2-D7/8	28	30	7/8	35	77	60(6X10box)		287x264x235
014222	SK1/2-D15/16	28	32	15/16	37	77	60(6X10box)		287x264x235
014223	SK1/2-D1	28	32	1	35	77	60(6X10box)		287x264x235
014224	SK1/2-D1-1/16	32	36	17/16	30	78	60(6X10box)		296x294x290
014226	SK1/2-D1-3/16	35	40	19/16	39	78	60(6X10box)		296x294x290
014227	SK1/2-D1-1/4	37	42	5/4	37	78	60(6X10box)		296x294x290

1/2"DR 6P.T Socket (SAE) (Cr-V)




Code	Model No.	A _{mm}	B _{mm}	C _{inch}	P _{mm}	L _{mm}	PCS	Kg	mm
012110	SK1/2-3/8	22	15	3/8	15	38	120(10x12box)	6.20	280x160x146
012111	SK1/2-7/16	22	16.5	7/16	15	38	120(10x12box)	6.20	280x160x146
012113	SK1/2-1/2	22	18	1/2	15	38	120(10x12box)	6.80	280x160x146
012114	SK1/2-9/16	22	22	9/16	15	38	120(10x12box)	6.90	280x160x146
012116	SK1/2-5/8	22	22	5/8	15	38	120(10x12box)	7.30	280x160x146
012117	SK1/2-11/16	24	24	11/16	15	38	120(10x12box)	9.40	280x160x146
012119	SK1/2-3/4	26	26	3/4	15	38	120(10x12box)	8.80	360x170x145
012121	SK1/2-13/16	28	28	13/16	18	38	120(10x12box)	12.60	360x170x145
012122	SK1/2-7/8	30	30	7/8	18	38	120(10x12box)	12.30	360x175x145
012124	SK1/2-15/16	32	32	15/16	18	38	120(10x12box)	14.20	360x175x145
012125	SK1/2-1	34	34	1	24	40	120(10x12box)	16.30	335x205x185
012127	SK1/2-1-1/16	36	36	1-1/16	24	40	120(10x12box)	17.70	335x205x185
012129	SK1/2-1-1/8	38	38	1-1/8	25	43	60(6x10box)	11.50	234x206x184
012130	SK1/2-1-3/16	34	40	1-3/16	25	43	60(6x10box)	12.30	234x206x184
012132	SK1/2-1-1/4	36	42	1-1/4	25	43	60(6x10box)	12.80	254x206x184

1/2" DR Torx Socket (Cr-V)




Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
012010	SK1/2-E10	22	13	10	38	120(10x12box)	7.05	286x142x200
012012	SK1/2-E12	22	15	10	38	120(10x12box)	7.20	286x142x200
012014	SK1/2-E14	22	17	12	38	120(10x12box)	7.60	286x142x200
012016	SK1/2-E16	22	19	15	38	120(10x12box)	7.60	286x142x200
012018	SK1/2-E18	22	22	15	38	120(10x12box)	8.30	286x142x200
012020	SK1/2-E20	22	24	18	38	120(10x12box)	10.25	286x142x200
012022	SK1/2-E22	22	26	20	38	120(10x12box)	12.30	286x172x200
012024	SK1/2-E24	22	28	20	38	120(10x12box)	14.75	286x172x200

1/2"DR 12P.T Metric Deep Socket (Cr-V)




Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
016808	SKD1/2-8	22	13	8	14	38	120(10x12box)	6.10	286x146x154
016809	SKD1/2-9	22	14	9	14	38	120(10x12box)	6.20	286x146x154
016810	SKD1/2-10	22	15	10	15	38	120(10x12box)	6.15	286x146x154
016811	SKD1/2-11	22	16.5	11	15	38	120(10x12box)	6.40	286x146x154
016812	SKD1/2-12	22	17.5	12	14	38	120(10x12box)	6.80	286x146x154
016813	SKD1/2-13	22	19	13	14	38	120(10x12box)	7.10	286x146x154
016814	SKD1/2-14	22	20	14	13.5	38	120(10x12box)	7.10	286x146x154
016815	SKD1/2-15	22	22	15	13	38	120(10x12box)	8.15	286x146x154
016816	SKD1/2-16	22	22	16	14	38	120(10x12box)	7.20	286x146x154
016817	SKD1/2-17	22	24	17	14	38	120(10x12box)	8.30	286x166x154
016818	SKD1/2-18	22	26	18	14	38	120(10x12box)	9.80	253x174x197
016819	SKD1/2-19	22	26	19	18	38	120(10x12box)	9.80	253x174x197
016820	SKD1/2-20	24	28	20	19	38	120(10x12box)	9.80	253x174x197
016821	SKD1/2-21	25	28	21	19	38	120(10x12box)	9.80	253x174x197
016822	SKD1/2-22	26	30	22	18	38	120(10x12box)	11.50	253x194x197
016823	SKD1/2-23	27	32	23	18	38	120(10x12box)	13.20	253x194x197
016824	SKD1/2-24	28	32	24	18	38	120(10x12box)	13.20	253x194x197
016825	SKD1/2-25	29	34	25	17	40	120(10x12box)	16.40	335x205x185
016826	SKD1/2-26	30	34	26	19	42	120(10x12box)	20.70	335x205x185
016827	SKD1/2-27	31	36	27	21.5	42	120(10x12box)	18.50	335x205x185
016828	SKD1/2-28	32	38	28	18	42	120(10x12box)	20.35	358x219x197
016829	SKD1/2-29	33	38	29	18	42	60(10x6box)	10.70	234x206x184
016830	SKD1/2-30	34	40	30	20	44	60(10x6box)	12.10	254x206x184
016832	SKD1/2-32	36	42	32	22	44	60(10x6box)	12.80	254x206x184

1/2" DR 12P.T Metric Socket (Cr-V)



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
016910	SKD1/2-D10	22	15.5	10	25	77	120(10x12box)	11.90	286x202x214
016911	SKD1/2-D11	22	17	11	26	77	120(10x12box)	12.10	286x202x214
016912	SKD1/2-D12	22	18.5	12	26	77	120(10x12box)	13.00	286x202x214
016913	SKD1/2-D13	22	19.5	13	26	77	120(10x12box)	14.00	286x202x214
016914	SKD1/2-D14	22	20.5	14	35	77	120(10x12box)	13.50	286x202x214
016915	SKD1/2-D15	22	21.5	15	35	77	120(10x12box)	14.20	286x202x214
016916	SKD1/2-D16	22	22	16	35	77	120(10x12box)	13.30	286x202x214
016917	SKD1/2-D17	22	24	17	36	77	120(10x12box)	14.30	286x202x214
016918	SKD1/2-D18	24	26	18	38	77	120(10x12box)	18.80	326x206x246
016919	SKD1/2-D19	24	26	19	38	77	120(10x12box)	17.10	326x206x246
016920	SKD1/2-D20	24	28	20	37	77	60(10x6box)	11.00	214x206x291
016921	SKD1/2-D21	26	28	21	37	77	60(10x6box)	10.75	214x206x291
016922	SKD1/2-D22	26	30	22	37	77	60(10x6box)	12.60	214x206x291
016923	SKD1/2-D23	28	32	23	32	77	60(10x6box)	14.00	234x206x291
016924	SKD1/2-D24	28	32	24	35	77	60(10x6box)	13.00	234x206x291

1/2" DR Torx Bit Socket (Cr-V)



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010520	SK1/2-T20	22	3.76	20	58	240(10x24box)	15.10	322x272x187
010525	SK1/2-T25	22	4.3	20	58	240(10x24box)	15.30	322x272x187
010527	SK1/2-T27	22	4.86	20	58	240(10x24box)	14.90	322x272x187
010530	SK1/2-T30	22	5.4	20	58	240(10x24box)	15.00	322x272x187
010540	SK1/2-T40	22	6.5	20	58	240(10x24box)	15.50	322x272x187
010545	SK1/2-T45	22	7.68	20	58	240(10x24box)	16.10	322x272x187
010550	SK1/2-T50	22	8.7	20	58	240(10x24box)	16.60	322x272x187
010555	SK1/2-T55	22	11.04	20	58	240(10x24box)	16.96	322x272x187
010560	SK1/2-TT60	22	13.1	20	58	240(10x24box)	17.20	322x272x187

Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010620	SK1/2-T20-100	22	3.76	62	100	120(10x12box)	10.00	322x252x145
010625	SK1/2-T25-100	22	4.3	62	100	120(10x12box)	9.60	322x252x145
010627	SK1/2-T27-100	22	4.86	62	100	120(10x12box)	9.60	322x252x145
010630	SK1/2-T30-100	22	5.4	62	100	120(10x12box)	9.70	322x252x145
010640	SK1/2-T40-100	22	6.5	62	100	120(10x12box)	9.80	322x252x145
010645	SK1/2-T45-100	22	7.68	62	100	120(10x12box)	11.10	322x252x145
010650	SK1/2-T50-100	22	8.7	62	100	120(10x12box)	11.10	322x252x145
010655	SK1/2-T55-100	22	11.04	62	100	120(10x12box)	12.54	322x252x145
010660	SK1/2-TT60-100	22	13.1	62	100	120(10x12box)	13.30	322x252x145

1/2" DR 12P.T Bit Socket 60mm (Cr-V)




Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010165	SK1/2-M5	21.8	4.8	22	60	240(10x24box)	9.628	427x382x149
010166	SK1/2-M6	21.8	6.0	22	60	240(10x24box)	9.77	427x382x149
010168	SK1/2-M8	21.8	7.2	22	60	240(10x24box)	9.59	427x382x149
010170	SK1/2-M10	21.8	9.6	22	60	240(10x24box)	10.03	427x382x149
010172	SK1/2-M12	23.9	11.4	22	60	240(10x24box)	15.98	427x382x149
010174	SK1/2-M14	23.9	13.2	22	60	240(10x24box)	16.55	427x382x149
010176	SK1/2-M16	23.9	15.6	22	60	240(10x24box)	17.77	427x382x149

1/2" DR 12P.T Bit Socket 100mm (Cr-V)




Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010185	SK1/2-M5-100	21.8	4.8	62	100	120(10x12box)	11.79	335x210x325
010186	SK1/2-M6-100	21.8	6.0	62	100	120(10x12box)	11.19	335x210x325
010188	SK1/2-M8-100	21.8	7.2	62	100	120(10x12box)	12.13	412x352x149
010190	SK1/2-M10-100	21.8	9.6	62	100	120(10x12box)	12.99	335x210x325
010192	SK1/2-M12-100	23.9	11.4	62	100	120(10x12box)	22.05	335x210x325
010194	SK1/2-M14-100	23.9	13.2	62	100	120(10x12box)	23.58	335x210x325
010196	SK1/2-M16-100	23.9	15.6	62	100	120(10x12box)	26.73	335x210x325

1/2" DR Spark Plug Socket (Cr-V)




Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
011516	PG1/2-16	22	22	16	20	65.5	120(10x12box)	11.20	286x202x214
011521	PG1/2-21	24	28	21	21	65.5	120(10x12box)	16.40	386x212x158

1/2" DR Universal Joint (Cr-V)




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
010100	UJ1/2	55	25	12.5	70	120(10x12box)	18.70	386x212x158

1/2" DR Sliding Bar (Cr-V)




Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
010300	SB1/2	24	13.3	21	8	5	250	60(6x10box)	23.00	312x294x245

1/2" DR Hinge Handle (Cr-V)



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
010401	FH1/2-10	20	40	28	250	60(6x10box)	29.00	411x382x267
010400	FH1/2-15	20	40	28	360	24(6x4box)	17.00	467x222x205
010402	FH1/2-18	19.4	39	30	430	24(6x4box)	21.80	560x275x250


1/2" DR L Type Wrench



Code	Model No.	Amm	Lmm	PCS	Kg	mm
010800	OH1/2	50	252	40(4x10box)	18.60	327x195x290
010802	OH1/2-15	73	381	40(4x10box)	13.20	430x287x235

1/2" DR Ratchet Wrench (Hard Grip)

○45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
011900	RT1/2	19	41	50	247	36(6x6box)	24.00	468x338x179

1/2" DR Ratchet Wrench (Soft Grip)

○Quick lock function, one hand operation

○Reversible ratchet, strong torque, advanced more 30% than German DIN standard

○45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012000	RTS1/2	39.5	33.5	36	240	36(6x6box)	22.00	468x338x179
010900	RTH1/2	39	17.5	39	255	36(6x6box)	23.20	468x338x179

1/4"DR Socket (SAE)


1/4" DR 6P.T Socket (SAE)



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
018204	SK1/4-5/32	12	12	5/32	8	24.5	240(10x24box)	3.00	206x202x157
018205	SK1/4-3/16	12	12	3/16	8	24.5	240(10x24box)	3.20	206x202x157
018206	SK1/4-7/32	12	12	7/32	8	24.5	240(10x24box)	3.30	206x202x157
018207	SK1/4-1/4	12	12	1/4	8	24.5	240(10x24box)	3.40	206x202x157
018208	SK1/4-9/32	12	12	9/32	12	24.5	240(10x24box)	3.40	206x202x157
018209	SK1/4-5/16	12	12	5/16	12	24.5	240(10x24box)	3.60	206x202x157
018210	SK1/4-11/32	13	13	11/32	12	24.5	240(10x24box)	4.20	206x202x157
018211	SK1/4-3/8	14	14	3/8	12	24.5	240(10x24box)	5.30	206x202x157
018212	SK1/4-7/16	16	16	7/16	12	24.5	240(10x24box)	6.10	206x202x157
018213	SK1/4-1/2	18	18	1/2	12	24.5	240(10x24box)	8.00	206x202x157


1/4"DR Metric Socket

1/4"DR 6P.T Socket (Cr-V)




Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
011404	SK1/4-4	12	7	4	9.5	25	240(10x24box)	2.80	206x202x157
011445	SK1/4-4.5	12	7.5	4.5	11	25	240(10x24box)	3.20	206x202x157
011405	SK1/4-5	12	8	5	9	25	240(10x24box)	3.20	206x202x157
011455	SK1/4-5.5	12	9	5.5	9	25	240(10x24box)	3.25	206x202x157
011406	SK1/4-6	12	9.5	6	10.5	25	240(10x24box)	3.30	206x202x157
011407	SK1/4-7	12	11	7	11.5	25	240(10x24box)	3.50	206x202x157
011408	SK1/4-8	12	12	8	11.5	25	240(10x24box)	3.50	206x202x157
011409	SK1/4-9	14	14	9	10	25	240(10x24box)	4.20	206x202x157
011410	SK1/4-10	14	14	10	12	25	240(10x24box)	5.50	206x202x157
011411	SK1/4-11	14	16	11	10	25	240(10x24box)	5.40	206x202x157
011412	SK1/4-12	14	17	12	10	25	240(10x24box)	5.70	249x205x157
011413	SK1/4-13	14	18	13	12	25	240(10x24box)	5.80	249x205x157
011414	SK1/4-14	15	20	14	10	25	240(10x24box)	7.30	249x205x157

1/4" 6P.T Deep Socket (Cr-V)




Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
012804	SK1/4-D4	12	7	4	11	50	240(10x24box)	5.50	230x206x185
012845	SK1/4-D4.5	12	7.5	4.5	11	50	240(10x24box)	5.50	230x206x185
012805	SK1/4-D5	12	8	5	11	50	240(10x24box)	5.80	230x206x185
012855	SK1/4-D5.5	12	9	5.5	11	50	240(10x24box)	6.30	230x206x185
012806	SK1/4-D6	12	9.5	6	12	50	240(10x24box)	6.30	230x206x185
012807	SK1/4-D7	12	11	7	25	50	240(10x24box)	6.30	230x206x185
012808	SK1/4-D8	12	12	8	28	50	240(10x24box)	6.30	230x206x185
012809	SK1/4-D9	14	13.5	9	22	50	240(10x24box)	7.20	230x206x185
012810	SK1/4-D10	15	15	10	26	50	240(10x24box)	10.30	230x206x185
012811	SK1/4-D11	16	16	11	36	50	240(10x24box)	11.60	230x206x185
012812	SK1/4-D12	17	17	12	25	50	240(10x24box)	12.80	246x202x238
012813	SK1/4-D13	18	18	13	24	50	240(10x24box)	14.20	246x202x238
012814	SK1/4-D14	20	20	14	26	50	240(10x24box)	17.80	246x202x238

1/4"DR Torx Socket (Cr-V)




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
010404	SK1/4-E4	12	6	10	26	240(10x24box)	3.15	206x202x157
010405	SK1/4-E5	12	7	10	26	240(10x24box)	3.20	206x202x157
010406	SK1/4-E6	12	8.5	10	26	240(10x24box)	3.50	206x202x157
010407	SK1/4-E7	12	9.5	10	26	240(10x24box)	3.75	206x202x157
010408	SK1/4-E8	12	12	10	26	240(10x24box)	4.20	206x202x157
010410	SK1/4-E10	12	12	10	26	240(10x24box)	3.80	206x202x157

1/4" DR Torx Bit Socket (Cr-V)




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
012308	SK1/4-T8	12	2.24	20	38	240(10x24box)	4.15	206x202x157
012310	SK1/4-T10	12	2.72	20	38	240(10x24box)	4.20	206x202x157
012315	SK1/4-T15	12	3.21	20	38	240(10x24box)	4.20	206x202x157
012320	SK1/4-T20	12	3.76	20	38	240(10x24box)	4.20	206x202x157
012325	SK1/4-T25	12	4.3	20	38	240(10x24box)	4.30	206x202x157
012330	SK1/4-T30	12	5.4	20	38	240(10x24box)	4.40	206x202x157
012340	SK1/4-T40	12	6.5	20	38	240(10x24box)	4.60	206x202x157

1/4" DR Phillips-Bit Socket (Cr-V)




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013401	SK1/4-PH1	12	4.5	20	38	240(10x24box)	4.10	206x202x157
013402	SK1/4-PH2	12	6	20	38	240(10x24box)	4.20	206x202x157
013403	SK1/4-PH3	12	6	20	38	240(10x24box)	4.20	206x202x157

1/4" DR Slotted-Bit Socket (Cr-V)




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013603	SK1/4-SL3	12	3	19	38	240(10x24box)	3.60	206x202x157
013604	SK1/4-SL4	12	4	19	38	240(10x24box)	3.70	206x202x157
013605	SK1/4-SL5	12	5	19	38	240(10x24box)	3.80	206x202x157
013606	SK1/4-SL6	12	6	19	38	240(10x24box)	3.80	206x202x157
013608	SK1/4-SL8	12	8	19	38	240(10x24box)	4.00	206x202x157

1/4" DR 6P.T Hex-Bit Socket (Cr-V)



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013303	SK1/4-HX3	12	3	20	38	240(10x24box)	4.30	206x202x157
013304	SK1/4-HX4	12	4	20	38	240(10x24box)	4.30	206x202x157
013305	SK1/4-HX5	12	5	20	38	240(10x24box)	4.40	206x202x157
013306	SK1/4-HX6	12	6	20	38	240(10x24box)	4.60	206x202x157
013308	SK1/4-HX8	12	8	20	38	240(10x24box)	4.90	206x202x157

1/4" Pozi –Bit Socket (Cr–V)




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013501	SK1/4–PZ1	12	4.5	20	38	240(10x24box)	4.15	206x202x157
013502	SK1/4–PZ2	12	6.0	20	38	240(10x24box)	4.20	206x202x157
013503	SK1/4–PZ3	12	6.0	20	38	240(10x24box)	4.30	206x202x157

1/4" DR Socket Accessories


1/4" Ratchet Wrench

○45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012500	RT1/4	13	26	28	137	60(6x10box)	11.20	252x244x285

1/4"Spinner Handle



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
012700	DSH1/4	22	82	150	60(6x10box)	6.20	272x176x237



1/4" Hinge Handle



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
013200	FH1/4–6	14	22	13.5	138	60(6x10box)	8-75	254x236x237


1/4"Ratchet Wrench

- Quick lock function, one hand operation
- Reversible ratchet, strong torque, advanced more 30% than German DIN standard
- 36 teeth geared structure




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012600	RTS1/4	24	24	24	147	60(6x10box)	9.35	252x244x285
010200	RTH1/4	23.3	12.5	25.5	125	60(6x10box)	9.40	252x244x295

1/4"Universal Joint




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012900	UJ1/4	32	14	6.4	40	240(10x24box)	7.00	249x205x157

1/4" Extension Bar




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012202	EB1/4–2	7.3	13	12.5	50	240(10x24box)	6.46	206x202x157
012204	EB1/4–4	7.3	13	12.5	100	240(6x40box)	12.10	328x244x210
012206	EB1/4–6	7.3	13	12.5	150	240(6x40box)	17.25	405x192x284

1/4" Sliding Bar



Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
013000	SB1/4	14	6.3	14	5.3	4	115	120(10x12box)	7.50	329x217x253


1/4"DR Bit Joint



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
013100	AD1/4	12	6.3	25.5	240(10x24box)	4.20	206x202x157


3/8"DR Metric Socket

3/8"6P.T Socket (Cr–V)




Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
013805	SK3/8–5.5	17	9	5.5	11	28	240(10x24box)	6.30	246x190x155
013806	SK3/8–6	17	10	6	11	28	240(10x24box)	6.00	246x190x155
013807	SK3/8–7	17	11	7	10	28	240(10x24box)	6.20	246x190x155
013808	SK3/8–8	17	12.5	8	10	28	240(10x24box)	6.25	246x190x155
013809	SK3/8–9	17	13.5	9	10	28	240(10x24box)	6.40	246x190x155
013810	SK3/8–10	17	15	10	10	28	240(10x24box)	6.40	246x190x155
013811	SK3/8–11	17	16	11	10	28	240(10x24box)	6.80	246x190x155
013812	SK3/8–12	17	17	12	10	28	240(10x24box)	7.00	246x190x155
013813	SK3/8–13	17	18	13	10	28	240(10x24box)	7.60	246x190x155
013814	SK3/8–14	18	20	14	14.5	28	240(10x24box)	8.90	246x190x155
013815	SK3/8–15	18	22	15	15	28	240(10x24box)	10.40	246x190x155
013816	SK3/8–16	18	22	16	15	28	240(10x24box)	10.00	246x190x155
013817	SK3/8–17	20	24	17	15	29	240(10x24box)	13.00	246x190x155
013818	SK3/8–18	22	26	18	15	30	120(10x12box)	8.00	280x206x192
013819	SK3/8–19	22	26	19	16	30	120(10x12box)	7.60	280x206x192
013820	SK3/8–20	24	28	20	15	30	120(10x12box)	9.00	280x206x192
013821	SK3/8–21	25	28	21	15	30	120(10x12box)	9.40	280x206x192
013822	SK3/8–22	26	30	22	15	31	120(10x12box)	9.90	208x194x198
013823	SK3/8–23	26	30	23	15	31	120(10x12box)	9.60	208x194x198
013824	SK3/8–24	26	32	24	16	32	120(10x12box)	11.10	208x194x198

3/8"6P.T Deep Socket (Cr–V)



Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
017606	SK3/8–D6	17	10	6	12	63	240(10x24box)	13.70	246x223x258
017607	SK3/8–D7	17	11	7	14	63	240(10x24box)	12.80	246x223x258
017608	SK3/8–D8	17	12.5	8	14	63	240(10x24box)	14.10	246x223x258
017609	SK3/8–D9	17	13.5	9	16.5	63	240(10x24box)	14.40	246x223x258
017610	SK3/8–D10	17	14.5	10	17.5	63	240(10x24box)	14.30	246x223x258
017611	SK3/8–D11	18	18	11	30	63	240(10x24box)	15.30	246x223x258
017612	SK3/8–D12	18	18	12	30	63	240(10x24box)	17.20	246x223x258
017613	SK3/8–D13	18	18	13	32	63	240(10x24box)	15.80	246x223x258
017614	SK3/8–D14	18	20	14	31	63	240(10x24box)	18.20	246x223x258
017615	SK3/8–D15	18	22	15	30	63	240(10x24box)	22.00	289x226x277
017616	SK3/8–D16	18	22	16	28	63	240(10x24box)	20.20	289x226x277
017617	SK3/8–D17	19	24	17	28	63	120(10x12box)	12.80	289x159x215
017618	SK3/8–D18	22	26	18	30	63	120(10x12box)	14.80	310x174x245
017619	SK3/8–D19	22	26	19	28	63	120(10x12box)	15.95	310x174x245
017620	SK3/8–D20	24	27	20	28	63	120(10x12box)	18.10	310x174x245
017621	SK3/8–D21	24	28	21	29	63	60(10x6box)	9.00	194x182x230
017622	SK3/8–D22	26	30	22	25	63	60(10x6box)	11.10	194x182x230
017623	SK3/8–D23	28	32	23	29	63	60(10x6box)	13.00	194x182x230
017624	SK3/8–D24	28	32	24	28	63	60(10x6box)	12.40	194x182x230

3/8"DR Torx Socket (Cr–V)



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
010808	SK3/8–E8	17	11	10	28	240(10x24box)	6.70	246x190x155
010810	SK3/8–E10	17	13	10	28	240(10x24box)	7.10	246x190x155
010811	SK3/8–E11	17	14	10	28	240(10x24box)	7.30	246x190x155
010812	SK3/8–E12	17	15.5	10	28	240(10x24box)	7.60	246x190x155
010814	SK3/8–E14	17	17	11.5	28	240(10x24box)	8.90	246x190x155
010816	SK3/8–E16	20	20	11.5	28	240(10x24box)	8.30	246x190x155
010818	SK3/8–E18	22	22	11.5	28	240(10x24box)	14.20	280x206x192
010820	SK3/8–E20	24	24	12	28	240(10x24box)	17.70	280x206x192

3/8"DR Socket (SAE)

3/8"6P.T Socket (SAE) (Cr–V)



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
013841	SK3/8–1/4	17	10	1/4	12	28	240(10x24box)	6.20	246x190x155
013856	SK3/8–5/16	17	12	5/16	12	28	240(10x24box)	6.30	246x190x155
013838	SK3/8–3/8	17	14	3/8	12	28	240(10x24box)	5.90	246x190x155
013842	SK3/8–13/32	17	17	13/32	12	28	240(10x24box)	7.60	246x190x155
013876	SK3/8–7/16	17	17	7/16	12	28	240(10x24box)	7.40	246x190x155
013843	SK3/8–15/32	17	17	15/32	12	28	240(10x24box)	6.80	246x190x155
013832	SK3/8–1/2	18	18	1/2	12	28	240(10x24box)	7.60	246x190x155
013896	SK3/8–9/16	20	20	9/16	14	28	240(10x24box)	9.80	246x190x155
013844	SK3/8–19/32	22	22	19/32	14	28	240(10x24box)	11.80	280x206x192
013858	SK3/8–5/8	22	22	5/8	14	28	240(10x24box)	11.70	280x206x192
013834	SK3/8–3/4	22	26	3/4	17	30	120(10x12box)	7.40	208x174x198
013836	SK3/8–13/16	24	28	13/16	17	30	120(10x12box)	8.50	208x174x198
013845	SK3/8–25/32	24	28	25/32	17	30	120(10x12box)	9.30	208x174x198
013846	SK3/8–15/16	25	32	15/16	15	30	120(10x12box)	11.90	208x174x198
013861	SK3/8–11/16	20	24	11/16	17	30	120(10x12box)	6.50	208x174x198
013878	SK3/8–7/8	24	30	7/8	16	30	120(10x12box)	10.00	306x140x145

3/8"DR Deep Socket (SAE) (Cr–V)



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
017641	SK3/8–D1/4	17	10	1/4	18	64	240(10x24box)	15.20	246x223x258
017638	SK3/8–D3/8	17	14	3/8	28	64	240(10x24box)	14.60	246x223x258
017676	SK3/8–D7/16	17	17	7/16	41	64	240(10x24box)	16.00	246x223x258
017602	SK3/8–D1/2	19	19	1/2	41	64	240(10x24box)	20.20	246x223x258
017696	SK3/8–D9/16	20	20	9/16	41	64	240(10x24box)	21.20	246x223x258
017658	SK3/8–D5/8	22	22	5/8	41	64	240(10x24box)	25.90	246x223x258
017661	SK3/8–D11/16	20	24	11/16	41	64	120(10x12box)	13.50	289x159x215
017634	SK3/8–D3/4	22	26	3/4	41	64	120(10x12box)	15.40	289x159x215
017636	SK3/8–D13/16	24	28	13/16	41	64	60(10x6box)	9.30	194x182x230
017678	SK3/8–D7/8	25	30	7/8	41	64	60(10x6box)	10.90	194x182x230

3/8"DR Metric Socket

3/8" DR Pozi-Bit Socket (Cr-V)

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
014301	SK3/8-PZ1	18	4.5	20	45	240(10x24box)	8.50	253x246x178
014302	SK3/8-PZ2	18	6.0	20	45	240(10x24box)	8.60	253x246x178
014303	SK3/8-PZ3	18	6.0	20	45	240(10x24box)	8.60	253x246x178

3/8"DR Slotted Bit Socket (Cr-V)

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
014405	SK3/8-SL5	18	5.4	19	45	240(10x24box)	8.60	253x246x178
014406	SK3/8-SL6	18	6.0	19	45	240(10x24box)	8.80	253x246x178
014408	SK3/8-SL8	18	8.0	19	45	240(10x24box)	9.10	253x246x178

3/8" Torx Bit Socket (Cr-V)

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
014110	SK3/8-T10	18	2.72	18	45	240(10x24box)	8.50	253x246x178
014115	SK3/8-T15	18	3.21	18	45	240(10x24box)	8.50	253x246x178
014120	SK3/8-T20	18	3.76	18	45	240(10x24box)	8.50	253x246x178
014125	SK3/8-T25	18	4.30	18	45	240(10x24box)	8.60	253x246x178
014127	SK3/8-T27	18	4.86	18	45	240(10x24box)	8.70	253x246x178
014130	SK3/8-T30	18	5.4	18	45	240(10x24box)	8.70	253x246x178
014140	SK3/8-T40	18	6.5	18	45	240(10x24box)	8.90	253x246x178
014145	SK3/8-T45	18	7.68	18	45	240(10x24box)	9.50	253x246x178
014150	SK3/8-T50	18	8.7	18	45	240(10x24box)	9.70	253x246x178
014155	SK3/8-T55	18	11.01	18	45	240(10x24box)	10.60	253x246x178
015160	SK3/8-TT60	18	13.1	18	45	240(10x24box)	11.30	253x246x178

3/8"DR Phillips Bit Socket (Cr-V)

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
014201	SK3/8-PH1	18	4.5	20	45	240(10x24box)	8.20	253x246x178
014202	SK3/8-PH2	18	6.0	20	45	240(10x24box)	8.20	253x246x178
014203	SK3/8-PH3	18	6.0	20	45	240(10x24box)	8.60	253x246x178

3/8" 6P.T Hex-Bit Socket

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
014003	SK3/8-HX3	18	3	18	45	240(10x24box)	8.50	253x246x178
014004	SK3/8-HX4	18	4	18	45	240(10x24box)	8.70	253x246x178
014005	SK3/8-HX5	18	5	18	45	240(10x24box)	8.80	253x246x178
014006	SK3/8-HX6	18	6	18	45	240(10x24box)	9.00	253x246x178
014007	SK3/8-HX7	18	7	18	45	240(10x24box)	9.20	253x246x178
014008	SK3/8-HX8	18	8	18	45	240(10x24box)	10.00	253x246x178
014010	SK3/8-HX10	18	10	18	45	240(10x24box)	10.90	253x246x178

3/8" DR Socket Accessories

3/8" Ratchet Wrench

○45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
014500	RT3/8	16	36	38	200	60(6x10box)	22.80	296x294x290

3/8" Ratchet Wrench

○Quick lock function, one hand operation
○Reversible ratchet, strong torque, advanced more 30% than German DIN standard
○45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
014600	RTS3/8	30	30.5	32	205	60(6x10box)	18.70	296x294x290
010600	RTH3/8	33	16	30	175	60(6x10box)	20.50	296x294x290

3/8"Sliding Bar

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
014900	SB3/8	20	10.3	18	6	4.5	200	120(10x12box)	23.80	436x307x265

3/8" Hinge Bar

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
015000	FH3/8-10	16.5	28.5	21	240	60(6x10box)	8.55	265x190x165

3/8" Universal Adapter

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
014800	UJ3/8	46.5	19	9.7	58	240(10x24box)	17.50	385x380x165

3/8" Bit Joint

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
015100	AD3/8	16.5	6.3	11.5	25	240(10x24box)	7.30	246x190x155

3/8"DR Extension Bar

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
013903	EB3/8-3	11	16	17	75	240(6x40box)	17.70	328x244x210
013906	EB3/8-6	11	16	17	150	120(6x20box)	16.80	360x200x190
013910	EB3/8-10	11	10	17	250	60(6x10box)	14.75	328x244x210

Socket 3-Way Adapter

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
015200	TW1/2-3/8	24	30	40	240(10x24box)	17.00	280x206x192
015400	TW3/8-1/2	24	28	44	240(10x24box)	17.60	280x206x192
015500	TW3/8-1/4	19	19	28	240(10x24box)	8.40	246x190x155

Socket Adapter

○Standard: GB/T 3390.1~3390.5-2004

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
015600	WJ1/2-3/8	22	24	35	240(10x24box)	12.30	280x206x192
015900	WJ3/8-1/4	18	18	26	240(10x24box)	5.50	246x190x155
015300	WJ1/4-3/8	12	13	26	240(10x24box)	4.50	206x202x157

3/8"DR Spark Plug Socket (Cr-V)

Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
013716	PG3/8-16	19	22	16	24	65	120(10x12box)	11.50	253x246x178
013721	PG3/8-21	22	28	21	24	65	120(10x12box)	18.70	253x246x178

3/8" DR Socket

3/4"6P.T Socket (Cr-V)

Code	Model No.	PCS
018619	SK3/4-19	50(5x10box)
018621	SK3/4-21	50(5x10box)
018622	SK3/4-22	50(5x10box)
018624	SK3/4-24	50(5x10box)
018627	SK3/4-27	50(5x10box)
018630	SK3/4-30	50(5x10box)
018632	SK3/4-32	36(1x36box)
018636	SK3/4-36	30(3x10box)
018638	SK3/4-38	30(3x10box)
018641	SK3/4-41	30(3x10box)
018646	SK3/4-46	20(1x20box)
018650	SK3/4-50	20(1x20box)
018655	SK3/4-55	12(1x12box)
018660	SK3/4-60	12(1x12box)
018665	SK3/4-65	10(1x10box)


3/4" Ratchet Wrench

○24 Teeth

Code	Model No.	Bmm	Cmm	Lmm	PCS	Kg	mm
014700	RT3/4	24	60	500	10(1x10box)	30.60	540x435x178

Nut Socket


Magnetic Nut Socket



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
016706	MNS-6	11	6	25	65	240(10x24box)	7.30	206x202x157
016707	MNS-7	13	7	25	65	240(10x24box)	8.80	206x202x157
016708	MNS-8	13	8	25	65	240(10x24box)	8.80	206x202x157
016709	MNS-9	14.5	9	25	65	240(10x24box)	9.80	206x202x157
016710	MNS-10	14.5	10	25	65	240(10x24box)	9.60	206x202x157
016711	MNS-11	16	11	25	65	240(10x24box)	10.60	206x202x157
016712	MNS-12	17.5	12	25	65	240(10x24box)	13.20	230x206x185
016713	MNS-13	17.5	13	25	65	240(10x24box)	13.20	230x206x185
016714	MNS-14	20	14	25	65	240(10x24box)	13.70	230x206x185

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
017708	MNS8-100	11	8	25	100	240(10x24box)	11.30	246x253x178
017709	MNS9-100	13	9	25	100	240(10x24box)	13.50	246x253x178
017710	MNS10-100	13	10	25	100	240(10x24box)	13.50	246x253x178
017711	MNS11-100	14.5	11	25	100	240(10x24box)	16.40	246x253x178
017712	MNS12-100	14.5	12	25	100	240(10x24box)	16.60	246x253x178
017713	MNS13-100	16	13	25	100	240(10x24box)	15.30	246x202x238
017714	MNS14-100	17.5	14	25	100	240(10x24box)	16.30	246x202x238

Nut Socket without Magnet



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
019106	BS6-65	11	6	25	65	500(50x10box)	18.30	234x206x291
019107	BS7-65	13	7	25	65	500(50x10box)	18.50	234x206x291
019108	BS8-65	13	8	25	65	500(50x10box)	18.90	234x206x291
019109	BS9-65	14.5	9	25	65	500(50x10box)	17.15	234x206x291
019110	BS10-65	14.5	10	25	65	500(50x10box)	19.00	234x206x291
019111	BS11-65	14.5	11	25	65	500(50x10box)	22.00	234x206x291
019112	BS12-65	16	12	25	65	500(50x10box)	25.55	234x206x291
019113	BS13-65	16	13	25	65	500(50x10box)	25.60	234x206x291
019114	BS14-65	17.5	14	25	65	500(50x10box)	27.20	234x206x291

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
017508	BS8-100	11	8	25	100	240(10x24box)	12.20	345x345x205
017509	BS9-100	13	9	25	100	240(10x24box)	14.10	345x345x205
017510	BS10-100	13	10	25	100	240(10x24box)	14.00	345x345x205
017511	BS11-100	14.5	11	25	100	240(10x24box)	15.90	475x227x121
017512	BS12-100	14.5	12	25	100	240(10x24box)	15.90	475x227x121
017513	BS13-100	16	13	25	100	240(10x24box)	19.00	475x227x121
017514	BS14-100	17.5	14	25	100	240(10x24box)	18.90	475x227x121

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
019208	BS8-150	11	8	25	150	240(10x24box)	15.70	369x256x197
019209	BS9-150	13	9	25	150	240(10x24box)	17.70	369x256x197
019210	BS10-150	13	10	25	150	240(10x24box)	19.20	369x256x197
019211	BS11-150	14.5	11	25	150	240(10x24box)	21.00	369x256x197
019212	BS12-150	14.5	12	25	150	240(10x24box)	24.60	369x256x197
019213	BS13-150	16	13	25	150	240(10x24box)	26.60	369x256x197
019214	BS14-150	17.5	14	25	150	240(10x24box)	25.40	369x256x197



Auto Repair Tool



Torque value of Jetch Torque Wrench is from 4 to 20Nm, 0.1 carry unit while others in market is 0.25Nm, not able to adjust 4.1Nm, 4.2Nm or 4.3 Nm, only get 4.25 Nm. Jetch Torque Wrench supplies more choices to users.

DIY Grade

Cheaper
Normal Steel Spring
Lower Precision
Shorter life

Industrial Grade

Expensive
High Quality
Alloy steel Spring
High precision
Long life

JETECH Torque Wrench measures up standard DIN6789. After 5000 times fatigue testing under maximum torque. its deviation still keep less than 2%.



Quick-release Design

JETECH Torque Wrench has well lock design. The handle design accords with ergonomics theory which ensure the handle never slide off even there is oil on user's hands. The quick release design make torque adjustment more quickly.



14Oz standard catridge grease gun


STURDY MATERIAL

- Made with aluminum die-casting alloys, the head of the grease gun is strong and durable. The high strength spring inside is heat-treated to ensure long-lasting balanced pressure.

Warranty for torque wrench

- Any defects on materials and process within 90 days since the purchasing date (the date on proof of purchase), user can send back for maintenance or accessories replacements without charge.
- If the tolerance exceed $\pm 3\%$ tested by torque testing equipment, and used not more than 3000 times within 90 days after purchasing date (the date on proof of purchase), Jetech replace without charge.
- In case the damage or tolerance exceeding $\pm 3\%$ is caused by any following situation, Jetech charge for the maintenance.
- Situations: misusing, abusing, accidents, disobey the instructions, maintained by unnamed maintenance center.


Dial Torque Wrench



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
043020	TQWN1/2-0-200	46.5	485	20(1x20box)	17.24	590x471x257
043030	TQWN1/2-0-300	53	490	20(1x20box)	20.90	525x390x295

Telescoping Lug Wrench


- Function: Extensible handle, convenient carrying, applicable to the wheel dismantling and assembling on car and truck
- TWS-20:17mm and 19mm socket



Code	Model No.	Amm	Lmm	PCS	Kg	mm
172101	TWR-20	80	340-545	24(4x6box)	24.00	460x455x251
172102	TWS-20	80	340-545	24(4x6box)	29.90	460x455x251

Torque Wrench


- Standard:GB/T14765-2008
- Long service life:
Optimized gear structure enhance the durability and prolong the service life.
Flexible regulator
- Convenience setting torsion:
Pull out the locking ring when setting the torsion and release the ring when the torsion set.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
042820	TQW1/2-40-200	40	41	43	510	9(1x9box)	25.20	590x218x190
042834	TQW1/2-60-340	40	41	43	615	9(1x9box)	27.60	590x218x190
042720	TQW3/8-4-20	25	28	32	320	24(1x24box)	22.30	400x300x370
042710	TQW3/8-20-100	30	42	28	440	16(1x16box)	20.70	490x285x236
042610	TQW1/4-2-10	25	32	28	280	24(1x24box)	20.60	400x300x370
042620	TQW1/4-4-20	25	32	28	320	24(1x24box)	21.70	400x300x370
042980	TQW3/4-150-800	50	41	62	1230	2(1x2box)	15.70	1318x191x191
042810	TQW1/2-20-100	40	42	43	440	16(1x16box)	25.80	490x285x236

4-Way Cross Wrench

- Material: CR-V
- Function: Assemble and dismantle the nut and bolt on wheel




Code	Model No.	Amm	Lmm	PCS	Kg	mm
172001	4WLW-350	350	350	10(2x5box)	14.20	360x290x290
172002	4WLW-400	400	400	10(2x5box)	16.20	330x330x150
172003	4WLW-450	455	455	4(2x2box)	7.40	360x360x150
172004	4WLW-500	500	500	4(2x2box)	7.70	390x390x150

Grease Gun

400CC Heavy Duty Grease Gun


- 14Oz standard cartridge
- Made with aluminum die-casting alloys, the head of the grease gun is strong and durable
- The high strength spring inside is heat-treated to ensure long-lasting balanced pressure.
- Working Pressure: 4500 PSI, Max Pressure: 10000 PSI.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
100202	GG-400	150	55	535	20(1x20box)	26.40	565x440x400

Grease Gun Dual Piston Lever Type

- Made with aluminum die-casting alloys, the head of the grease gun is strong and durable. The high strength spring inside is heat-treated to ensure long-lasting balanced pressure.
- The lever action design with dual piston achieves higher efficiency with less effort needed. To give a comfy grip, it comes with an ergonomic TPR soft grip and textured sleeve.
- Working Pressure: 3600 PSI, Max Pressure: 6000 PSI.




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
100204	GG-400A	170	60	535	16(1x16box)	26.40	535x405x280
100206	GG-600A	170	65	580	16(1x16box)	32.40	535x455x335

Gear Puller

Gear Puller 2 Legs


- Made with durable Cr-V alloy steel, the jaws are hot forged and heat-treated for hardness.
- The heat-treated carbon steel drive screw ensures smooth operation even under high stress.



Code	Model No.	Amm	Bmm	Max mm	Min mm	PCS	Kg	mm
080921	2GP-75	102	125	80	15	20(1x20box)	9.40	320x200x273
080922	2GP-100	132	168	110	20	20(1x20box)	16.60	318x223x283
080923	2GP-150	212	212	160	25	12(1x12box)	21.25	500x276x203
080924	2GP-200	300	333	210	30	5(1x5box)	20.25	416x273x238
080925	2GP-250	353	333	265	40	4(1x4box)	17.25	514x335x187
080926	2GP-300	378	390	315	50	2(1x2box)	18.55	420x135x340

Gear Puller 3 Legs

- Made with durable Cr-V alloy steel, the jaws are hot forged and heat-treated for hardness.
- The heat-treated carbon steel drive screw ensures smooth operation even under high stress.
- Six high-strength bolts joint the screw and jaws. The three jaws evenly distribute the pulling force, while the claws of the jaws grasp the gears tightly for damage-free removal.



Code	Model No.	Amm	Bmm	Max mm	Min mm	PCS	Kg	mm
080931	3GP-75	102	125	80	5	20(1x20box)	12.30	338x264x263
080932	3GP-100	132	168	110	20	20(1x20box)	24.30	430x288x333
080933	3GP-150	212	212	160	25	10(1x10box)	25.30	536x348x213
080934	3GP-200	300	333	210	30	4(1x4box)	22.45	402x381x175
080935	3GP-250	353	333	265	40	4(1x4box)	24.85	485x360x171
080936	3GP-300	378	390	315	50	2(1x2box)	25.20	577x446x123

Inflator Tire Pressure Gauge

- Test Tire pressure,applicable to automobile,motorcycle,bicycle.



Code	Model No.	PCS	Kg	mm
170915	TIG-25	24(4x6box)	14.30	427x354x320
170910	TIG-20	24(4x6box)		

Oil Filter Wrench

Oil Filter Wrench Cap Style

- OFW-14F/65
Applicable to TOYOTA NISSAN LEXUS DIAHATSU CHANGANALTO
- OFW-15F/75
Applicable to BUICK GM SATURN
- OFW-14F/76
Applicable to VW MOPAR PORSCHE BMW MERCEDES
- OFW-15F/79
Applicable to NISSAN TOYOTA HONDAACCORD
- OFW-15F/90
Applicable to HONDAACCORD MITSUBISHI ISUZU MOPAR
- OFW-15F/93
Applicable to VW GMFRAM NISSAN RENAULT HASTINGS PUROLATOR PORSCHE
- OFW-14F/67
Applicable to MAZDA FORD ZHONGHUA MITSUBISHI CHANGHE GEELY HAFEI



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170501	OFW-14F/65	71	37	60(6x10box)	8.60	575x185x310
170503	OFW-14F/76	81	39	60(6x10box)	8.70	625x210x310
170502	OFW-15F/75	81	39	60(6x10box)	9.62	625x210x310
170504	OFW-15F/79	85	37	60(6x10box)	10.10	625x210x310
170505	OFW-15F/90	95	39	60(6x10box)	14.60	675x240x330
170506	OFW-15F/93	98	39	60(6x10box)	14.63	675x240x330
170510	OFW-14F/67	75	40	60(6x10box)	14.60	625x265x365

Oil Filter Belt Wrench

- Material: Cr-V
- Function: Assemble and dismantle the oil filter in automobile



Code	Model No.	Amm	Lmm	PCS	Kg	mm
173009	STW-9	19.5	225	60(6x10box)	25.50	497x366x295
173011	STW-11	25.2	275	36(6x6box)	28.50	750x426x300

Oil Filter Combination Handcuff Type



Code	Model No.	Lmm	PCS	Kg	mm
170508	OFW55-75	200	36(6x6box)	12.4	275x265x200
170509	OFW75-95	220	36(6x6box)	14	295x265x240

Oil Filter Remover Socket

- You can apply a 1/2" ratchet wrench on it with the included $\phi 13\text{mm}$ (1/2 in) socket adapter. Its flat jaws make it perfect for the removal work in narrow places.
- APPLICATION RANGE - The universal oil filter wrench is designed to install and remove the automobile oil filters. Its applicable oil filter's diameter ranges from 63mm/2.5in to 102mm/4in.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170203	OFW1/2	63-102	115	60(6x10box)	25.40	674x450x261
170204	OFW1/2R	60x110	135	60(6x10box)	40.10	885x273x204

INDEX

Automotive Tools

Oil Filter Socket Chain Type


- Material: Cr-v
- Socket: 1/2" Drive
- Range: outside diameter≤120mm Filter



Code	Model No.	PCS	Kg	mm
170427	SK1/2-OFW	36(6x6box)	18.70	605x263x248

Oil Filter Wrench Plier Style

- Dismantle the oil filter sizes of 63.5-116mm
- Applicable to the difficult disassembly oil filter



Code	Model No.	Amm	Lmm	PCS	Kg	mm
173029	OFW-300	79	300	60(6x10box)	18.86	483x393x270

Oil Filter Socket


- Applicable to: OPEL/BMW/MERCEDES/FORD
- Pro-environment Papery Oil Filter



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170507	OFW-6F/36	36.5	35	60(6x10box)	7.30	420x250x174

Piston Ring Compressor


- Function: Piston ring assembling



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170103	PRC-75	66	76	60(1x60box)	18.6	420x340x300
170104	PRC-100	70	101	60(1x60box)	22.30	420x340x375

Tie Rod End Lifter (Japanese Type)

- Material: CR-V
- Function:Applicable to assemble and dismantle the tie rod end on most autos and light trucks




Code	Model No.	Amm	Lmm	PCS	Kg	mm
170701	BJP-1	110	160	20(1x20box)	23.40	316x244x205

- Function: Remove the tie rod end at narrow space



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170702	BJP-S	45	265	20(1x20box)	24.20	438x295x282
170703	BJP-L	62	275	20(1x20box)	26.90	438x305x362

Coil Spring Compressor 370mm 2Pcs Set




Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170401	SPR-370	84	371	20(1x20box)	40.80	402x387x335

Panel Beating Hammer

Standard Bumping Hammer


- Function: Rebuild metal sheet



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173201	HSW-1	100	325	36(6x6box)	17.27	391x264x342

Light Shrinking Hammer


- Function: Repair and rebuild the metal sheet
- Material: Hickory. Drying, good elasticity, octagon handle.



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173202	HSW-2	100	325	36(6x6box)	17.26	391x264x342

Heavy Shrinking Hammer


- Hammer is integrally forged, quenching treated prevent fracture.
- Handle: Hickory, Anti-humidity, octagon handle



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173203	HSW-3	101	330	36(6x6box)	17.26	391x264x342

Curved Pein & Finishing Hammer


- Hammer is integrally forged, quenching treated prevent fracture.
- Handle: Hickory, Anti-humidity, octagon handle



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173204	HSW-4	140	325	36(6x6box)	15.94	388x330x306

Straight Pein & Finishing Hammer


- Hammer is integrally forged, quenching treated prevent fracture.
- Handle: Hickory, Anti-humidity, octagon handle



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173205	HSW-5	140	325	36(6x6box)	16.48	388x330x306

Pick & Finishing Hammer

- Hammer is integrally forged, quenching treated prevent fracture.
- Handle: Hickory, Anti-humidity, octagon handle




Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173206	HSW-6	140	325	36(6x6box)	15.7	388x330x306

Dolly

Toe Dolly

- High-carton steel integrally forged, quenching treated, mirror finished



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173301	DHD-1	57	120	12(6x2box)	15.98	206x152x167

Curved Dolly

- High-carton steel integrally forged, quenching treated, mirror finished




Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173302	DHD-2	58	130	12(6x2box)	13.62	203x203x130

INDEX

Strut Nut Socket

Double End Hand Dolly


- High-carbon steel integrally forged, quenching treated, mirror finished



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173303	DHD-3	66	75	12(6x2box)	14.25	215x158x209

Drip Moulding Spoon


- High-carbon steel integrally forged, quenching treated



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
173304	DHD-4	45	230	12(6x2box)	15.36	264x206x142

Piston Ring Pliers


- Standard: Q/TKGS 24-2010
- Function: Remove piston ring



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170101	PRP-100	125	210	36(6x6box)	13.71	513x322x377
170102	PRP-120	145	230	36(6x6box)	14.95	513x322x377

T-Handle Spark Plug Socket


- Standard: GB/T 3390.1-3390.5-2004
- Length:4500mm
- Magnetic socket
- CR-V material, electroplated and sandblasted finishing



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
014816	TSPG-16	200	448	24(6x4box)	11.90	502x422x158
014821	TSPG-21	200	448	24(6x4box)	13.10	502x422x158

Volkswagen Front Strut Nut Socket


- Material: CR-V
- Function: Remove and assemble VW auto front strut nut



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170409	ASK-F	30	260	36(6x6box)	14.04	314x309x134

Volkswagen Back Strut Nut Socket


- Material: CR-V
- Function: Remove and assemble VW auto back strut nut



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170410	ASK-B	24	350	36(6x6box)	17.65	336x322x121

Spline Bit Socket (For Audi,Volkswagen gear box)


- Material: Cr-v
- Function: Applicable to install and dismantle the gearbox of Volkswagen and Audi Auto.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170406	GB1/2-M16	25.2	60	120(10x12box)	14.80	278x233x182

Socket For Shock Absorber

- Made with heat-treated chrome vanadium steel for lasting strength and durability.
- COMPATIBLE WITH VW AND AUDI
This 1-3/4 inch long socket is designed for installation and disassembly of FWD Volkswagen and Audi model.
- EASY ACCESS
Use this tool to tighten or loosen the recessed top shock retaining nut inside strut tower. Hold the strut shaft using a 22mm hex key through the bore




Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170411	NSK-22	25	29	120(12x10box)	7.93	330x290x140

Automotive Tools

Tie Rod/Ball Joint Splitter


- Function: Remove tie rod joint.



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170419	BJS-12	50	302	24(1x24box)	18.96	320x200x273
170420	BJS-16	45	403	20(1x20box)	20.84	430x290x165

Tyre Seal Hammer


- Function: Remove the counterbalance on wheel hub, and cut, strike and assemble.



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170402	WBP-200	85	243	24(6x4box)	12.70	350x288x258

Disc Brake Piston Spreader Tool

- Function: Rolling the piston when assembling brake block.
- Max spread :65mm



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170403	BCP-65	115	140	18(1x18box)	19.2	310x270x285

Flexible Magnetic Pick Up Tool


- Function: Soft pipe, pick up the accessories, steel and iron objects at narrow spaces.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170301	MPU-17	22	510	36(6x6box)	9.00	455x375x248

M10 Spline Bit Socket 140mmml


- Material: CR-V
- Function: Remove and assemble cylinder head on VW auto



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170408	SK1/2-MP10	22	110	120(12x10box)	15.65	322x252x145


Automotive Circuit Tester

- Voltage range: 6V/12V/24V
- Application: Applicable to low voltage test for the transport machinery such as Auto, Motorcycle, Earth Mover, Road Roller and etc.



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170140	ACT-140	14	144	120(12x10box)	9.26	470x440x340

T-Handle Socket



Code	Model No.	Amm	Cmm	PCS	Kg	mm
016508	TSK-8	11.5	8	60(6x10box)	21.40	465x365x375
016509	TSK-9	14	9	60(6x10box)	22.00	465x365x375
016510	TSK-10	14	10	60(6x10box)	21.60	465x365x375
016511	TSK-11	18	11	60(6x10box)	22.70	465x365x375
016512	TSK-12	18	12	60(6x10box)	22.50	465x365x375
016513	TSK-13	18	13	60(6x10box)	23.30	465x365x375
016514	TSK-14	19.5	14	60(6x10box)	23.80	465x365x375
016515	TSK-15	24	15	60(6x10box)	25.80	465x365x375
016516	TSK-16	24	16	60(6x10box)	23.50	465x365x375
016517	TSK-17	24	17	60(6x10box)	25.50	465x365x375
016519	TSK-19	26	19	60(6x10box)	26.10	465x365x375

Automotive Tools

Air Duster

- Stainless steel pipe, brass nozzle (1/4" NPT)
- Pipe φ3/8"
- 5.0-8.0KGF/CM²
- 430L/Min



Code	Model No.	Lmm	PCS	Kg	mm
170311	A12-BG-100	240	60(6x10box)	16.30	718x346x304
170312	A12-BG-250	340	60(6x10box)	17.90	718x476x320

Automotive Interior Crowplate

- Plastic, not scratch paint.
- Remove door panels in car.



Code	Model No.	PCS	Kg	mm
170315	A14-TR-5S	36(6x6box)	9.10	480x325x420

5pcs Hook and Pick Set


- Stainless steel
- Use for repairing remaing or assembling small parts



Code	Model No.	PCS	Kg	mm
170412	AHP-5S	60(10x6box)	3.25	222x179x166

Valve Stem Seal Plier


- Function: Remove and assemble auto oil seal and valve spring



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170415	VSR-10	20	245	60(6x10box)	26.55	745x348x218
170431	VSR-11	20	270	60(6x10box)	24.04	782x353x230

Timing Belt Pulley Puller

- Standard: Q/TKGS 10-2007
- Material: CR-MO
- Function: Remove timing pulley. Applied to various vehicles. Adjustable range: 40-90mm



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
170421	AGP	110	120	36(6x6box)	25.30	280x246x272

Tyre Repair Neechle

- Material: Chrome plated
- Function: Urgent repairment in case the tyre punctured
- T handle insert tool, 1 spiral probe tool, 1 hex key, 3 string plugs



Code	Model No.	PCS	Kg	mm
170423	ATR-9	60(10x6box)	13.50	617x255x328

Fule and Air Conditioning Lines Disconnect Tool Set


- Easily disconnect quick connect couplings & fittings on many vehides. Also fits push lock connectors on radiators and transmission lines.
- Fuel Line Disconnect Scissor fits 4 sizes: 3/4", 5/8", 1/2", 3/8". Fuel line disconnect tool is fitted for 5/16" and 3/8" lines.
- Chrome-plated zinc alloy steel provides strength and lasting durability.
- Easy grip handles offer you greater torque. Full metal scissor tools are compatible with most fuel filters.



Code	Model No.	PCS	Kg	mm
170414	AFL-3S	60(6x10box)	13.20	538x442x158

Wrench Chain Type

- Material: CR-V
- Function: heavy duty tool, suitable using on pipe assembling, and oil filter removal and assembling on heavy duty vehicles.



Code	Model No.	Lmm	PCS	Kg	mm
170416	CPW-12	310	24(1x24box)	19.80	338x258x190
170432	CPW-9	220	60(6x10box)	28.60	497x366x295
170417	CPW-15	380	14(1x12box)	14.90	

Cooler line and Fuel line disconnect tools set(1/4"-7/8")

- For separating lock air conditioning refrigerant pressure lines on 1981-current ford cars and pick-ups with spring lock connection.
- Release spring lock connector on air conditioning line.



Code	Model No.	Lmm	PCS	Kg	mm
170422	AFD-7S	148	36(6x6box)	6.35	467x344x232

Tyre Valve Remover

- Standard: Q/TKGS 37-2011
- Function: Remove and assemble tire vacuum mouthpiece



Code	Model No.	PCS	Kg	mm
170424	ASV-10	60(6x10box)	19.40	455x360x230

Auto Battery Corrosion Reemoving Pliery


- Function: Rust cleaning to prolong the service life of the battery.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170425	ABT-6	93	165	60(6x10box)	18.05	325x312x492

3pcs Hose Clamp Set

- 3 Size: 3/4" -2 1/4" ; 1/2" -3/4" ; 1/8" -5/16" .
- Made of High strength heat resistant nylon.
- Three sizes are applied to nearly all vehicle clamping.



Code	Model No.	PCS	Kg	mm
170201	A11-CP-3S	36(6x6box)	14.30	550x353x322

Torque Angle Gauge

- Function: torque compensation and adjustments



Code	Model No.	Lmm	PCS	Kg	mm
170601	A11-TAG	53	36(6x6box)	9.30	366x266x382

Valve Shim Remover(Nissan)

- Material: Body-CR-V
- Function: Distance sleeves replacement



Code	Model No.	Lmm	PCS	Kg	mm
170241	A11-VA-N	200	36(6x6box)	16.00	452x340x292

Valve Shim Remover(Toyota)


- Material: Body-CR-V
- Function: Distance sleeves replacement and simplified valve adjustor



Code	Model No.	PCS	Kg	mm
170242	A11-VA-T	36(6x6box)	16.10	452x340x292

Brake Spring Pliers

- Material: medium carbon steel
- Function: Tighten brake spring for brake pad installation. Remove and install the drum brake spring.



Code	Model No.	PCS	Kg	mm
170211	A11-SP	36(6x6box)	16.70	412x400x266

Automotive Relays

- Function: In the state of engine not started, inserted to the lighter hole, the sound, clock and other auto control programs are supported for use and maintainence.



Code	Model No.	PCS	Kg	mm
170426	ACM-9	60(10x6box)	5.50	448x258x325

Automotive Tools

Vacuum Cup Valve Grinder


- Standard: Q/TKGS45-2011
- Material: Handle – birch, Head–nature rubber
- Function: Grind the dust on engine block



Code	Model No.	PCS	Kg	mm
170428	A11-VG	60(6x10box)	8.70	412x310x377


Trim Removal Pliers

- Chrome vanadium jaws
- Black phosphate finish adds rust and corrosion protection.
- 10" Long handle
- BENT TIPS - Get easy access at all awkward angles or very close to surfaces.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170231	A11-CRP	33	240	60(6x10box)	19.70	882x314x252

T-Handle Spark Plug Socket



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171016	TMPG-16	16	316	24(6x4box)	9.20	340x243x234
171021	TMPG-21	21	316	24(6x4box)	10.10	340x243x234

Metal Spray Nozzle Set

- Material: Zinc alloy
- Function: Applied to household vehide washing



Code	Model No.	Lmm	PCS	Kg	mm
190001	A11-SNS	145	60(6x10box)	18.70	750x351x347

Pipe Joint



Code	Model No.	PCS	Kg	mm
190002	A11-SNS-PJ	120(12x10box)	18.20	562x550x310

Panel Beating File

- Material: SK3



Code	Model No.	Amm	Lmm	PCS	Kg	mm
173402	A11-FB-S	35	350	60(6x10box)	23.40	432x345x138
173403	A11-FB-T	35	350	60(6x10box)	24.70	432x345x138

Gasket Scraper

- Function: Clean the dirt on workpiece



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170308	A12-GS-1	25	285	60(6x10box)	13.30	415x348x382

Universal Valve Spring Compressor

- Material: 45# steel
- Application: Applicable to the disassembly for the various valve, petrol, diesel engine and deep valve.
- Jaw capacity :55mm-175mm, Throat depth :165mm



Code	Model No.	PCS	Kg	mm
170429	A11-VSC	10(1x10box)	25.40	460x460x197

Professional Body File Holder

- Material: Aluminum alloy
- Function: Body panel polish and repair



Code	Model No.	PCS	Kg	mm
173401	A11-FH	24(1x24box)	22.90	501x438x200

Chisel Scraper Knife

- Material: Stainless steel
- Function: Clean the dirt on engine cylinder head and metal surfaces



Code	Model No.	PCS	Kg	mm
170302	A11-CSK	60(6x10box)	6.80	363x225x106

Automotive Tools

Work Torch

- Function:Main light source LED 1.5W, Brightness:110lm, Light distance: 1000m.
- Battery: 3.7v/2200mAh rechargeable Lithium battery.
- Charger: AV110-240V 50/60HZ 0.2A AND DC12-24V 1.75A, 1pc each
- Charging period: about 4.5 h
- Discharging time: 5-6 h
- Three-way Switch, high lights, work light and frequent flash can be selected.
- Suitable to workshop maintenance, outdoors work, estate managemnets.



Code	Model No.	PCS	Kg	mm
173001	A12-WL-L	8(1x8box)	12.40	550x340x395
173002	A12-WL-S	12(1x12box)	9.40	490x390x310

Portable Working lamp LED Chargeable

- Function: Ultra distance lighting range.
- Applied to workshop maintenance, outdoors work, estate mangement etc.



Code	Model No.	Lmm	PCS	Kg	mm
170313	A12-FL-30	320	20(1x20box)	9.90	450x420x310
170314	A12-FL-60	370	10(1x10box)	6.70	455x450x170

Auto Repair Tool Set

Panel Beating Tools 6pcs Set

- Pick & Finishing hammer, Light Shrinking Hammer, Curved Dolly, Doube End Hand Dolly, Toe Dolly



6 PCS

Code	Model No.	Model name	PCS	Kg	mm
173106	HSW-6S	Panel Beating Tools 6pcs Set	2(1x2box)	14.59	430x290x165

6PCS	Pick & Finishing hammer, Light Shrinking Hammer, Curved Dolly, Doube End Hand Dolly, Toe Dolly
------	--

Sensor Socket 7pcs Set

- Material: 3/8" -7/8-80, 3/8" -7/8-90, 3/8-1-1/16-74, 1/2-27-82, 1/2" -27-82, 1/2" -29-90, CR-V1/2" -22, 3/8" -22 CR-MO
- Function: Remove and assemble oxygen sensor on automobile.



7 PCS

Code	Model No.	Model name	PCS	Kg	mm
170430	A11-SS-7S	Sensor Socket 7pcs Set	12(1x12box)	25.80	430x245x340

GPCS	3/8" -7/8-80, 3/8" -7/8-90, 3/8-1-1/16-74, 1/2-27-82, 1/2" -27-82, 1/2" -29-90, 1/2" -22, 3/8" -22
------	--

Valve Spring Compressor

- Material: CR-MO
- Function: For removing and assembly of valve spring.
- C type clamp ensure consistent coaxial contact with the valve.



7 PCS

Code	Model No.	Model name	PCS	Kg	mm
170418	VSC-7S	Valve Spring Compressor	6(1x6box)	16.40	495x375x255

Contents	For removing and assembly of valve spring. C type clamp ensure consistent coaxial contact with the valve.Adapter(mm): 16 19 23 25 30 Pressure screw length(mm):70 110 120
----------	---

Oil Filter Wrench Cap Style 8pcs Set

- 8pcs Oil filter wrench 1pc 10mm ratchet 1pc 12.5mm adapter(1/2")
- Oil filter wrench use together with 3/8" and 1/2" driver tools.



8 PCS

Code	Model No.	Model name	Kg	mm	PCS
170500	OFW-8S	Oil Filter Wrench Cap Style 8pcs Set	4.48	385x245x155	2pcs(1x2box)

8PCS	45 gear softgrip ratchet tri-function joint 14 slide oil filter wrench cap style 65mm 14 slide oil filter wrench cap style 76mm 15 slide oil filter wrench cap style 74 76mm 15 slide oil filter wrench cap style 80mm 15 slide oil filter wrench cap style 90mm 15 slide oil filter wrench cap style 93mm
------	--



Tool Set




Home Use

Essential tools assortments for home-use. Handy and comfortable in use. Convenient to storage and carry.



Machine Use

For different machinery maintenance. Convenient to organize and locate tools at maintenance work.



Electronics Use

- Well assorted tools for various electronic maintenances.

Tool Set (Home Use)

10pcs General Tool Set

10
PCS



Code	Model No.	Model name	PCS	Kg	mm
181010	JEB-F10	10pcs General Tool Set	12(1x12box)	24.05	485x325x315

4pcs	Line Color Screwdriver	⌀ 6-100mm	⌀ 5-75mm
6pcs	8" Adjustable Wrench, 7" Combination Plier, Measuring Tape 3.5M, Test Pencil, Cutter knife, Claw hammer With Steel Handle		

15pcs General Tool Set

- Specially design for normally maintain use, available for home use, property etc.
- Blow case package is more solid and long life, convenience for save and use.

15
PCS



Code	Model No.	Model name	PCS	Kg	mm
181015	JEB-F15	15pcs General Tool Set	6(1x6box)	16.10	460x385x245

2pcs	Line Color Screwdriver	⌀ 6-100mm	
13pcs	Claw hammer with steel handle, Hacksaw, Scissor, Test pencil, Adhesive Tape, Tweezer, Flashlight, Accessory Box, Measuring tape 2M, Cutter knife, Adjustable wrench, 6" Long nose pliers, 6" Combination pliers		

19pcs General Tool Set

19
PCS



Code	Model No.	Model name	PCS	Kg	mm
181019	JEB-F19	19pcs General Tool Set	6(1x6box)	14.90	425x355x285

6pcs	Precision Screwdriver	⌀ 1.4-20mm 1.8-20mm 2.5-20mm	⌀ PH00-20mm PH0-20mm PH1-20mm
4pcs	Line Color Screwdriver	⌀ 6-40mm	⌀ 6-100mm
9pcs	6" Adjustable wrench, 6" Long nose multi-plier, 6" slip-joint plier, 3M Measuring tapes, Cutter knife, 8oz Claw hammer with steel handle, 6" hacksaw, Adhesive tape, 7" scissor		

21pcs General Tool Set

21
PCS



Code	Model No.	Model name	PCS	Kg	mm
181021	JEB-F21	21pcs General Tool Set	6(1x6box)	17.84	425x355x285

6pcs	Precision Screwdriver (mm):	⌀ 1.4-20 1.8-20 2.5-20	⌀ PH00-20 PH0-20 PH1-20
4pcs	Line color Screwdriver (mm):	⌀ 6-40	⌀ 6-100
5pcs	Combination Wrench (mm):	10 12 13 14 15	
6pcs	Adjustable wrench 6", Measuring tapes 3M, Long nose multi-plier 6", Cutter knife, slip-joint plier 6", Claw hammer with steel handle 16oz		

25pcs Electric Tool Set

25
PCS



Code	Model No.	Model name	PCS	Kg	mm
181025	JEB-E25	25pcs Electric Tool Set	6(1x6box)	19.95	550x410x285

8pcs	1/4" Socket (mm):	6 7 8 9 10 11 12 13	
4pcs	Line Color Screwdriver (mm):	⌀ 5-100	⌀ 6-100
13pcs	1/4" Spinner Handle, Diagonal Plier 6", Long Nose Plier 6", Measuring Tape 3M, Claw hammer 8oz, Cutter Knife, 6" Hacksaw, Digital Test Pencil, Soldering Iron, 14g Solder, Digital Multimeter, 6" Adjustable Wrench		

26pcs General Tool Set

26
PCS



Code	Model No.	Model name	PCS	Kg	mm
181026	JEB-F26	26pcs General Tool Set	6(1x6box)	20.65	540x425x285

2pcs	Precision Screwdriver	⌀ 3.0-100mm	⌀ PH0-100mm
4pcs	Line Color Screwdriver	⌀ 5-100mm	⌀ 6-100mm
7pcs	Flat Plated Hex Key	1.5 2 2.5 3 4 5 6	
13pcs	8" Adjustable Wrench, 6" Long Nose Pliers, 6" Combination Pliers, Measuring Tape 3M, Cutter Knife, 16oz Claw Hammer With steel handle, Digital Test Pencil, 30W Soldering Iron, Tin Solder, Flashlight, Adhesive Tape, 6" Scissor, Accessory box		



INDEX

Tool Set (Electronic)

39pcs Electric Tool Set



Code	Model No.	Model name	PCS	Kg	mm
181039	JEB-E39	39pcs Electric Tool Set	6(1x6box)	22.23	550x410x285

10pcs	1/4" Socket (mm): 4 5 6 7 8 9 10 11 12 13
4pcs	3/8" Socket (mm): 14 15 17 19
7pcs	Flat Plated Hex Key Set (mm): 1.5 2 2.5 3 4 5 6
5pcs	Line Color Screwdriver (mm): $\oplus$ 3-75 $\oplus$ $\ominus$ 5-100 $\oplus$ $\ominus$ 6-125
13pcs	Soldering iron, 14g solderm Digital Multimeter, 6" Adjustable wrench, 3/8" extension bar 3", long noe plier 6", diagonal plier 6", 3/8" ratchet, Claw hammer 8oz, Electrical cutter, Digital test pencil, Measuring tape 3M, 1/4" spinner handle

54pcs Electric Tool Set



Code	Model No.	Model name	PCS	Kg	mm
181054	JEB-E54	54pcs Electric Tool Set	6(1x6box)	20,65	465x410x315

13pcs	1/4" Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14
4pcs	Line Color Screwdriver (mm): $\ominus$ $\oplus$ 6-40 $\ominus$ $\oplus$ 6-100
6pcs	Precision Screwdriver (mm): $\ominus$ 2.5-75 3-100 3-150 $\oplus$ 2.5-75 3-100 3-150
15pcs	Bits (mm): SL: 4 5 6 T:10 15 20 PH:1 2 3 HX: 2 3 4 5 6 8
16pcs	6" Adjustable wrench, 6" long nose plier, 6" Diagonal plier, 8" Wire stripper, Cutter knife, Tweezer, Brush, Multimeter, Test pencil, PVC adhesive tape, Tin solder, 30W soldering iron, Tin absorber, 3.5M Measuring tapes, 1/4" Spinner, 1/4" Jointer

61pcs Electric Tool Set

- Design for various usage, for daily use of Electronic Engineer, Equipment Engineer, Technician etc.
- Blow case package is more solid and long life, convenience for save and use.



Code	Model No.	Model name	PCS	Kg	mm
181061	JEB-E61	61pcs Electric Tool Set	2(1x2box)	18.30	495x325x213

13PCS	1/4" Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14
9PCS	Bits (mm): TT10 TT15 TT20 PH1 PH2 PH3 SL4 SL5 SL6
8PCS	Hex key set (mm): 2.0 2.5 3.0 4.0 5.0 5.5 6.0 8.0
6PCS	Softgrip screwdriver (mm): $\oplus$ #0-75 #1-100 #2-150 $\ominus$ 4-75 5-100 6-150
4PCS	Precision screwdriver (mm): $\oplus$ #00 #0 #1 $\ominus$ 1.0mm 1.2mm 1.6mm
19PCS	Measuring tape 3.5M, PVC adhesive tape, Test pencil, LED flashlight, 14g soldering tin, Tin absorber, 1/4" Spinner, 1/4" Bits jointer, Brass wires brush, 6" Wire stripper, Long nose plier 6", Diagonal plier 6", Adjustable wrench 8", Combination plier 8", Tweezer, 30W soldering iron, Accessory box, Cutter knife

27pcs Mechanic Repair Tool Set

- Design for various usage, for daily use of Electronic Engineer, Technician etc.
- Blow case package is more solid and long life, convenience for save and use.



Code	Model No.	Model name	PCS	Kg	mm
181027	JEB-R27	27pcs Mechanic Repair Tool Set	6(1x6box)	25.90	495x375x255

12pcs	1/2" Socket (mm): 10 11 12 13 14 15 16 17 18 19 22 24
3pcs	1/2" Deep Socket (mm): 13 17 19
4pcs	SG soft grip screwdriver (mm): $\oplus$ 6-25 6-100 $\ominus$ 5-75 6-25
8pcs	1/2" Universal joint, 1/2" extension bar 10", 1/2" spark plug 16", 1/2" Softgrip ratchet wrench, 3/8" socket joint (hole 1/2-head 3/8), 8" Adjustable wrench, 7" Combination plier, 6" Long nose plier

Tool Set (Machinery Use)

70pcs Mechanic Repair Tool Set

- Design for various usage, for daily use of Electronic Engineer, Technician etc.
- Blow case package is more solid and long life, convenience for save and use.



Code	Model No.	Model name	PCS	Kg	mm
181070	JEB-R70	70pcs Mechanic Repair Tool Set	6(1x6box)	23.80	460x385x245

2pcs	Line Color Screwdriver (mm): $\ominus$ $\oplus$ 6-100
6pcs	Combination Wrench Mirror Finish (mm): 10 12 13 14 17 19
8pcs	Key Wrench (mm): 1.5 2 2 3 4 5 6 8
1pcs	Feeler Gauge (mm): 0.04 0.05 0.06 0.07 0.08 0.10 0.15 0.20 0.30
2pcs	3/8" Spark Plug (mm): 16, 21
12pcs	1/4" Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13
10pcs	3/8" Socket (mm): 10 11 12 13 14 15 16 17 18 19
18pcs	Bits (mm): SL: 4 5 6 T:10 15 20 25 27 30 PH:1 2 3 HX: 2 3 4 5 6 8
11pcs	Tire Pressure gauge, 8" Adjustable Wrench, 6" Slip-Joint Plier, Brass Wires Brush, Line Color Socket Joint, 1/4" Bit Adapter, 1/4" Ratchet, 3/8" Ratchet, Socket Joint (Hole3/8-Head1/4), 3/8" Extension Bar 3", 3/8" Universal Joint

75pcs Mechanic Repair Tool Set

- Design for various usage, for daily use of Electronic Engineer, Technician etc.
- Blow case package is more solid and long life, convenience for save and use.



Code	Model No.	Model name	PCS	Kg	mm
181075	JEB-R75	75pcs Mechanic Tool Set	2(1x2box)	13.70	435x365x170

12pcs	1/4" Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13
9pcs	1/2" Socket (mm): 10 12 13 14 15 16 17 19 22
18pcs	Bits (mm): SL: 4 5 6 T:10 15 20 25 27 30 PH:1 2 3 HX: 2 3 4 5 6 8
7pcs	Combination Wrench (mm): 11 12 13 14 15 17 19
8pcs	Key Wrench (mm): 1.5 2 2.5 3 4 5 6 8
1pcs	Feeler Gauge (mm): 0.04 0.05 0.06 0.07 0.08 0.10 0.15 0.20 0.30
4pcs	Line color Screwdriver (mm): $\ominus$ $\oplus$ 6-40 $\ominus$ $\oplus$ 6-100
16pcs	10" Locking plier straight jaw, Brass wires brush, Hacksaw, Line color socket joint, Measuring tape 3M, 6" Long nose plier, 8" Combination plier, 12oz Ball pein hammer, 8" Adjustable wrench , Cutter knife, 1/2" spark plug 16", 10" Water pump plier, 1/2" extension bar 5", 1/4" Bit adapter, 1/2" Ratchet, 1/4" Ratchet

Aluminum Case Tool Set

191pcs Aluminum Case Tool Set



Code	Model No.	Model name	PCS	Kg	mm
181191	JEB-A191	191pcs Aluminum Case Tool Set	1(1x1box)	11.42	435x365x170

3pcs	Softgrip Screwdriver $\ominus$ 4-100 5-125 8-150
2pcs	Softgrip Screwdriver Phillips $\oplus$ 5-100 6-125
10pcs	Combination Wrench (mm): 8 10 11 12 13 16 17 18 19 21
2pcs	1/2 Dr Spark Plug Socket (mm): 16 21
10pcs	1/2 Dr Metric Socket (mm): 10 13 14 16 17 18 19 21 22 24
4pcs	Pliers: TP-7, RP-6, DP-6, WPG-10
9pcs	Ball Point Hex Key 9pcs Set(mm): 1.5 2 2.5 3 4 5 6 8 10
9pcs	Star Wrench (mm): TT10 TT15 TT20 TT25 TT27 TT30 TT40 TT45 TT50
137pcs	1/2 Softgrip Ratchet, 1/2 Dr Extension Bar 125mm, Hinge Handle 1/2 , Adjustable Wrench 10" , Aviation Snip 10" , Auto Lock Cutter Knife with TPE Softgrip Handle, Hacksaw 12" , Flash Light, 41PCS 1/4 Dr socket set, Crimp Plier, Sliding T-handle 1/2, 6pcs Pin Punch Set, Blades(10pcs), Measuring Tape 5M, Machinist's Hammer, Universal joint1/2, Crimp Terminals(72pcs)


Portable Tool Set

8pcs Portable Tool Set



Code	Model No.	Model name	PCS	Kg	mm
180008	JEP-F8	8pcs Portable Tool Bag	20(1x20box)	33.80	645x385x275

2pcs	SG Softgrip Screwdriver $\ominus$ $\oplus$ 6×100mm
6pcs	Claw hammer with steel handle, Measuring tape 3M, Cutter knife, Digital test pencil, 6" combination pliers, 8" Adjustable wrench



INDEX

Portable Tool Set

12pcs Portable Tool Set

12
PCS



Code	Model No.	Model name	PCS	Kg	mm
180012	JEP-F12	12pcs Portable Tool Bag	20(1x20box)	33.36	645x385x275
2pcs	SG Softgrip Screwdriver $\Theta\Phi 6 \times 100\text{mm}$				
2pcs	Precision Screwdriver $\Theta\Phi 2.5 \times 75\text{mm}$				
8pcs	Scissor, Claw hammer with steel handle, Measuring tape 3M, Cutter knife, Digital test pencil, Adhesive tape, 6" Long nose pliers, 8" Adjustable wrench				

18pcs Electric Tool Set

18
PCS



Code	Model No.	Model name	PCS	Kg	mm
180018	JEP-R18	18pcs Electric Tool Bag	16(1x16box)	31.20	645x385x245
4pcs	SG Softgrip Screwdriver $\Theta\Phi 6 \times 100\text{mm}$ SG Softgrip Screwdriver $\Theta\Phi 4 \times 75\text{mm}$				
7pcs	Hex Key Set (mm): 1.5 2.0 2.5 3.0 4.0 5.0 6.0				
7pcs	Hacksaw, Claw hammer, 8" adjustable wrench, Digital test pencil, Measuring tape 3M, 6" combination pliers, Cutter knife				


19pcs Electric Tool Set

19
PCS




Code	Model No.	Model name	PCS	Kg	mm
180019	JEP-E19	19pcs Electric Tool Bag	16(1x16box)	24.60	645x385x245
2pcs	Precision Screwdriver $\Theta\Phi 2.5 \times 75\text{mm}$				
2pcs	SG Softgrip Screwdriver $\Theta\Phi 6 \times 100\text{mm}$				
2pcs	SG Softgrip Screwdriver $\Theta\Phi 5 \times 75\text{mm}$				
13pcs	Tin absorber, Adhesive tape, Measuring tape 3M, Cutter knife, Tin solder 14g, 135mm tweezer, Flashlight, Scissor, 30W soldering iron, Digital test pencil, Mini diagonal pliers, Mini long nose pliers, Adjustable wrench				

JTECH
TOOL



Wrench



Machined through round hole, holding angle of bolt/nut heads to fasten without deforming bolt/nut heads.

Jetech wrenches, precisely machined, made of chrome vanadium alloy steel, with well surface polished, assure that the dimensions of both open and ring end, meeting the standards of ANSI, DIN and GB.




Angle at 15 degree, convenient to use in narrow space.



Anti-skidding part on handle

Open end and torsion diagram



- Torsion correspondingly increase in parallel according to sizes of open end wrenches and comply to the following standard.

ISO 1711-1 NF ISO 1711-1 DIN 899



- Laser printed scale at the mouth of adjustable wrench, enable users to measure bolt/nut size

- Elastic plastic soft handle Comfortably strong grip




- Matt finish surface
- Anti-skidding part on wrench body

Adjustable Wrench

Adjustable Wrench


- Made with heat-treated chrome vanadium steel for lasting strength and durability.
- SMOOTH ADJUSTMENTS
High quality parts ensure smooth adjustments and tight grip to screws and nuts.



Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
040104	AW-4	6.5	9.2	13.5	14.0	100	120(10x12box)	7.50	264x226x154
040106	AW-6	8.3	12.0	20.0	20.0	150	60(10x6box)	7.90	252x196x181
040108	AW-8	9.0	14.0	24.5	25.0	200	60(10x6box)	15.80	252x239x199
040110	AW-10	9.5	16.0	30.0	30.0	250	60(10x6box)	24.40	332x302x265
040112	AW-12	10.5	17.5	36.0	36.0	300	40(10x4box)	25.90	350x335x215
040115	AW-15	12.8	22.0	47.0	46.0	375	24(4x6box)	33.50	412x259x239
040118	AW-18	19.0	29.0	53.5	55.0	450	8(2x4box)	15.10	493x290x137
040124	AW-24	21.0	33.5	67.0	63.0	600	6(1x6box)	26.90	643x318x151
040130	AW-30	30.0	41.0	80.0	85.0	750	2(1x2box)	13.40	815x195x95

Soft Grip Adjustable Wrench

- QUALITY CONSTRUCTION
Made with heat-treated chrome vanadium steel for lasting strength and durability.
- SMOOTH ADJUSTMENTS
High quality parts ensure smooth adjustments and tight grip to screws and nuts.
- ERGONOMIC SOFT GRIP
Soft grip handle provides comfort and prevents slipping.



Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
040206	AWS-6	6.5	10.3	20.5	20.0	150	60(6x10box)	9.30	324x196x181
040208	AWS-8	7.8	12.5	26.0	28.0	200	60(6x10box)	18.80	316x244x205
040210	AWS-10	8.5	14.5	32.0	30.0	250	60(6x10box)	29.80	452x308x244
040212	AWS-12	9.7	17.7	37.0	40.0	300	24(6x4box)	28.60	448x342x193

4PCS Adjustable Wrench Set

- INCLUDED 4 SIZES : (6"/150mm, 8"/200mm, 10"/250mm, 12"/300mm).
- STURDY CONSTRUCTION
Made with hardened forged carbon steel and heat-treated process, its strength and durability are enhanced. Chrome-plated surface brings rust and corrosion resistance.
- WIDE CALIBER RANGE
A wide caliber range allows you to widen the application and improve the working efficiency. Max Caliber: 6" Wrench: 24mm, 8" Wrench: 30mm, 10" Wrench: 36mm, 12" Wrench: 40mm.



Code	Model No.	Model name	PCS	Kg	mm
040101	AW-4S	4pcs adjustable wrench set	8(1x8box)	13.96	388x392x190
Contents	AW-6, AW-8, AW-10, AW-12				

Wrench Set

Combination Wrench Set

- Heat treated Chrome Vanadium Alloy Steel and sand blasted surface ensure durability and resistance to corrosion.
- 12 point box end fit bolts and nuts precisely to prevent stripping.
- Meets different demands.

Code	Model No.	mm	PCS	Kg	mm
041006	COM-S6A	8 10 12 13 14 17	12(1x12box)	7.10	330x314x181
041007	COM-S6B	8 10 13 16 17 18	12(1x12box)	8.20	290x290x260
041008	COM-S8	5.5 8 10 12 13 14 17 19	24(2x12box)	18.25	433x294x234
041011	COM-S11	5.5 8 9 10 11 12 13 14 17 19 22	24(2x12box)	32.50	565x397x305
041015	COM-S15	5.5 8 9 10 11 12 13 14 15 16 17 18 19 22 24	12(2x6box)	22.70	394x382x232
041024	COM-S24	5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32	6(1x6box)	29.20	484x346x241

Combination Wrench Set (SAE)

Code	Model No.	mm	PCS	Kg	mm
041001	COM-S5IN	5/16 3/8 7/16 1/2 9/16	12(1x12box)	4.884	330x314x181
041002	COM-S6IN	1/4 3/8 7/16 1/2 9/16 5/8	12(1x12box)	6.012	330x314x181
041003	COM-S7IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4	12(1x12box)	9.528	330x314x181
041004	COM-S9IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 1/4 5/16	24(2x12box)	21.339	565x397x305
041005	COM-S11IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1	24(2x12box)	46.083	565x397x305
041006	COM-S14IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4	12(1x12box)	45.1	512x372x274
040901	OWS-S6IN	1/4-5/16 3/8-7/16 1/2-9/16 5/8-11/16 3/4-7/8 15/16-1	12(1x12box)	11.20	330x314x181
040801	OFS-S6IN	1/4-5/16 3/8-7/16 1/2-9/16 5/8-11/16 3/4-7/8 15/16-1	12(2x6box)	15.80	345x325x210
041018	COM-S12MI	8 9 10 11 3/8 13 7/16 15 1/2 9/16 5/8 11/16	12(1x12box)	12.50	394x382x232
041019	COM-S20MI	8 9 10 11 12 13 14 15 17 18 18 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8	6(1x6box)	12.80	484x346x241

Combination Wrench Set (Metric+SAE)

Code	Model No.	mm	PCS	Kg	mm
041018	COM-S12MI	8 9 10 11 13 15 7/16 1/2 9/16 5/8 11/16	12(1x12box)	12.718	394x382x232
041019	COM-S20MI	8 9 10 11 12 13 14 15 17 18 18 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8	6(1x6box)	13.138	484x346x241

Double Open Wrench Set

Code	Model No.	mm	PCS	Kg	mm
040016	OWS-S6A	5.5x7 8x10 11x13 14x17 17x19 22x24	12(1x12box)	10.80	330x314x181
040017	OWS-S6B	8x10 11x13 13x15 16x18 17x19 22x24	12(1x12box)	12.00	330x314x181
040909	OWS-S9	5.5x7 8x10 11x13 12x14 14x17 17x19 19x21 22x24 24x27	12(2x6box)	19.45	394x382x232
040916	OWS-S16	5.5x7 8x10 10x12 11x13 12x14 13x15 14x17 16x18 17x19 19x21 19x22 21x23 22x24 23x26 24x27 30x32	4(2x2box)	13.55	515x200x191

Combination Wrench Set Mirror Finish

Code	Model No.	mm	PCS	Kg	mm
041408	COMF-S8	6 8 10 12 13 14 17 19	24(2x12box)	18.20	433x294x234
041411	COMF-S11	6 8 9 10 11 12 13 14 17 19 22	24(2x12box)	28.20	565x397x305
041415	COMF-S15	6 8 9 10 11 12 13 14 15 16 17 18 19 22 24	12(2x6box)	22.30	394x382x232
041424	COMF-S24	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 32	6(1x6box)	30.70	484x346x241

Double Ring Wrench Mirror Finish

Code	Model No.	mm	PCS	Kg	mm
040819	OFSF-S9	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27	12(2x6box)	24.80	512x372x274
040820	OFSF-S10	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 30-32	12(2x6box)	31.00	512x372x274
040822	OFSF-S10A	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 27-30	12(2x6box)	30.60	512x372x274
040821	OFSF-S11	8-10 10-12 11-13 12-14 14-17 17-19 19-22 21-23 22-24 23-26 24-27	12(2x6box)	33.40	512x372x274
040825	OFSF-S15	6-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-22 21-23 22-24 23-26 24-27 30-32	6(1x6bbox)	24.10	512x372x274

Double Open Wrench Set Mirror Finish

Code	Model No.	mm	PCS	Kg	mm
041509	OWSF-S9	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27	12(2x6box)	19.75	394x382x232
041516	OWSF-S16	6-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-21 19-22 21-23 22-24 23-26 24-27 30-32	4(2x2box)	13.50	515x200x191
041510	OWSF-S10	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 30-32	12(2x6box)	24.20	394x382x232
041511	OWSF-S10A	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 27-30	12(2x6box)	24.00	394x382x232

Ring Wrench Set

Code	Model No.	mm	PCS	Kg	mm
040809	OFS-S9	5.5-7 8-10 11-13 12-14 14-17 17-19 19-21 22-24 24-27	12(2x6box)	24.50	512x372x274
040811	OFS-S11	8-10 10-12 11-13 12-14 14-17 17-19 19-22 21-23 22-24 23-26 24-27	12(2x6box)	32.80	512x372x274
040815	OFS-S15	5.5-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-22 21-33 22-24 23-26 24-27 30-32	6(1x6box)	24.80	512x372x274

Combination Wrench

Combination Wrench (Cr-V)

- Made with Forged and heat-treated, sand blasted chrome vanadium steel for lasting strength and durability.
- 12 point box end fit bolts and nuts precisely to prevent stripping.
- 15 degree angle on the open end and 12-point box end allow easy to access and better efficiency in cramped workspaces.
- High strength steel enables wrench to handle strong torque.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm		
040305	COM-5.5	5.5	15.5	10.5	4.4	4.5	100	120(12x10box)	3.46	140x132x190
040306	COM-6	6	16.0	10.5	4.4	5.0	106	120(12x10box)	2.52	140x132x190
040307	COM-7	7	17.0	12.0	4.5	5.4	116	120(12x10box)	2.62	157x149x190
040308	COM-8	8	18.0	13.5	4.7	6.0	127	120(12x10box)	4.10	170x170x182
040309	COM-9	9	20.6	14.5	5.0	6.4	136	120(12x10box)	4.64	170x170x182

Wrench

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm		
040310	COM-10	10	21.6	15.5	5.2	6.9	146	120(12x10box)	5.26	192x174x185
040311	COM-11	11	24.6	18.0	5.7	7.2	156	120(12x10box)	7.28	200x188x181
040312	COM-12	12	25.6	19.5	6.2	7.9	167	120(12x10box)	8.24	212x204x193
040313	COM-13	13	29.2	20.0	6.5	8.1	176	120(12x10box)	9.60	212x204x193
040314	COM-14	14	30.7	21.5	6.8	8.4	186	120(12x10box)	11.70	236x234x237
040315	COM-15	15	32.7	22.5	7.0	8.5	196	120(12x10box)	12.80	236x234x237
040316	COM-16	16	34.2	24.5	7.3	9.2	206	120(12x10box)	14.00	254x236x237
040317	COM-17	17	36.2	26.0	7.5	9.4	216	120(12x10box)	17.30	266x254x217
040318	COM-18	18	38.3	28.0	7.6	10.4	225	120(12x10box)	18.70	267x259x240
040319	COM-19	19	40.3	29.0	7.8	11.4	234	120(12x10box)	23.80	267x259x240
040320	COM-20	20	43.3	30.0	8.3	12.4	240	60(6x10box)	11.70	330x290x140
040321	COM-21	21	43.8	32.0	8.6	12.0	250	60(6x10box)	13.50	330x290x140
040322	COM-22	22	44.8	34.0	8.8	13.4	265	60(6x10box)	14.70	314x176x287
040323	COM-23	23	46.9	35.0	9.0	13.6	276	60(6x10box)	16.00	314x176x287
040324	COM-24	24	49.9	36.0	9.3	14.1	287	36(6x6box)	11.60	327x195x184
040325	COM-25	25	53.4	37.0	9.6	14.6	297	36(6x6box)	12.15	327x195x184
040326	COM-26	26	54.4	38.0	9.8	14.9	307	36(6x6box)	13.60	362x194x209
040327	COM-27	27	56.0	40.5	10.0	15.4	317	36(6x6box)	14.60	362x194x209
040328	COM-28	28	58.0	41.5	10.2	15.9	327	36(6x6box)	16.45	362x194x209
040329	COM-29	29	59.0	42.0	10.4	16.4	337	36(6x6box)	18.00	397x225x174
040330	COM-30	30	62.0	44.0	10.6	17.2	347	36(6x6box)	18.10	397x225x174
040332	COM-32	32	65.0	48.0	10.8	17.4	366	36(6x6box)	24.30	397x321x150

Combination Wrench Jumbo Size

- Made with Forged and heat-treated, sand blasted chrome vanadium steel for lasting strength and durability.
- High strength steel enables wrench to handle strong torque.

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm		
040333	COM-33	33	66.0	48.5	12.0	15.5	372	36(6x6box)	25.90	397x321x150
040335	COM-35	35	72.0	53.5	13.5	17.0	450	24(2x12box)	27.50	506x356x187
040336	COM-36	36	72.0	53.5	14.0	18.0	450	24(2x12box)	27.10	506x356x187
040338	COM-38	38	77.0	57.5	14.5	19.5	461	16(2x8box)	22.50	532x415x135
040341	COM-41	41	83.0	63.0	15.5	20.5	475	16(2x8box)	23.60	532x415x135
040342	COM-42	42	83.0	63.0	15.5	20.5	475	16(2x8box)	22.70	532x415x135
040344	COM-44	44	92.5	68.0	15.5	21.5	485	16(2x8box)	26.40	532x415x135
040346	COM-46	46	92.5	68.5	15.5	21.5	485	16(2x8box)	28.50	728x260x121
040350	COM-50	50	101.0	76.5	16.5	22.5	500	12(2x6box)	24.40	532x316x140
040355	COM-55	55	108.5	81.5	20.0	30.0	670	4(1x4box)	14.70	728x260x121
040360	COM-60	60	120.0	88.5	22.5	30.0	695	4(1x4box)	19.80	728x260x121
040365	COM-65	65	120.5	88.5	22.5	30.0	695	4(1x4box)	20.20	728x260x121

Combination Wrench Mirror Finish (Metric)

- Made with premium carbon steel.
- Complete polish surface.

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm		
040607	OVS5.5-7	5.5	16.0	7	18.0	4.0	120	120(12x10box)	4.70	170x170x182
040608	OVS6-7	6	16.5	7	18.5	4.2	128	120(12x10box)	3.70	170x170x182
040610	OVS8-10	8	19.5	10	23.5	4.7	147	120(12x10box)	5.36	188x140x188

Code	Model No.	A _{mm}	B _{mm}		C _{mm}		L _{mm}	PCS	Kg	mm
041106	COMF-6	6	16.0	10.5	4.4	5.5	106	120(12x10box)	2.65	140x132x190
041107	COMF-7	7	17.0	12.0	4.5	5.4	116	120(12x10box)	3.30	157x149x190
041108	COMF-8	8	18.0	13.5	4.7	6.0	127	120(12x10box)	4.00	170x170x182
041109	COMF-9	9	20.6	14.5	5.0	6.4	136	120(12x10box)	4.60	170x170x182
041110	COMF-10	10	21.6	15.5	5.2	6.9	146	120(12x10box)	5.25	192x174x185
041111	COMF-11	11	24.6	18.0	5.7	7.2	157	120(12x10box)	6.90	200x188x181
041112	COMF-12	12	25.6	19.5	6.2	7.9	167	120(12x10box)	8.20	212x204x193
041113	COMF-13	13	29.2	20.0	6.5	8.1	176	120(12x10box)	10.00	212x204x193
041114	COMF-14	14	30.7	21.5	6.8	8.4	186	120(12x10box)	11.40	239x237x190
041115	COMF-15	15	32.7	22.5	7.0	8.8	196	120(12x10box)	13.60	236x234x237
041116	COMF-16	16	34.2	24.5	7.3	9.2	206	120(12x10box)	13.35	254x236x237
041117	COMF-17	17	36.2	26.0	7.5	9.4	217	120(12x10box)	16.60	266x254x217
041118	COMF-18	18	38.3	28.0	7.6	10.4	226	120(12x10box)	19.70	267x259x240
041119	COMF-19	19	40.3	29.0	7.8	11.4	236	120(12x10box)	21.40	267x259x240
041120	COMF-20	20	42.3	30.0	8.3	12.4	246	60(6x10box)	11.20	272x176x237
041121	COMF-21	21	42.8	32.0	8.6	12.0	256	60(6x10box)	13.80	330x290x140
041122	COMF-22	22	44.8	34.0	8.8	13.4	268	60(6x10box)	14.10	314x176x287
041123	COMF-23	23	46.9	35.0	9.0	13.6	279	60(6x10box)	17.40	314x176x287
041124	COMF-24	24	49.9	36.0	9.3	14.1	287	36(6x6box)	11.80	327x195x184
041125	COMF-25	25	53.4	37.0	9.6	14.6	297	36(6x6box)	11.90	350x175x192
041126	COMF-26	26	54.4	38.0	9.8	14.9	307	36(6x6box)	13.20	362x194x209
041127	COMF-27	27	56.0	40.5	10.0	15.4	317	36(6x6box)	14.40	362x194x209
041128	COMF-28	28	58.0	41.5	10.2	15.9	327	36(6x6box)	21.30	397x225x174
041129	COMF-29	29	59.0	42.5	10.4	16.4	336	36(6x6box)	22.00	397x225x174
041130	COMF-30	30	62.0	44.5	10.6	17.2	347	36(6x6box)	23.50	397x225x174
041132	COMF-32	32	65.0	48.5	10.8	17.4	366	36(6x6box)	24.00	397x321x150
041133	COMF-33	33	66.0	48.5	12.1	15.5	372	36(6x6box)	24.50	397x321x150
041134	COMF-34	34	66.0	48.5	12.1	15.5	372	24(2x12box)	27.40	506x356x187
041135	COMF-35	35	72.0	53.5	13.5	15.2	450	24(2x12box)	25.60	506x356x187
041136	COMF-36	36	72.0	53.5	14.0	18.0	450	24(2x12box)	26.80	506x356x187
041138	COMF-38	38	77.0	57.5	14.5	19.5	461	16(2x8box)	21.90	532x415x135
041141	COMF-41	41	83.0	63.0	15.5	20.5	475	16(2x8box)	23.80	532x415x135
041142	COMF-42	42	83.0	63.0	15.5	20.5	475	16(2x8box)	23.70	532x415x135
041144	COMF-44	44	92.5	68.0	15.5	21.5	485	16(2x8box)	29.30	532x415x135
041146	COMF-46	46	92.5	68.5	16.5	22.5	485	16(2x8box)	26.60	532x415x135
041148	COMF-48	48	101.0	76.5	16.5	22.5	500	12(2x6box)	24.80	535x325x145
041150	COMF-50	50	101.0	76.5	16.5	22.5	500	12(2x6box)	24.50	532x316x140
041155	COMF-55	55	108.0	81.5	20.0	30.0	670	4(1x4box)	14.50	728x260x121
041160	COMF-60	60	120.0	88.5	22.5	30.0	695	4(1x4box)	20.60	728x260x121
041165	COMF-65	65	120.5	88.5	22.5	30.0	695	4(1x4box)	20.40	728x260x121

Double Open Wrench (Metric) (Cr-V)

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	D _{mm}	E _{mm}	L _{mm}	PCS	Kg	mm
040607	OVS5.5-7	5.5	16.0	7	18.0	4.0	120	120(12x10box)	4.70	170x170x182
040608	OVS6-7	6	16.5	7	18.5	4.2	128	120(12x10box)	3.70	170x170x182
040610	OVS8-10	8	19.5	10	23.5	4.7	147	120(12x10box)	5.36	188x140x188


Code	Model No.	A _{mm}	B _{mm}	C _{mm}	D _{mm}	E _{mm}	L _{mm}	PCS	Kg	mm
040612	OWS10-12	10	23.5	12	27.5	5.2	156	120(12x10box)	7.54	188x140x180
040613	OWS11-13	11	25.5	13	29.5	5.2	172	120(12x10box)	9.90	217x179x190
040614	OWS12-14	12	27.5	14	32.0	5.7	180	120(12x10box)	11.50	217x179x190
040615	OWS13-15	13	29.6	15	34.6	6.3	188	120(12x10box)	15.00	237x209x190
040616	OWS13-16	13	29.6	16	34.6	6.3	188	120(12x10box)	13.90	237x209x190
040617	OWS14-17	14	32.1	17	38.2	6.3	195	120(12x10box)	16.90	234x206x237
040618	OWS16-18	16	34.5	18	39.6	6.8	206	120(12x10box)	18.20	234x206x237
040619	OWS17-19	17	38.2	19	42.3	6.8	220	120(12x10box)	22.50	254x206x237
040620	OWS18-21	18	42.3	21	46.3	7.3	238	60(6x10box)	14.60	330x290x140
040621	OWS19-21	19	42.3	21	46.3	7.3	238	60(6x10box)	13.00	330x290x140
040622	OWS19-22	19	42.3	22	46.3	7.3	238	60(6x10box)	12.94	330x290x140
040623	OWS21-23	21	48.3	23	50.4	7.8	247	60(6x10box)	15.00	330x290x140
040624	OWS22-24	22	48.3	24	50.4	7.8	247	60(6x10box)	16.50	330x290x140
040626	OWS23-26	23	50.4	26	55.9	8.3	256	60(6x10box)	19.30	330x290x140
040627	OWS24-27	24	50.4	27	55.9	8.3	256	60(6x10box)	20.50	330x290x140
040630	OWS27-30	27	57.9	30	61.9	8.8	278	36(6x6box)	14.80	307x139x204
040632	OWS30-32	30	61.6	32	67.9	9.3	298	36(6x6box)	18.50	332x154x209

Double Open Wrench Mirror Finish

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	kg	mm
041206	OWSF5.5-7	5.5	16.0	7	18.0	4.0	128	120(12x10box)	4.70	170x170x182
041207	OWSF6-7	6	16.5	7	18.5	4.2	128	120(12x10box)		

Wrench Set


Double Ring Wrench Mirror Finish (Cr-V)

							
Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS
044001	OFSF5/16-3/8	13.5	16.1	5.8	6.3	170.0	60(6x10box)
044002	OFSF3/8-7/16	16.0	19.0	6.3	13.0	184.5	60(6x10box)
044003	OFSF1/2-9/16	20.0	24.0	8.8	9.8	214.2	60(6x10box)
044004	OFSF5/8-11/16	24.5	27.5	9.1	10.1	246.5	60(6x10box)
044005	OFSF11/16-3/4	26.0	28.5	10.5	11.8	263.0	60(6x10box)
044006	OFSF3/4-7/8	29.0	34.0	11.0	13.0	284.8	60(6x10box)
044007	OFSF13/16-7/8	33.0	35.0	11.2	13.5	325.0	60(6x10box)
044008	OFSF15/16-1	36.0	39.5	12.5	12.5	348.0	36(6x6box)

Double Ring Wrench (SAE)

Code	Model No.	PCS
043409	OFS1/4-5/16	120(10x12box)
043401	OFS3/8-7/16	120(10x12box)
043402	OFS1/2-9/16	120(10x12box)
043403	OFS5/8-11/16	120(10x12box)
043408	OFS5/8-3/4	120(10x12box)
043405	OFS3/4-7/8	60(6x10box)
043406	OFS15/16-1	36(6x6box)

Double Open Wrench Mirror Finish (SAE)

							
Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm
043605	OVSF7/16-1/2	11.11	25.5	12.7	29.5	4.6	172
043603	OVSF5/16-3/8	7.93	19.5	9.52	23.5	4.4	147
043610	OVSF5/8-11/16	15.87	34.6	17.46	39.5	6.5	206
043609	OVSF5/8-3/4	15.87	38.2	19.05	42.3	6.9	220
043612	OVSF3/4-7/8	19.05	42.3	22.22	46.3	7.2	238
043604	OVSF3/8-7/16	9.52	23.5	11.11	27.5	4.5	156
043614	OVSF15/16-1	23.81	47.5	25.4	52	9.5	256
043606	OVSF1/2-9/16	12.70	27.5	14.28	32	4.9	180
043602	OVSF1/4-5/16	6.35	16.5	7.93	18.5	4.2	128
043607	OVSF9/16-5/8	14.3	32.1	15.9	38.2	6.3	195
043608	OVSF19/32-11/16	15.1	32.1	17.5	38.2	6.3	195
043611	OVSF11/16-3/4	17.5	38.2	19.0	42.3	6.8	220
043613	OVSF13/16-7/8	20.7	46.3	22.2	50.4	7.3	247


Combination Wrench (SAE)

Code	Model No.	PCS
043201	COM-1/4	120(10x12box)
043202	COM-5/16	120(10x12box)
043205	COM-1/2	120(10x12box)
043207	COM-5/8	120(10x12box)
043208	COM-11/16	120(10x12box)
043209	COM-3/4	120(10x12box)
043210	COM-13/16	60(6x10box)
043211	COM-7/8	60(6x10box)
043212	COM-15/16	36(6x6box)
043213	COM-1	36(6x6box)
043214	COM-1-1/16	36(6x6box)
043215	COM-1-1/8	36(6x6box)
043216	COM-1-1/4	36(6x6box)
043227	COM-2	12(2x6box)

Double Open Wrench (SAE)

Code	Model No.	PCS
043302	OWS1/4-5/16	120(10x12box)
043303	OWS5/16-3/8	120(10x12box)
043304	OWS3/8-7/16	120(10x12box)
043305	OWS7/16-1/2	120(10x12box)
043306	OWS1/2-9/16	120(10x12box)
043308	OWS5/8-3/4	60(6x10box)
043310	OWS5/8-11/16	60(6x10box)
043313	OWS3/4-7/8	60(6x10box)
043315	OWS15/16-1	60(6x10box)

Combination Wrench Mirror Finish (SAE)

							
Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	mm
043504	COMF-7/16	11.11	24.6	18	5.6	7.3	156
043511	COMF-7/8	22.22	44.8	34	8.5	12.6	265
043506	COMF-9/16	14.28	30.7	21.5	6.1	8.5	186
043502	COMF-5/16	7.93	18	13.5	4.7	6.4	127
043507	COMF-5/8	15.87	34.2	24.5	6.7	9.4	206
043509	COMF-3/4	19.05	40.3	29	7.7	11.1	234
043503	COMF-3/8	9.52	21.6	15.5	5.3	6.9	146
043512	COMF-15/16	23.81	50	36	8.9	13.2	287
043510	COMF-13/16	20.63	43.8	32	8.3	12.2	250
043508	COMF-11/16	17.46	36.2	26	7.1	9.9	216
043513	COMF-1	25.4	53.4	37	9.1	13.7	297
043514	COMF-1-1/16	26.98	56	40	9.5	13	317
043517	COMF-1-1/4	31.75	66	48	11	15.4	367
043515	COMF-1-1/8	28.57	59	42	9.9	15.5	337
043505	COMF-1/2	12.7	29.2	20	5.8	8.2	176
043501	COMF-1/4	6.35	16	10.5	4.7	5.8	106
043516	COMF-1-3/16	30.0	62	44	10.6	17.2	347
043524	COMF-1-11/16	42.86	83	63	15.5	20	475
043527	COMF-1-7/8	47.60	100	75	16.5	22	500

Wrench

Gear Wrench (Cr-V)

- Heat treated Chrome Vanadium Steel and a polished surface ensure durability and resistance to corrosion.
- 72-tooth ratcheting 12 point box end allows efficient working with a 5 degree swing.
- High strength ratcheting mechanism enables wrench to handle strong torque.

							
Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	mm
041606	GR-6	6	13	14	6.3	4.3	128
041607	GR-7	7	16.3	16.5	6.5	4.3	140
041608	GR-8	8	18	18	6.5	4.3	141
041609	GR-9	9	19	19	7.0	4.8	150
041610	GR-10	10	21	21	8	5	160
041611	GR-11	11	23	23	8	5	165
041612	GR-12	12	25	26	8	5	170
041613	GR-13	13	26	27	8.5	5.5	181
041614	GR-14	14	23	30	9.1	7	191
041615	GR-15	15	29	32	10	7	200
041616	GR-16	16	31	33	10	8	210
041617	GR-17	17	33	36	10	7.5	226
041618	GR-18	18	35	39	10	8.5	236
041619	GR-19	19	36	40	10.5	9	246
041621	GR-21	21	42	44	13	9.5	290
041622	GR-22	22	43	45	14.5	9.5	292
041624	GR-24	24	48	52	14	9.5	333
041627	GR-27	27	51	54	15.6	10.5	355
041630	GR-30	30	56	60	17.5	11	402
041632	GR-32	32	61	64	18	12	420

Gear Wrench (Set)




Code	Model No.	mm	PCS	Kg	mm
040007	GR-S7	8 10 12 13 14 17 19	24(2x12box)	22.80	346x314x310
040008	GR-S8	10 11 12 13 14 15 17 19	24(2x12box)	27.85	346x314x310
040009	GR-S9	8 10 12 13 14 16 17 18 19	24(2x12box)	29.60	346x314x310
040012	GR-S12	8 9 10 11 12 13 14 15 16 17 18 19	12(2x6box)	20.70	394x382x232
040020	GR-S20	6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32	6(1x6box)	35.00	484x346x241

Flexible Gear Wrench (Cr-V)


- Forged by quality chromium-vanadium steel and heat-treated for enhanced strength and durability.
- 12-point opening provides a more precise and exact fit. Off corner design distributes the force on the round, prolonging its lifespan and protecting the fasteners.
- The ratcheting box end needs only a 5-degree swing arc to operate. Make it easy and convenient to deal with hard-to-reach areas.
- The flex box-end can tilt up to 180°, which helps you to reach confined areas easily and improve your efficiency greatly.

							
---	--	--	--	--	--	--	--

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
041908	GRA-8	8	18.3	18.0	7.2	4.8	140	100(10x10box)
041909	GRA-9	9	20.0	20.0	7.5	4.8	150	100(10x10box)
041910	GRA-10	10	21.5	22.0	7.8	5.1	160	100(10x10box)
041911	GRA-11	11	23.5	24.5	8.4	5.5	165	100(10x10box)
041912	GRA-12	12	25.0	26.0	8.8	5.9	170	100(10x10box)
041913	GRA-13	13	26.4	28.0	9.1	6.4	180	100(10x10box)
041914	GRA-14	14	28.0	30.8	9.4	6.7	190	100(10x10box)
041915	GRA-15	15	30.0	33.0	9.8	7.3	200	100(10x10box)
041916	GRA-16	16	31.5	34.5	10.2	7.8	210	100(10x10box)
041917	GRA-17	17	33.0	37.0	10.5	8.0	225	100(10x10box)
041918	GRA-18	18	35.0	39.5	10.8	8.2	235	100(10x10box)
041919	GRA-19	19	36.5	40.8	11.2	8.4	245	100(10x10box)
041921	GRA-21	21	42.5	40.8	13.5	9.0	290	36(6x6box)
041922	GRA-22	22	42.5	44.8	13.5	9.0	290	36(6x6box)
041924	GRA-24	24	48.5	52.8	14.5	9.7	332	36(6x6box)
041927	GRA-27	27	53.0	56.0	15.7	10.8	359	36(6x6box)
041930	GRA-30	30	58.0	62.0	17.0	11.2	404	10(5x2box)
041932	GRA-32	32	62.0	65.0	17.5	12.0	424	10(5x2box)

Double Box End Ratcheting Wrench

- Heat treated Chrome Vanadium Steel and polished surface ensure durability and resistance to corrosion.
- 72-tooth ratcheting 12 point box END allow efficient working with a 5 degree swing.
- Two convenient sizes allow you to easily tighten or loosen more bolts simply by flipping the wrench over. Great for tight spaces.
- High strength ratcheting mechanism enables wrench to handle strong torque.

							
Code	Model No.	Bmm	Cmm	Lmm	PCS	Kg	mm
042009	GRD8-9	18.3	20.0	7.2	7.5	125	100(10x10box)
042010	GRD8-10	18.3	21.5	7.2	7.8	130	100(10x10box)
042011	GRD10-11	21.5	23.5	7.8	8.4	150	100(10x10box)
042013	GRD12-13	25.0	26.4	8.8	9.1	170	100(10x10box)
042015	GRD14-15	28.0	30.0	9.4	9.8	190	100(10x10box)
042018	GRD16-18	31.5	35.0	10.2	10.8	210	100(10x10box)
042019	GRD17-19	33.0	36.5	10.5	11.2	235	100(10x10box)

Flare Nut Wrench


- Material: Carbon Steel

							
Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm
043110	OESF8-10	6	18	7	21	9	140
043111	OESF9-11	7	19	8	22	9	150
043112	OESF10-12	10.2	20.5	12.2	23	8.9	161
043113	OESF11-13	8	21.0	10	24	9	165
043114	OESF13-14	9	25	10	26	10	175
043115	OESF13-15	10	23.5	12	26	10	176
043117	OESF16-17	13	28	14	30	12	200

Wrench

Podger Ratchet Wrench


- Material: Cr.Mo
- Black finish, strong torque



Code	Model No.	Lmm	PCS	Kg
042110	CGR10-12	240	60(6x10box)	14.5
042111	CGR11-13	240	60(6x10box)	14.9
042112	CGR12-14	240	60(6x10box)	15.1
042113	CGR13-17	280	60(6x10box)	19.3
042114	CGR14-17	280	60(6x10box)	19.5
042115	CGR16-18	310	40(4x10box)	22.8
042116	CGR17-19	310	40(4x10box)	22.9
042117	CGR17-21	310	40(4x10box)	21.5
042118	CGR19-21	310	40(4x10box)	21.5
042119	CGR19-22	310	40(4x10box)	21.5
042120	CGR19-24	360	24(4x6box)	23.5
042125	CGR21-23	360	24(4x6box)	22.7
042126	CGR21-24	360	24(4x6box)	22.9
042121	CGR21-26	360	24(4x6box)	22.9
042122	CGR22-24	355	24(4x6box)	22.8
042123	CGR24-27	355	24(4x6box)	22.9
042129	CGR27-30	450	16(2x8box)	23.4
042130	CGR30-32	450	16(2x8box)	23.8

Box End Slugging Wrench

- Material: Carbon Steel



Code	Model No.	Model name	Lmm	PCS	Kg
043801	OFSS-24	24mm Ring Slogging Spanner	160	60(6x10box)	20.5
043802	OFSS-27	27mm Ring Slogging Spanner	180	60(6x10box)	22.5
043803	OFSS-30	30mm Ring Slogging Spanner	190	60(6x10box)	26.7
043804	OFSS-32	32mm Ring Slogging Spanner	192	36(6x6box)	17.9
043805	OFSS-34	34mm Ring Slogging Spanner	194	36(6x6box)	16.8
043806	OFSS-36	36mm Ring Slogging Spanner	205	36(6x6box)	21.5
043807	OFSS-38	38mm Ring Slogging Spanner	205	36(6x6box)	22.7
043808	OFSS-41	41mm Ring Slogging Spanner	225	24(4x6box)	22.5
043809	OFSS-46	46mm Ring Slogging Spanner	240	24(4x6box)	22.4
043810	OFSS-50	50mm Ring Slogging Spanner	250	24(4x6box)	32.2
043811	OFSS-55	55mm Ring Slogging Spanner	270	16(2x8box)	24.8
043812	OFSS-60	60mm Ring Slogging Spanner	270	16(2x8box)	26.8
043813	OFSS-65	65mm Ring Slogging Spanner	290	16(2x8box)	30.5
043814	OFSS-70	70mm Ring Slogging Spanner	320	12(2x6box)	27.5
043815	OFSS-75	75mm Ring Slogging Spanner	320	12(2x6box)	40.8
043816	OFSS-80	80mm Ring Slogging Spanner	340	12(2x6box)	36.5


Slugging Wrench

- Material: Carbon Steel



Code	Model No.	Model name	Lmm	PCS	Kg
043901	OWSS-24	24mm Slogging Spanner	185	60 (6x10box)	25.8
043902	OWSS-27	27mm Slogging Spanner	185	60 (6x10box)	25.9
043903	OWSS-30	30mm Slogging Spanner	205	60 (6x10box)	29.5
043904	OWSS-32	32mm Slogging Spanner	205	36 (6x6box)	20.5
043905	OWSS-34	34mm Slogging Spanner	220	36 (6x6box)	22.4
043906	OWSS-36	36mm Slogging Spanner	220	36 (6x6box)	19.4
043907	OWSS-38	38mm Slogging Spanner	245	36 (6x6box)	22.9
043908	OWSS-41	41mm Slogging Spanner	245	24 (2x8box)	25.3
043909	OWSS-46	46mm Slogging Spanner	255	24 (4x6box)	30.0
043910	OWSS-50	50mm Slogging Spanner	280	12 (2x6box)	19.9
043911	OWSS-55	55mm Slogging Spanner	310	16 (2x8box)	25.8
043912	OWSS-60	60mm Slogging Spanner	320	16 (2x8box)	26.7
043913	OWSS-65	65mm Slogging Spanner	346	16 (2x8box)	28.4
043914	OWSS-70	70mm Slogging Spanner	366	12 (2x6box)	19.2
043915	OWSS-75	75mm Slogging Spanner	400	12 (2x6box)	22.5
043916	OWSS-80	80mm Slogging Spanner	400	6 (1x6box)	29.5

L Type Pipe Wrench (Cr-V)



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
041806	LTW-6	25	110	6	60(6x10box)	3.75	254x206x237
041807	LTW-7	30	115	7	60(6x10box)	4.40	254x206x237
041808	LTW-8	35	120	8	60(6x10box)	4.80	254x206x237
041809	LTW-9	35	125	9	60(6x10box)	6.10	254x206x237
041810	LTW-10	35	130	10	60(6x10box)	7.40	254x206x237
041811	LTW-11	40	135	11	60(6x10box)	8.70	254x206x237
041812	LTW-12	45	145	12	60(6x10box)	10.80	555x202x245
041813	LTW-13	45	155	13	60(6x10box)	12.00	555x202x245
041814	LTW-14	50	165	14	60(6x10box)	14.30	252x244x285
041815	LTW-15	50	175	15	60(6x10box)	15.80	252x244x285
041816	LTW-16	55	185	16	60(6x10box)	16.50	296x294x291
041817	LTW-17	55	200	17	60(6x10box)	21.20	296x294x291
041818	LTW-18	55	215	18	40(4x10box)	16.60	315x297x149
041819	LTW-19	60	225	19	40(4x10box)	19.00	296x294x291
041820	LTW-20	65	225	20	40(4x10box)	20.60	296x294x291
041821	LTW-21	65	235	21	36(6x6box)	21.60	484x346x241
041822	LTW-22	65	250	22	36(6x6box)	23.10	484x346x241
041823	LTW-23	75	260	23	36(6x6box)	27.70	484x346x241
041824	LTW-24	75	270	24	36(6x6box)	30.80	484x346x241
041825	LTW-25	80	270	25	8(2x4box)	8.60	392x264x200

Roller Cabinet



- Kinds of tool sets are available to fit into the drawer. Details refer to

Page77



Combination Lock

- Jetch Roller cabinet use combination lock, which release users from trouble of carrying keys, and it's convenience for using in narrow space.



Rear wheels can rotate 360degree, two rear wheels can be locked when no need move.



Body and drawers are made of super thick steel sheets, loading capacity up to 400kg



Suitable for Factory's Use


Jetch roller cabinet and tool boxes can be used at automotive repair garages, automotive factories and mechanical factories, variety of models and combinations can satisfy different demand of factories.



Tool Boxes


PP+TPE Tool Box

- The box is made of enhancement PP, high grade impact resistance.
- The handle is made of ABS engineering plastic, solid and durable; baffle plate inside, convenience for separate the space.
- Drop from 3M height with 3kg load, several times, no broken.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060615	JB-15	145	200	385	6(1x6box)	10.20	640x390x300
060616	JB-16	190	215	410	6(1x6box)	12.40	665x425x400
060618	JB-18	215	245	450	6(1x6box)	14.80	750x460x445


PP Tool Box



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
060625	JE-15	145	200	385	6(1x6box)	6.60	645x370x300
060626	JE-16	210	220	410	6(1x6box)	8.78	690x410x430
060628	JE-18	225	240	450	6(1x6box)	11.70	750x460x475

14" Metal Tool Box


- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060514	TB-14	90	155	355	1box	1.55	415x220x160

17" Metal Tool Box


- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060517	TB-17	190	178	430	1box	3.35	490x250x260

18" 5-Tray Cantilever Metal Tool Box


- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060518	TB-18	200	200	420	1box	4.85	480x300x265

19" Metal Tool Box


- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060519	TB-19	190	180	480	1box	3.70	535x235x260

20" Metal Tool Box


- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060520	TB-20	90	155	500	1box	2.15	550x220x165

21" 5-Tray Cantilever Metal Tool Box

- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.




Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060605	TB-21	230	200	500	1box	5.25	560x265x340

Trolleys

Multi-function trolley


- Thickness of the red steel plate 0.8mm, which makes the cabinet solid and strong.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.
- Two wheel locks, the locks strong and durable.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060801	RC-3A	710	390	750	1box	12.50	740x520x240

6-drawer Trolley


- The body is made of cold-rolled plate, thickness 1.2mm, strong and solid.
- Use TPR universal wheel with two brake, better than rubber wheel and nylon wheel in market, move more flexible.
- Good in bearing, skid resistance, abrasive resistance, and temperature tolerance.
- Double ball slide design, slipping smoothly and no noise.
- Combination lock, more solid and security.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060806	RC-6	700	460	680	1box	54.20	740x520x890

7-drawer Trolley


- The body is made of cold-rolled plate, thickness 1.2mm, strong and solid.
- Use TPR universal wheel with two brake, better than rubber wheel and nylon wheel in market, move more flexible.
- Good in bearing, skid resistance, abrasive resistance, and temperature tolerance.
- Double ball slide design, slipping smoothly and no noise.
- Combination lock, more solid and security.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060807	RC-7	865	455	680	1box	63.40	730x510x915

9-drawer Trolley

- The body is made of cold-rolled plate, thickness 1.2mm, strong and solid.
- Use TPR universal wheel with two brake, better than rubber wheel and nylon wheel in market, move more flexible.
- Good in bearing, skid resistance, abrasive resistance, and temperature tolerance.
- Double ball slide design, slipping smoothly and no noise.
- Combination lock, more solid and security.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.




Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060809	RC-9	860	460	1040	1box	94.00	1095x510x1070

Trolleys with 200pcs Tool Set

Roller Cabinet with 200pcs Tool Set

- Roller Cabinet with 200pcs Tool Set
- Proper design and collocation.
- Professional, canonical and convenience, provide mechanics with quick solution.
- Supply with 5 drawer cabinet.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060821	RC-200S	700	460	680	1Pcs	49.00	750x520x890

First Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060816	RC-200S-1	550	395	60	8.4
1/2 Socket (mm): 12 13 14 17 18 19 21 22 24 27 30 32					
1/2 Deep Socket (mm): 12 13 14 17 18 19 21 22 24					
3/8 Socket (mm): 11 12 13 14 15 16 17 18 19					
1/4 Socket (mm): 4 4.5 5 5.5 6 7 8 9 10					
1/4 Deep Socket (mm): 10					
6 Point flower Socket: 1/4 Series E4 E5 E6 E7 E8					
3/8 Series E10 E11 E12 E14 E16 E18 E20					
1/2 Bit Socket Torque: T30 T40 T45 T50					
1/2 Bit Socket 12PT: M8 M10 M12 M14 M16					
1/2 Bit Socket hexagon: HX8 HX10 HX12					
Softgrip rachet handle: 1/4 3/8 1/2					
3/8 Spark Plug Socket: 16、21					
Extension bar: Universal Joint 1/4" ,3/8" ,1/2"					
Tri-Function joint 1/2" -3/8" , 3/8" -1/4" ; 1/4"					
Spinner handle: 1/2 L type wrench; 1/4" bit joint AD1/4					
8mm Bit Joint(SK1/2-AD5/16); Cylinder Head Screw Special Socket(SK1/2-MP10);					
Combination Oil Filter Wrench; OIL FILTER WRENCH PLIER STYLE					

Second Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060817	RC-200S-2	550	395	60	4.1

25mm 1/4" Bit: SL4 SL5 SL6 PH1 PH2 PH3 PZ1 PZ2
HX3 HX4 HX5HX6 T15 T20 T27 T30
8mm 36mm Subtense Bit
6 P.T: HX4, HX5, HX6, HX7, HX8, HX10, HX12
12 P.T: M5 M6 M8 M10 M12
Torx: TT20 TT25 TT30 TT40 TT45 TT50 TT55
8mm 80mm Subtense Bit
6 P.T: HX4, HX5, HX6, HX7, HX8, HX10, HX12
12 P.T: M5 M6 M8 M10 M12
Torx: T20 T25 T27 T30 T40 T45 T50 T53 T55
6" Diagonal Pliers, 6" Long Nose Pliers, 8" Combination Pliers;
8" Slip-Joint Pliers; Locking Pliers; 4pcs 7" Snap Ring Pliers;
Cutter Knife; 10" Adjustable Wrench;

Third Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060818	RC-200S-3	550	395	60	5.1

Combination Wrench: 8 9 10 11 12 13 14 17 19 21 22 24 27 30 32
Pin Punch, Centre Punch, Taper Punch, Cap Punch, Flat Chisel
Softgrip Screwdriver: 6-25+/- 5-75+/- 6-100+/- 6-150+/-
Flare nut wrench: 8-10 9-11 10-12 13-14 16-17
9pcs Hex Key set ball point, Feeler gauge,
Automotive Circuit Tester(ACT-140)

Roller Cabinet with 230pcs Tool Set

Roller Cabinet with 230pcs Tool Set

- Roller Cabinet with 230pcs Tool Set
- Proper design and collocation.
- Professional, canonical and convenience,
provide mechanics with quick solution.
- Supply with 6 drawer cabinet.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060820	RC-230S	700	460	680	1Pcs	51.00	750x520x890

First Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060811	RC-230S-1	550	395	60	9.9

1/2 Socket (mm): 12 13 14 17 18 19 21 22 24 27 30 32
1/2 Deep Socket (mm): 12 13 14 17 18 19 21 22 24
3/8 Socket (mm): 10 11 12 13 14 15 16 17 18 19
3/8 Deep Socket (mm): 13 14 15 17
1/4 Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13
1/4 Deep Socket (mm): 8 9 10 12
6 Point Torque Socket: 1/4 Series E4 E5 E6 E7 E8,
3/8 Series E10 E11 E12 E14 E16 E18 E20
1/2 Impact Socket (mm): 12 14 17 19 21 24
1/2 Impact Deep Socket (mm): 12 14 17 19 21 24
1/2 DR Torque Bit Socket: T30 T40 T45 T50
1/2 12 P.T Bit Socket: M8 M10 M12 M14 M16
1/2 6 P.T Bit Socket: HX8 HX10 HX12 HX14 HX17
1/2 Impact Socket (mm): 12 14 17 19 21 24
1/2 Impact Deep Socket (mm): 12 14 17 19 21 24
Softgrip rachet wrench: 1/4 3/8 1/2
3/8 DR Spark Plug Socket: 16, 21
Extension Bar: EB1/4-2, EB3/8-3, EB3/8-10, EB1/2-5, EB1/2-10
Other Accessories: Universal Adapter 1/4 3/8 1/2
Socket Tri-Function Joint:1/2-3/8 3/8-1/4 1/4 Spinner Handle, 1/2 L Type Wrench
1/4 DR Bit Joint(AD1/4) 8mm Bit Joint(SK1/2-AD5/16)
Cylinder Head Screw Special Socket(SK1/2-MP10)

Second Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060812	RC-230S-2	550	395	60	4.2

25mm Bit: SL4 SL5 SL6 PH1 PH2 PH3 PZ1 PZ2
8mm 36mm Bit
6 P.T: HX4, HX5, HX6, HX7, HX8, HX10, HX12
12 P.T: M5 M6 M8 M10 M12
TORX: TT20 TT25 TT30 TT40 TT45 TT50 TT55
8mm 80mm Bit
6 P.T: HX4, HX5, HX6, HX7, HX8, HX10, HX12
12 P.T: M5 M6 M8 M10 M12
TORX: T20 T25 T27 T30 T40 T45 T50 T53 T55
T Type Nut Driver Socket: 8 10 12
Flare Nut Wrench: 8-10 9-11 10-12 13-14 16-17
Oil Filter Combination Use Wrench(OFW1/2), Oil Filter Wrench Pliers Style(OFW-300)
5M Measuring Tape :PS19-5.0, 9PCS Feeler Gauge(FGS-9)
Magnetic torch Light, Automotive Circuit Tester(ACT-140)
Ball Pein Hammer With Wooden Handle(HBW-12)

Third Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060813	RC-230S-3	550	395	60	3.8

6" diagonal plier DP-6 6" long nose plier RP-6 8" combination plier TP-8
8" Slip-Joint Pliers CP-8
10" curved jaw locking plier LGP-10 Snap ring plier: SR-7A, SR-7B, SR-7C, SR-7D
Dial Torque Wrench(TQWN1/2-0-300) Cutter knife:CF-J60, Adjustable wrench:AW-10
Air Duster(A12-BG-100)

Fourth Layer




Code	Model No.	A mm	Bmm	L mm	Kg
060814	RC-230S-4	550	395	60	5.6

Mirror finish combination wrench: 8 9 10 11 12 13 14 17 19 21 22 24 27 30 32
Pin Punch, Centre Punch, Taper Punch, Cap Punch, Flat Chisel
Star Wrench Set Nickle Plated(SWS-9) Ball Point Black Finish 9PCS Set(BM-C9)
Softgrip Screwdriver: 6-25+/- 5-75+/- 6-100+/- 6-150+/-

Trolleys with 330pcs Tool Set

Roller Cabinet with 330pcs Tool Set



Code	Model No.	A mm	Bmm	L mm	PCS	Kg
060830	RC-330S	865	455	680	1Pcs	103.5

First Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060831	RC-330S-1	550	395	60	8.7

1/2 Socket 12 P. (mm): 8 9 10 11 12 13 14 15 16 17 18 19 21 22 23 24
1/2 Deep Socket (mm): 13 14 15
1/2 Socket (mm): 21 22 23 24 27 30 32
3/8 Torque Socket (mm): 8 10 11 12 14 16 18 20
3/8 Socket (mm): 15 16 17 18 19
1/4 Socket (mm): 4 5 6 7 8 9 10 11 12 13 14
1/4 Deep Socket (mm): 8 10 12
1/2 Spark Plug Socket: 16 21
3/8 Spark Plug Socket: 14 16 21
1/2 Extension Bar: 3 5 10 15
3/8 Extension Bar: 3 6 10
1/4 Extension Bar: 2 4 6
Softgrip Ratchet Wrench: RTS1/2 3/8 1/4
Universal Adapter: UJ1/2 3/8 1/4
L Type Wrench: 1/2 1/2-15
Sliding Bar: 1/2 3/8 1/4
1/4 Bit Joint: AD1/4
1/4 Spinner Handle :DSH1/4

Second Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060832	RC-330S-2	550	395	60	5.8

1/2 6P.T Bit Socket: 8 10 12
1/2 6P.T Bit Socket 100mm: 6 8 10
1/2 12P.T Bit Socket: 6 8 10 12 14 16
1/2 12P.T Bit Socket 100mm: 6 8 10 12 14 16
1/2 Torque Bit Socket: 25 27 30 40 45 50 55 60
1/2 Torque Bit Socket 100mm: 25 27 30 40 45 50 55 60
1/4 Torque Bit Socket: 10 20 25 30 40
1/4 Phillips Bit Socket: 12 3
1/4 PZ Drives Bit Socket: 12 3
1/4 Slotted Bit Socket: 3.0 4.0 5.0 6.0 8.0
3/8 Torque Bit Socket: 20 25 27 30 40 45 50 55
3/8 Phillips Bit Socket: 1 2 3
3/8 PZ Drives Bit Socket: 1 2 3
Single Head Phillips Bits 25mm: 0 1 2 3
Single Head Slotted Bits 25mm: 4 5 6
Single Head Slotted Bits 100mm: 4 5 6
Hexagon Bits: 2 3 4 5 6
Torque Driver Bits: 10 15 20 25 27 30 40
15pcs Impact Screwdriver Set
SK1/4–FT–9S 9pcs Bit Socket(Temper Resistance Torque)
SK1/2–MP10 Cylinder Head Screw Special Socket
A14–TR–5S Car Trim Removal Kit
MPU–17 Flexible Magnetic Pick Up Tool

Third Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060813	RC–330S–3	550	395	60	5.85
Combination Wrench Mirror Finish: 6 7 8 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27					
Double Open Wrench Mirror Finish: 8–10 10–12 13–15 14–17 16–18 19–21 22–24					
Double Ring Wrench Mirror Finish: 8–10 10–12 13–15 14–17 16–18 19–21 22–24					
L Type Socket Wrench: 8 10 12 13 14					
Adjustable Wrench: AW–10					
Hex Key Set:PM–C9 SWS–9					

Fourth Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060834	RC–330S–4	550	395	60	3.4
Pliers: Long Nose Pliers 6" Diagonal Pliers 6"					
Combination Pliers 8"Slip–joint Pliers 8"					
Snap Ring Pliers: SR–7A/7B/7C/7D					
Locking Pliers 10" Water Pump Pliers 10"					
PP Handle Screwdrivers: 4–75+/- 5–75+/-6–150+/-					
Line Color Screwdrivers: 6–40+/-					
Chisel Scraper Knife Cutter Knife(18mm)					

Fifth Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060835	RC–330S–5	550	395	60	4.4
T–Hexagonal Socket: 8 10 12 13 14					
Go Through Screwdrivers: 6–150+/- GTH8–200+/-					
Automotive Circuit Tester Portable Working Lamp					
5pcs Punch Set Machinist Hammer800g 23pcs Feeler Gauge Measuring Tape 5M valve key					

Sixth Layer



Code	Model No.	A mm	Bmm	L mm	Kg
060836	RC–330S–6	550	395	60	5.3
Square oil drain socket screw: 7 8 10 11 12 13 14					
Hex oil drain socket screw: 8 9 10 12 14 17					
Torx oil drain screw: 10					
Triangle oil drain screw: 10					
Square oil drain screw: T45					
Handcuffs Type Filter Wrench: 55–75 75–95					
Oil Filter Wrench Cap Style: 6F/36 14F/65 14F/67 14F/76 15F/75 15F/79 15F/90 15F/93					
Oil Filter Wrench Combination Use Style: OFW1/2					
Socket Filter Wrench Chain Type: SK1/2–OFW					
Dial Torque Wrench 0–30					
Flare Nut Wrench: 8–10 9–11 10–12 13–14 16–17					
Socket Adapter1/2–1/2 : WJ1/2–1/2					



CANTILEVER TOOL SET

42PCS UNIVERSAL TOOL SETS



Code	Model No.	Model name	PCS	Kg
060642	TB–42S	42pcs Universal Tool Sets	1(1x1pcs)	8.80
9pcs	Combination wrench(mm): 8 10 11 13 14 15 17 19 22			
14pcs	3/8" Socket (mm): 6 7 8 9 10 11 12 13 14 15 17 19 22 24			
3pcs	3/8" Extention bar: 3 6 10			
6pcs	6pcs Allen key standard length: 3 4 5 6 8 10			
3pcs	3pcs Softgrip screwdrivers: ST5–100⊕ ST6–100⊕ ST8–200⊕			
7pcs	3/8"Plug socket 16mm: PG3/8–16 3/8"Univeral joint:UJ3/8 8"Combination pliers: TPC–8 10"Water pump pliers: WP–10 Cold Chisel: SGC15–150 Machinist Hammer With Wooden Handle: HEW–3 3/8"Quick release ratchet wrench:RTS–3/8			

42
PCS

58PCS TOOL SET IN 21" METAL TOOL BOX



Code	Model No.	Model name	PCS	Kg
060658	TB–58S	58pcs Universal Tool Sets	1(1x1pcs)	14.00
12pcs	Combination wrench(mm): 8 10 11 12 13 14 15 16 17 18 19 22			
7pcs	Softgrip screwdriver: ST4–75⊕ ST5–125⊕ ST6–100⊕ ST8–200⊕ ST5–75⊕ ST6–100⊕ ST8–200⊕			
18pcs	1/2"Socket(mm): 8 10 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32			
2pcs	1/2"Extension bar(mm): 125(5") 250(10")			
2pcs	1/2"Spark plug socket(mm): 16 21			
9pcs	Flat end long Hex key set: PM–C9			
8pcs	1/2"Universal joint: UJ1/2 1/2" Flex handle 375mm: FH1/2–15 8"Combination pliers: TPC–8 8"Long nose pliers: RPC–8 6"Diagonal cutting pliers: DPC–6 10"Adjustable wrench:AW–10 10"Curved jaw lock wrench: LGP–10 1/2"Quick release ratchet wrench:RTS–1/2			

58
PCS

65PCS TOOL SET IN 21" METAL TOOL BOX



Code	Model No.	Model name	PCS	Kg
060665	TB–65S	65pcs Universal Tool Sets	1(1x1pcs)	13.50
18pcs	Combination wrench(mm): 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24			
10pcs	Softgrip screwdriver: ST6–25⊕ ST4–50⊕ ST4–100⊕ ST5–150⊕ ST6–100⊕ ST8–200⊕ ST6–25⊕ ST5–75⊕ ST6–100⊕ ST8–200⊕			
20pcs	1/2" Socket (mm): 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32			
2pcs	1/2 Extension bar(mm): 125(5") 250(10")			
7pcs	Flat end long Hex key set: PM–C7			
2pcs	1/2"Spark plug socket(mm): 16 21			
6pcs	"Universal joint: UJ1/2 1/2" Sliding Bar: SB1/2 10"Curved jaw locking pliers: LGP–10 1/2" Quick release ratchet wrench: RTS–1/2 6mm Pin Punch: SPP6–150 12Oz ball–pein hammer: HBW–12			

65
PCS

91PCS CANTILEVER TOOL SET



Code	Model No.	Model name	PCS	Kg
060691	TB–91S	91pcs Universal Tool Sets	1(1x1pcs)	12.10
12pcs	Combination wrench(mm): 6 7 8 9 10 12 13 14 15 17 19 22			
9pcs	9pcs Hex key 1.5, 2,2.5,3,4,5,6,8,10mm:PM–C9			
13pcs	1/4"Socket(mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14			
18pcs	1/2"Socket(mm): 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32			
2pcs	1/2"Extension bar(mm): 125(5") 250(10")			
20pcs	Single Head Phillips Bits: PH1–25 PH2–25 PH3–25 Single Head Slotted Bits: SL4–25 SL5–25 SL6–25 Hexagon Bits: HX3 HX4 Hx5 Hx6 Torx Driver Bits: T10 T15 T20 T25 T27 T30 T40 Single Head Reduced Shaft Bits: PZ1–25 PZ2–25 PZ3–25			
5pcs	Softgrip screwdriver: ST4–75⊕ ST5–100⊕ ST4–75⊕ ST5–100⊕ ST6–150⊕			
12pcs	1pcs Measruing tape 3M: PS13–3.0 Water Pump Pliers: WP–10 Wheel–lock Cutter Knife: CF–M51 1/2" extension bar 250mm with 3way adapter(1/2–3/8) : TW3/8–1/2 Quick release ratchet wrench: RTS–1/2 RT–S1/4 1/4" Adapter:AD1/4 1/4" Spinner handle: DSH1/4 1/2" spark plug socket 21mm:PG1/2–21 6"Combination pliers: TPC–6 6"Long nose pliers: RPC–6 6"Diagonal cutting pliers: DPC–6			

91
PCS



Screwdriver

Tool Bag

Small Tool Bag

- EXTRA THICK POLYESTER FIBRE
Made with strong, durable, water resistant material.
- Better to use with Jetch belt.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060101	BA-S1	238	62	120(10x12box)	10.50	625x555x435
060102	BA-S2	238	67	120(10x12box)	10.20	625x555x435

Waist Tool Bag Medium Size


- A generous main storage pocket makes it easy to store more.
- Made with strong, durable, drop resistant material that can stand up to regular abuse.
- Water resistant material for a longer lasting product.
- Easily add or remove objects to the side brace pocket.
- Great for holding screws, tape or other tools you may need. Dual pockets allow you to better separate and organize your necessities.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060201	BA-M1	355	295	20	11.30	580x520x280
060202	BA-M2	360	300	20	11.10	580x520x280
060203	BA-M3	315	250	20	11.10	580x520x280

Tool Bag

- Includes main compartment, three small bags on the front, three small bags on the back, and five inner pockets inside, along with an adjustable shoulder strap.
- Made with strong, durable, water resistant material that can stand up to day to day heavy usage.
- Wear resistant material for a longer lasting product.
- Thick polyester pads at the bottom keep the bag drop-resistant over time under heavy load.
- Convenient handles make it easy to transport all your tools. Made of durable material to ensure you can keep a secure grip.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060301	BA-L1	195	340	10	7.10	490x350x230
060302	BA-L2	270	445	10	10.10	570x450x210

Tool Bag Strap

- Belt material made of high grade polyester fibre.
- CONVENIENT SIZE:
Full belt length: 119cm / 47", minimum adjustment length: 95cm/37", Width of belt: 5.7cm/2-1/4 Inch.
- Belt with optimized strength can last up to 15 kg/33lbs load to make sure you have the right tools just by your side.




Code	Model No.	Amm	Bmm	PCS	Kg	mm
060401	BT-1	1180	57	120(10x12box)	18.00	625x475x410



Jetch screwdriver handles specially designed, registered world wide patent which ergonomically make strong and comfortable hand gripping with maximum torsion

Shaft and Back-end Joined Design



Jetch go through softgrip screwdriver is designed its hexagonal shaft go through handle and joint the rear end impact cap which allow hammer striking force go through to shaft head without damage




- Jetch screwdriver blades, made of high quality chrome vanadium alloy steel, through precision machining process and consistent heat treatment, to make blade tips perfectly fit screw heads at use which achieve maximum torsion even higher than any country's product standard

- Worldwide Patent



the internal structure of screwdriver handle


Jetch screwdriver handle is made of modified polypropylene plastic inside and of thermal plastic elastomer outer side to obtain the perfect comfortable hand gripping and high torsion simultaneously



SCREWDRIVER

Softgrip Screwdriver (Stubby)

- DURABLE SHAFT : S2 material, of great shock resistance.
- ERGONOMIC NON-SLIP TPR HANDLE provides a secure and comfy grip.
- Black phosphating tip.
- MAGNETIC TIP
A magnetic tip makes it more convenient for your work. It easily attracts and lifts the screws from confined areas.




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
050151	⊕ ST5-25	0.8-5	5	36	25	75	240(12x20box)	12.90	450x254x237
050161	⊕ ST6-25	1.0-6	6	36	25	75	240(12x20box)	13.50	503x267x240

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
050251	⊕ ST5-25	1	5	36	25	75	240(12x20box)	12.90	450x254x237
050261	⊕ ST6-25	2	6	36	25	75	240(12x20box)	13.50	503x267x240

Softgrip Screwdriver

- DURABLE SHAFT : S2 material, of great shock resistance.
- ERGONOMIC NON-SLIP TPR HANDLE provides a secure and comfy grip.
- Black phosphating tip.
- MAGNETIC TIP
A magnetic tip makes it more convenient for your work. It easily attracts and lifts the screws from confined areas.




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
050142	⊖ ST4-50	0.7-4	4	24	50	139	240(6x40box)	10.00	404x388x193
050143	⊖ ST4-75	0.7-4	4	24	75	164	240(6x40box)	10.60	404x388x193
050144	⊖ ST4-100	0.7-4	4	24	100	189	120(6x20box)	6.00	393x237x190
050145	⊖ ST4-125	0.7-4	4	24	125	214	120(6x20box)	6.10	479x199x180
050146	⊖ ST4-150	0.7-4	4	24	150	239	120(6x20box)	6.50	388x292x190
050148	⊖ ST4-200	0.7-4	4	24	200	289	120(6x20box)	7.40	380x332x185
050153	⊖ ST5-75	0.8-5	5	33	75	172	120(6x20box)	10.30	453x208x195
050154	⊖ ST5-100	0.8-5	5	33	100	197	120(6x20box)	10.50	453x237x190
050155	⊖ ST5-125	0.8-5	5	33	125	222	120(6x20box)	11.00	454x262x250
050156	⊖ ST5-150	0.8-5	5	33	150	247	120(6x20box)	12.00	448x292x235
050158	⊖ ST5-200	0.8-5	5	33	200	297	120(6x20box)	12.40	448x332x185
050164	⊖ ST6-100	1.0-6	6	36	100	205	120(6x20box)	14.60	315x257x215
050165	⊖ ST6-125	1.0-6	6	36	125	230	120(6x20box)	15.30	503x267x240
050166	⊖ ST6-150	1.0-6	6	36	150	255	120(6x20box)	16.30	508x292x235
050168	⊖ ST6-200	1.0-6	6	36	200	305	120(6x20box)	17.50	520x357x220
050186	⊖ ST8-150	1.2-8	8	38	150	263	60(6x10box)	11.30	296x294x290
050188	⊖ ST8-200	1.2-8	8	38	200	313	60(6x10box)	12.20	352x265x215
050180	⊖ ST8-250	1.2-8	8	38	250	363	60(6x10box)	13.50	414x262x212

Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
050242	⊕ ST4-50	#0	4	24	50	139	240(6x40box)	10.00	404x388x193
050243	⊕ ST4-75	#0	4	24	75	164	240(6x40box)	10.60	404x388x193
050244	⊕ ST4-100	#0	4	24	100	189	120(6x20box)	6.00	393x237x190
050245	⊕ ST4-125	#0	4	24	125	214	120(6x20box)	6.10	479x199x180
050246	⊕ ST4-150	#0	4	24	150	239	120(6x20box)	6.50	388x292x190
050248	⊕ ST4-200	#0	4	24	200	287	120(6x20box)	7.40	380x332x185
050253	⊕ ST5-75	#1	5	33	75	172	120(6x20box)	10.30	453x208x195
050254	⊕ ST5-100	#1	5	33	100	197	120(6x20box)	10.50	453x237x190
050255	⊕ ST5-125	#1	5	33	125	222	120(6x20box)	11.00	454x262x250
050256	⊕ ST5-150	#1	5	33	150	247	120(6x20box)	12.00	448x292x235
050258	⊕ ST5-200	#1	5	33	200	297	120(6x20box)	12.40	448x332x185
050264	⊕ ST6-100	#2	6	35	100	205	120(6x20box)	14.60	315x257x215
050265	⊕ ST6-125	#2	6	35	125	230	120(6x20box)	15.30	503x267x240
050266	⊕ ST6-150	#2	6	35	150	255	120(6x20box)	16.30	508x292x235
050268	⊕ ST6-200	#2	6	35	200	305	120(6x20box)	17.50	520x357x220
050286	⊕ ST8-150	#3	8	37	150	263	60(6x10box)	11.30	296x294x290
050288	⊕ ST8-200	#3	8	37	210	313	60(6x10box)	12.20	352x265x215
050280	⊕ ST8-250	#3	8	37	250	363	60(6x10box)	13.50	414x262x212

Softgrip Line Color Screwdriver

- The material of shaft: S2Nickel steel




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
051132	⊖ SC3-50	0.6-3.3	3.3	20	50	110	480(12x40box)	10.70	313x289x240
051133	⊖ SC3-75	0.6-3.3	3.3	20	75	135	480(12x40box)	12.10	330x326x237
051134	⊖ SC3-100	0.6-3.3	3.3	20	100	160	240(12x20box)	6.60	360x170x231
051136	⊖ SC3-150	0.6-3.3	3.3	20	150	210	240(12x20box)	7.50	407x254x197
051154	⊖ SC5-100	0.8-5.0	4.7	25	100	182	240(12x20box)	13.80	485x237x237
051156	⊖ SC5-150	0.8-5.0	4.7	25	150	232	240(12x20box)	15.65	362x274x272
051158	⊖ SC5-200	0.8-5.0	4.7	25	200	282	240(12x20box)	17.50	375x327x280
051150	⊖ SC5-300	0.8-5.0	4.7	25	300	382	240(12x20box)	21.10	435x405x300
051163	⊖ SC6-75	1.0-6.0	6.0	28	75	165	240(12x20box)	19.50	480x222x272
051164	⊖ SC6-100	1.0-6.0	6.0	28	100	190	240(12x20box)	20.40	480x222x272
051166	⊖ SC6-150	1.0-6.0	6.0	28	150	240	240(12x20box)	23.40	425x290x300
051168	⊖ SC6-200	1.0-6.0	6.0	28	200	290	240(12x20box)	26.90	405x340x325
051161	⊖ SC6-250	1.0-6.0	6.0	28	250	340	240(12x20box)	38.50	405x390x325
051160	⊖ SC6-300	1.0-6.0	6.0	28	300	390	240(12x20box)	32.00	435x405x300
051186	⊖ SC8-150	1.2-8.0	8.0	33	150	250	120(12x10box)	19.20	420x350x250

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
051232	⊖ SC3-50	#0	3.3	20	50	110	480(12x40box)	10.70	313x289x240
051233	⊖ SC3-75	#0	3.3	20	75	135	480(12x40box)	12.10	330x326x237
051234	⊖ SC3-100	#0	3.3	20	100	160	240(12x20box)	6.60	360x170x231
051236	⊖ SC3-150	#0	3.3	20	150	210	240(12x20box)	7.50	407x254x197
051254	⊖ SC5-100	#1	4.7	25	100	182	240(12x20box)	13.80	485x237x237
051256	⊖ SC5-150	#1	4.7	25	150	232	240(12x20box)	15.65	362x274x272
051258	⊖ SC5-200	#1	4.7	25	200	282	240(12x20box)	17.50	375x327x280
051250	⊖ SC5-300	#1	4.7	25	300	382	240(12x20box)	21.10	435x405x300
051263	⊖ SC6-75	#2	6.0	28	75	165	240(12x20box)	19.50	480x222x272
051264	⊖ SC6-100	#2	6.0	28	100	190	240(12x20box)	20.40	480x222x272
051266	⊖ SC6-150	#2	6.0	28	150	240	240(12x20box)	23.40	425x290x300
051268	⊖ SC6-200	#2	6.0	28	200	290	240(12x20box)	26.90	405x340x325
051261	⊖ SC6-250	#2	6.0	28	250	340	120(12x10box)	38.50	405x390x325
051260	⊖ SC6-300	#2	6.0	28	300	390	120(12x10box)	32.00	435x405x300
051286	⊖ SC8-150	#3	8.0	33	150	250	120(12x10box)	19.20	420x350x250

New Design Softgrip (Screwdriver)

- DURABLE SHAFT : S2 material, of great shock resistance.
- NEW DESIGN ergonomic TPR handle provides a secure and comfy grip.
- BLACK PHOSPHATING TIP.
- MAGNETIC TIP
A magnetic tip makes it more convenient for your work. It easily attracts and lifts the screws from confined areas.




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
052301	⊖ NST4-50	0.7-4.0	4		50	147	240(6x40box)	11.50	404x388x193
052302	⊖ NST4-75	0.7-4.0	4	26.8	75	172	240(6x40box)	11.70	404x388x193
052303	⊖ NST4-100	0.7-4.0	4	26.8	100	197	120(6x20box)	6.80	393x237x190
052304	⊖ NST4-125	0.7-4.0	4	26.8	125	222	120(6x20box)	7.50	479x199x180
052305	⊖ NST4-150	0.7-4.0	4	26.8	150	247	120(6x20box)	7.80	388x292x190
052306	⊖ NST4-200	0.7-4.0	4	26.8	200	297	120(6x20box)	8.50	337x205x190
052311	⊖ NST5-75	0.8-5.0	5	27.8	75	180	120(6x20box)	9.10	446x250x190
052312	⊖ NST5-100	0.8-5.0	5	27.8	100	205	120(6x20box)	9.60	446x250x190
052313	⊖ NST5-125	0.8-5.0	5	27.8	125	230	120(6x20box)	9.90	454x262x250
052314	⊖ NST5-150	0.8-5.0	5	27.8	150	255	120(6x20box)	11.10	448x292x235
052315	⊖ NST5-200	0.8-5.0	5	27.8	200	305	120(6x20box)	11.60	557x410x195
052321	⊖ NST6-100	1-6.0	6	31	100	215	120(6x20box)	11.80	513x257x215
052322	⊖ NST6-125	1-6.0	6	31	125	240	120(6x20box)	12.50	503x267x240
052323	⊖ NST6-150	1-6.0	6	31	150	265	120(6x20box)	13.00	508x292x235
052324	⊖ NST6-200	1-6.0	6	31	200	315	120(6x20box)	13.50	570x282x218
052331	⊖ NST8-150	1.2-8.0	8	33.8	150	275	60(6x10box)	10.30	313x289x240
052332	⊖ NST8-200	1.2-8.0	8	33.8	200	325	60(6x10box)	11.80	380x285x262
052333	⊖ NST8-250	1.2-8.0	8	33.8	250	375	60(6x10box)	13.00	415x315x255

Code	Model No.	Bmm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
052401	⊕ NST4-50	#0	4	26.8	200	297	240(6x40box)	11.50	337x205x190
052402	⊕ NST4-75	#0	4	26.8	50	147	240(6x40box)	11.70	404x388x193
052403	⊕ NST4-100	#0	4	26.8	75	172	120(6x20box)	6.80	404x388x193
052404	⊕ NST4-125	#0	4	26.8	100	197	120(6x20box)	7.50	393x237x190
052405	⊕ NST4-150	#0	4	26.8	125	222	120(6x20box)	7.80	479x199x180
052406	⊕ NST4-200	#0	4	26.8	150	247	120(6x20box)	8.50	388x292x190
052411	⊕ NST5-75	#1	5	27.8	100	205	120(6x20box)	9.10	446x250x190
052412	⊕ NST5-100	#1	5	27.8	125	230	120(6x20box)	9.60	454x262x250
052413	⊕ NST5-125	#1	5	27.8	150	255	120(6x20box)	9.90	448x292x235
052414	⊕ NST5-150	#1	5	27.8	200	305	120(6x20box)	11.10	557x410x195
052415	⊕ NST5-200	#1	5	27.8	75	180	120(6x20box)	11.60	446x250x190
052421	⊕ NST6-100	#2	6	31	100	215	120(6x20box)	11.80	513x257x215
052422	⊕ NST6-125	#2	6	31	125	240	120(6x20box)	12.50	503x267x240
052423	⊕ NST6-150	#2	6	31	150	265	120(6x20box)	13.00	508x292x235
052424	⊕ NST6-200	#2	6	31	200	315	120(6x20box)	13.50	570x282x218
052431	⊕ NST8-150	#3	8	33.8	150	275	60(6x10box)	11.30	313x289x240
052432	⊕ NST8-200	#3	8	33.8	200	325	60(6x10box)	11.80	380x285x262
052433	⊕ NST8-250	#3	8	33.8	250	375	60(6x10box)	13.00	415x315x255

Line Color Screwdriver

- The material of shaft: S2Nickel steel
- The head of screwdriver is more proper for the screw and obtain the maximal torsion after the precisely precess.
- It obtains the high hardness and high torque to be more durable after the overall quenching.




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
050922	⊖ LC2.5-50	0.4-2.5	2.5	14	50	100	480(12x40box)	6.00	258x242x190
050923	⊖ LC2.5-75	0.4-2.5	2.5	14	75	125	480(12x40box)	6.80	360x264x190
050932	⊖ LC3-50	0.6-3.3	3.3	15	50	107	480(12x40box)	8.30	289x273x190
050933	⊖ LC3-75	0.6-3.3	3.3	15	75	132	480(12x40box)	9.50	320x264x181
050934	⊖ LC3-100	0.6-3.3	3.3	15	100	157	240(12x20box)	5.30	360x140x188
050936	⊖ LC3-150	0.6-3.3	3.3	15	150	207	240(12x20box)	6.60	407x254x197
050938	⊖ LC3-200	0.6-3.3	3.3	15	200	257	240(12x20box)	7.40	308x302x236
050953	⊖ LC5-75	0.8-5.0	4.7	20	75	155	240(12x20box)	10.50	392x240x235
050954	⊖ LC5-100	0.8-5.0	4.7	20	100	180	240(12x20box)	11.30	392x240x235
050955	⊖ LC5-125	0.8-5.0	4.7	20	125	205	240(12x20box)	12.35	407x254x197
050956	⊖ LC5-150	0.8-5.0	4.7	20	150	230	240(12x20box)	13.25	308x302x236
050958	⊖ LC5-200	0.8-5.0	4.7	20	200	280	240(12x20box)	15.00	408x318x178
050951	⊖ LC5-250	0.8-5.0	4.7	20	250	330	240(12x20box)	16.95	382x374x252
050963	⊖ LC6-75	1.0-6.0	6.0	24	75	165	240(12x20box)	16.60	386x210x289
050964	⊖ LC6-100	1.0-6.0	6.0	24	100	190	240(12x20box)	18.30	485x237x237
050965	⊖ LC6-125	1.0-6.0	6.0	24	125	215	240(12x20box)	19.45	383x247x289
050966	⊖ LC6-150	1.0-6.0	6.0	24	150	240	240(12x20box)	20.50	362x247x272
050968	⊖ LC6-200	1.0-6.0	6.0	24	200	290	240(12x20box)	23.80	375x327x290
050961	⊖ LC6-250	1.0-6.0	6.0	24	250	340	240(12x20box)	25.70	382x374x252
050960	⊖ LC6-300	1.0-6.0	6.0	24	300	390	240(12x20box)	29.25	435x405x300
050986	⊖ LC8-150	1.2-8.0	8.0	28	150	250	120(12x10box)	17.20	447x294x167

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
051022	⊕ LC2.5-50	#0	2.5	14	50	100	480(12x40box)	6.00	258x242x190
051023	⊕ LC2.5-75	#0	2.5	14	75	125	480(12x40box)	6.80	360x264x181
051032	⊕ LC3-50	#0	3.3	15	50	107	480(12x40box)	8.30	289x273x190
051033	⊕ LC3-75	#0	3.3	15	75	132	480(12x40box)	9.50	320x264x181
051034	⊕ LC3-100	#0	3.3	15	100	157	240(12x20box)	5.30	360x140x188
051036	⊕ LC3-150	#0	3.3	15	150	207	240(12x20box)	6.60	407x254x197
051038	⊕ LC3-200	#0	3.3	15	200	257	240(12x20box)	7.40	308x302x236
051053	⊕ LC5-75	#1	4.7	20	75	155	240(12x20box)	10.50	392x240x235
051054	⊕ LC5-100	#1	4.7	20	100	180	240(12x20box)	11.30	392x240x235
051055	⊕ LC5-125	#1	4.7	20	125	205	240(12x20box)	12.35	407x254x197
051056	⊕ LC5-150	#1	4.7	20	150	230	240(12x20box)	13.25	308x302x236
051058	⊕ LC5-200	#1	4.7	20	200	280	240(12x20box)	15.00	408x318x178
051051	⊕ LC5-250	#1	4.7	20	250	330	240(12x20box)	16.95	382x374x252
051063	⊕ LC6-75	#2	6.0	24	75	165	240(12x20box)	16.60	386x210x289
051064	⊕ LC6-100	#2	6.0	24	100	190	240(12x20box)	18.30	485x237x237
051065	⊕ LC6-125	#2	6.0	24	125	215	240(12x20box)	19.45	383x247x289
051066	⊕ LC6-150	#2	6.0	24	150	240	240(12x20box)	20.50	362x247x272
051068	⊕ LC6-200	#2	6.0	24	200	290	240(12x20box)	23.80	375x327x290
051061	⊕ LC6-250	#2	6.0	24	250	340	240(12x20box)	25.70	382x374x252
051060	⊕ LC6-300	#2	6.0	24	300	390	240(12x20box)	29.25	435x405x300
051086	⊕ LC8-150	#3	8.0	28	150	250	120(12x10box)	17.20	447x294x167

Line Color Screwdriver

- The material of shaft: S2Nickel steel
- The head of screwdriver is more proper for the screw and obtain the maximal torsion after the precisely precess.
- It obtains the high hardness and high torque to be more durable after the overall quenching.




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
050962	⊖ LC6-40	1.0-6	6.0	28	40	85	240(12x20box)	11.55	393x237x190

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
051062	⊕ LC6-40	#2	6.0	28	40	85	240(12x20box)	11.50	393x237x190

Nut Screwdriver (Soft Grip)


- The material of shaft: 50BV30



Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
056104	○ SD4-125	7-4	7	36	125	235	120(6x20box)	15.05	570x274x212
056105	○ SD5-125	8-5	7	36	125	235	120(6x20box)	15.50	570x274x212
056155	○ SD5.5-125	9-5.5	7	36	125	235	120(6x20box)	15.80	570x274x212
056106	○ SD6-125	9-6	7	36	125	235	120(6x20box)	15.80	570x274x212
056107	○ SD7-125	10-7	7	36	125	235	120(6x20box)	16.20	570x274x212
056108	○ SD8-125	12-8	7	36	125	235	120(6x20box)	16.20	570x274x212
056109	○ SD9-125	12-9	7	36	125	235	120(6x20box)	16.30	570x274x212
056110	○ SD10-125	14-10	7	36	125	235	120(6x20box)	21.60	570x274x212
056111	○ SD11-125	16-11	8	38	125	245	60(6x10box)	10.90	326x294x237
056112	○ SD12-125	17-12	8	38	125	245	60(6x10box)	11.05	326x294x237
056113	○ SD13-125	18-13	8	38	125	245	60(6x10box)	11.30	326x294x237
056114	○ SD14-125	19-14	8	38	125	245	60(6x10box)	11.45	326x294x237

Nut Screwdriver


- The material of shaft: 50BV30



Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
56304	○ LDD4-140	7-4	7	28	140	200	120(6x20box)	17.00	570x274x212
56355	○ LDD5.5-140	9-5.5	7	28	140	200	120(6x20box)	17.00	570x274x212
56306	○ LDD6-140	9-6	7	28	140	200	120(6x20box)	15.00	570x274x212
56307	○ LDD7-140	10-7	7	28	140	200	120(6x20box)	14.00	570x274x212
56308	○ LDD8-140	12-8	7	28	140	200	120(6x20box)	14.50	570x274x212
56309	○ LDD9-140	12-9	7	28	140	200	120(6x20box)	14.50	570x274x212
56310	○ LDD10-140	14-10	7	28	140	200	120(6x20box)	14.50	570x274x212
56311	○ LDD11-140	16-11	8	28	140	200	60(6x10box)	10.20	326x294x237
56312	○ LDD12-140	17-12	8	28	140	200	60(6x10box)	13.60	326x294x237
56313	○ LDD13-140	18-13	8	28	140	200	60(6x10box)	13.60	326x294x237
56314	○ LDD14-140	19-14	8	28	140	200	60(6x10box)	13.60	326x294x237
56364	○ LDD1/4-140	9-6.4	7	28	140	200	120(6x20box)	14.50	570x274x212
56366	○ LDD3/8-140	14-9.5	7	28	140	200	120(6x20box)	14.50	570x274x212

Nut Screwdriver Set

- The material of shaft: 50BV30



Code	Model No.	Dmm	Pmm	Lmm	PCS	Kg	mm
056007	LDD7PCSSET	41	158	412	20(1x20box)	29.50	525x430x352

Contents	LDD6-140mm	LDD7-140mm	LDD8-140mm	LDD9-140mm	LDD10-140mm	LDD11-140mm	LDD12-140mm
----------	------------	------------	------------	------------	-------------	-------------	-------------

Go Through Screwdriver

- DURABLE SHAFT : S2 material, of great shock resistance.
- GO THRU STRIKING CAP
A steel core goes through the whole screwdriver, transferring the force from the striking cap to the tip while striking, which protects the tool and facilitates your work.
- ERGONOMIC NON-SLIP TPR HANDLE
- MAGNETIC TIP



Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
052553	⊖ GTH5-75	0.8-5	5.55	32	75	175	120(6x20box)	12.90	453x237x190
052554	⊖ GTH5-100	0.8-5	5.55	32	100	200	120(6x20box)	13.60	453x237x190
052564	⊖ GTH6-100	1.0-6	6.35	34	100	210	120(6x20box)	18.20	513x257x215
052566	⊖ GTH6-150	1.0-6	6.35	34	150	260	120(6x20box)	20.10	508x292x235
052568	⊖ GTH6-200	1.0-6	6.35	34	200	310	120(6x20box)	21.60	520x357x220
052560	⊖ GTH6-250	1.0-6	6.35	34	250	360	120(6x20box)	23.80	502x414x212
052586	⊖ GTH8-150	1.2-8	7.93	38	150	270	60(6x10box)	14.80	312x294x245
052588	⊖ GTH8-200	1.2-8	7.93	38	200	320	60(6x10box)	15.80	347x265x265
052589	⊖ GTH8-250	1.2-8	7.93	38	250	365	60(6x10box)	16.70	460x290x240
052580	⊖ GTH8-300	1.2-8	7.93	38	300	420	60(6x10box)	18.60	455x275x215

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
052653	⊕ GTH5-75	#1	5.55	32	75	175	120(6x20box)	12.90	453x237x190
052654	⊕ GTH5-100	#1	5.55	32	100	200	120(6x20box)	13.60	453x237x190
052664	⊕ GTH6-100	#2	6.35	34	100	210	120(6x20box)	18.20	513x257x215
052666	⊕ GTH6-150	#2	6.35	34	150	260	120(6x20box)	20.10	508x292x235
052668	⊕ GTH6-200	#2	6.35	34	200	310	120(6x20box)	21.60	520x357x220
052660	⊕ GTH6-250	#2	6.35	34	250	360	120(6x20box)	23.80	502x414x212
052686	⊕ GTH8-150	#3	7.93	38	150	270	60(6x10box)	14.80	312x294x245
052688	⊕ GTH8-200	#3	7.93	38	200	320	60(6x10box)	15.80	347x265x265
052589	⊕ GTH8-250	#3	7.93	38	250	365	60(6x10box)	16.70	430x290x240
052580	⊕ GTH8-300	#3	7.93	38	300	420	60(6x10box)	18.60	455x275x215

Torx Screwdriver (Soft Grip)

- DURABLE SHAFT : S2 material, of great shock resistance.
- NEW DESIGN ergonomic TPR handle provides a secure and comfy grip.
- Black phosphating.
- MAGNETIC TIP - A magnetic tip makes it more convenient for your work. It easily attracts and lifts the screws from confined areas.



Softgrip Torx Screwdriver

Code	Model No.	Amm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
050610	⊗ TX10-75	T10	5	33	75	172	120(6x20box)	8.90	453

Screwdriver(NEW Model)

- The material of shaft: S2Nickel steel
- The head of screwdriver is more proper for the screw and obtain the maximal torsion after the precisely precess.
- It obtains the high hardness and high torque to be more durable after the overall quenching.




Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
055801	⊖NPS2.5-50	0.6-4	4	24	50	135	480PCS(12×40box)	10.16	258x242x190
055802	⊖NPS2.5-75	0.6-4	4	24	75	160	480PCS(12×40box)	10.77	360x264x181
055803	⊖NPS3-50	0.6-4	4	24	50	185	240PCS(12×20box)	5.89	289x273x190
055804	⊖NPS3-75	0.6-4	4	24	75	210	240PCS(12×20box)	6.27	320x264x181
055805	⊖NPS3-100	0.6-4	4	24	100	235	240PCS(12×20box)	6.77	360x140x188
055806	⊖NPS3-150	0.6-4	4	24	150	285	240PCS(12×20box)	7.35	407x254x197
055807	⊖NPS3-200	0.8-5.0	5	29	200	175	240PCS(12×20box)	8.89	308x302x236
055808	⊖NPS5-75	0.8-5.2	5	29	75	200	240PCS(12×20box)	9.41	392x240x235
055809	⊖NPS5-100	0.8-5.2	5	29	100	250	240PCS(12×20box)	10.49	392x240x235
055810	⊖NPS5-150	0.8-5.2	5	29	150	300	240PCS(12×20box)	11.83	308x302x236
055811	⊖NPS5-200	1.0-6.3	6	33.4	200	185	240PCS(12×20box)	12.37	408x318x178
055812	⊖NPS6-75	1.0-6.3	6	33.4	75	210	240PCS(12×20box)	13.26	386x210x289
055813	⊖NPS6-100	1.0-6.3	6	33.4	100	263	240PCS(12×20box)	14.87	485x237x237
055814	⊖NPS6-150	1.0-6.3	6	33.4	150	310	240PCS(12×20box)	16.05	362x247x272
055815	⊖NPS6-200	1.0-6.3	6	33.4	200	360	240PCS(12×20box)	17.85	375x327x290
055816	⊖NPS6-250	1.0-6.3	6	33.4	250	410	240PCS(12×20box)	19.99	382x374x252
055817	⊖NPS6-300	1.2-8.3	8	33.3	300	270	240PCS(12×20box)	9.75	435x405x300
055818	⊖NPS8-150	1.2-8.3	8	33.3	150	320	120PCS(2×60box)	11.10	447x294x167
055819	⊖NPS8-200	1.2-8.3	8	33.3	200	370	120PCS(2×60box)	12.25	347x265x265
055820	⊖NPS8-250	1.2-8.3	8	33.3	250	490	120PCS(2×60box)	13.75	430x290x240
055821	⊖NPS8-300	1.2-8.3	8	33.3	300	610	120PCS(2×60box)	15.25	455x275x215

Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
055701	⊕NPS2.5-50	#0	4	24	50	135	480PCS(12×40box)	10.38	258x242x190
055702	⊕NPS2.5-75	#0	4	24	75	160	480PCS(12×40box)	10.93	360x264x181
055703	⊕NPS3-50	#0	4	24	50	185	240PCS(12×20box)	5.93	289x273x190
055704	⊕NPS3-75	#0	4	24	75	210	240PCS(12×20box)	6.36	320x264x181
055705	⊕NPS3-100	#0	4	24	100	235	240PCS(12×20box)	6.81	360x140x188
055706	⊕NPS3-150	#0	4	24	150	285	240PCS(12×20box)	7.45	407x254x197
055707	⊕NPS3-200	#1	5	29	200	175	240PCS(12×20box)	8.96	308x302x236
055708	⊕NPS5-75	#1	5	29	75	200	240PCS(12×20box)	9.44	392x240x235
055709	⊕NPS5-100	#1	5	29	100	250	240PCS(12×20box)	10.58	392x240x235
055710	⊕NPS5-150	#1	5	29	150	302	240PCS(12×20box)	11.96	308x302x236
055711	⊕NPS5-200	#2	6	33.4	200	185	240PCS(12×20box)	12.36	408x318x178
055712	⊕NPS6-75	#2	6	33.4	75	210	240PCS(12×20box)	13.02	386x210x289
055713	⊕NPS6-100	#2	6	33.4	100	265	240PCS(12×20box)	14.84	485x237x237
055714	⊕NPS6-150	#2	6	33.4	150	310	240PCS(12×20box)	16.05	362x247x272
055715	⊕NPS6-200	#2	6	33.4	200	360	240PCS(12×20box)	17.92	375x327x290
055716	⊕NPS6-250	#2	6	33.4	250	410	240PCS(12×20box)	19.74	382x374x252
055717	⊕NPS6-300	#3	8	34.3	300	267	240PCS(12×20box)	9.77	435x405x300
055718	⊕NPS8-150	#3	8	34.3	150	320	120PCS(2×60box)	11.15	447x294x167
055719	⊕NPS8-200	#3	8	34.3	200	367	120PCS(2×60box)	12.32	347x265x265
055720	⊕NPS8-250	#3	8	34.3	250	487	120PCS(2×60box)	13.85	430x290x240
055721	⊕NPS8-300	#3	8	34.3	300	607	120PCS(2×60box)	15.35	455x275x215

2-Way Screwdriver

2-Way Line Color Screwdriver


- The material of shaft: S2Nickel steel



Code	Model No.	A-B mm	C	Dmm	Emm	Pmm	Lmm	PCS	Kg	mm
051662	DLC6-40	1.0-6	#2	6.35	28	75	55	60(6x10box)	6.50	780x277x222
051665	DLC-125	1.0-6	#2	6.35	26	160	105	60(6x10box)	10.05	780x277x222

2-Way Denko Electrician Screwdriver


- The material of shaft: S2Nickel steel



Code	Model No.	A-B mm	C	Dmm	Emm	Pmm	Lmm	PCS	Kg	mm
051710	DST-100	1.0-6	#2	6.35	40	135	110	60(6x10box)	10.05	780x277x222
051715	DST-150	1.0-6	#2	6.35	40	185	110	60(6x10box)	10.90	780x277x222

SCREWDRIVER

Bit Screwdriver



Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
050061	BST6-100	10-6.35	7	35.5	100	200	60(6x10box)	13.45	780x277x222

SCREWDRIVER SET

Softgrip Screwdriver Sets


- The material of shaft: S2Nickel steel



Code	Model No.	Contents	PCS	Kg	mm
050004	4PCS SET	⊕ ST5-100 ST6-150 ⊖ ST5-100 ST6-150	20(1x20box)	10.20	480x330x305
Code	Model No.	Contents	PCS	Kg	mm
050006	6PCS SET	⊕ ⊖ ST4-75 ST5-100 ST6-150	20(1x20box)	11.80	480x330x305
Code	Model No.	Contents	PCS	Kg	mm
054310	ST-10S	⊕⊖ ST4-75 ST5-100 ST6-25 ⊕⊖ ST6-150 ST8-150	12(1x12box)	18.60	485x325x315

Classic 6 in 1 Screwdriver

- Cr-v shaft
- Patented
- High tenacity nylon and glass fiber handle.



Code	Model No.	Contents	PCS	Kg	mm
050801	S I -101	⊖ 5mm ⊕ #1 ⚙ Screw Starter ⊖ 6mm ⊕ #2 ⚙ Awl	48(12x4box)	13.10	575x425x330
050802	S I -102	⊕ #1 ⊖ 6mm ⚙ T-20 ⊕ #2 ⚙ T-15 ⚙ T-25	48(12x4box)	13.10	575x425x330
050803	S I -103	⊙ STX 10 ⊙ STX 20 ⊙ STX 27 ⊙ STX 15 ⊙ STX 25. ⚙ STX 30	48(12x4box)	13.10	575x425x330
050804	S I -104	⊙ T-10 ⚙ T-20 ⚙ T-27 ⊙ T-15 ⚙ T-25 ⚙ T-30	48(12x4box)	13.10	575x425x330
050807	S I -107	⊖ 4mm ⊖ 6mm ⊕ #2 ⊖ 5mm ⊕ #1 ⊕ #3	48(12x4box)	13.10	575x425x330

6 in 1 Screwdriver(short)



Code	Model No.	Contents	PCS	Kg	mm
050823	S3-107	⊖ 4mm ⊖ 6mm ⊕ #2 ⊖ 5mm ⊕ #1 ⊕ #3	48(12x4box)		506x356x187

6 in 1 Ratchet Screwdriver(short)



Code	Model No.	Contents	PCS	Kg	mm
050834	S4GR-107	⊖ 4mm ⊖ 6mm ⊕ #2 ⊖ 5mm ⊕ #1 ⊕ #3	48(12x4box)		

6 in 1 Ratchet Screwdriver(Long)



Code	Model No.	Contents	PCS	Kg	mm
050814	S3GR-107	⊖ 4mm ⊖ 6mm ⊕ #2 ⊖ 5mm ⊕ #1 ⊕ #3	48(12x4box)		506x356x187


6 in 1 Screwdriver(Long)



Code	Model No.	Contents	PCS	Kg	mm
050833	S4-107	⊖ 4mm ⊖ 6mm ⊕ #2 ⊖ 5mm ⊕ #1 ⊕ #3	48(12x4box)	12	461x332x267

Precision Screwdriver

Plastic Handle Precision Screwdriver



Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
053222	⊖ PES2.5-50	0.35-2.5	2.5	18	50	145	120(6x20box)	3.85	439x229x290
053223	⊖ PES2.5-75	0.35-2.5	2.5	18	75	170	120(6x20box)	3.90	468x252x285
053224	⊖ PES3-100	0.45-3.0	3.0	18	100	195	120(6x20box)	4.30	375x327x290
053226	⊖ PES3-150	0.45-3.0	3.0	18	150	245	120(6x20box)	4.65	375x237x280

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	mm
053122	⊕ PES2.5-50	#00	2.5	18	50	145	120(6x20box)	3.85	439x229x290
053123	⊕ PES2.5-75	#00	2.5	18	75	170	120(6x20box)	3.90	468x252x285
053134	⊕ PES3-100	#0	3.0	18	100	195	120(6x20box)	4.30	375x327x290
053136	⊕ PES3-150	#0	3.0	18	150	245	120(6x20box)	4.65	375x237x280

Precision Screwdriver Set (Plastic Handle)



Code	Model No.	Contents	PCS	Kg	mm
054206	PES-S6	⊖ 1.4mm 1.8mm 2.5mm ⊕ #00 #0 #1	120(10x12box)	18.45	410x325x325

Code	Model No.	Contents	PCS	Kg	mm
054207	PES-S6J	⊖ 1.4mm 1.8mm 2.5mm ⊕ #00 #0 #1	120(10x12box)	10.50	320x270x295

Precision Screwdriver Set (Metal Handle)



Code	Model No.	Contents	PCS	Kg	mm
052100	PE-S	⊖ 1.0mm 1.2mm 1.6mm ⊕ #00 #0 #1	120(10x12box)	14.30	418x346x319



Code	Model No.	Contents	PCS	Kg	mm
052200	PE-M	⊖ 1.4mm 1.8mm 2.5mm ⊕ #00 #0 #1	120(10x12box)	23.90	504x380x409

Family Screwdriver Set

- The screwdriver shaft is made of CR-V Nickel steel.
- The screwdriver shaft is made by split design to carry conveniently, and it's the Family prerequisite product.
- There are various screwdriver shafts are in one set.



Code	Model No.	Contents	PCS	Kg	mm
051800	FM-S	⊖ 2mm 2.5mm 3mm ⊕ NO.0 NO.1 NO.2 ㊦ PULLER ㊧ 50% ㊨	72(6x12box)	12.00	469x291x310



Code	Model No.	Contents	PCS	Kg	mm
051900	FM-M	⊖ 2mm 2.5mm 3mm ⊕ NO.0 NO.1 NO.2 ㊦ PULLER ㊧ 50% ㊨	60(10x6box)	20.00	610x485x190
052000	FM-LH	⊖ 2mm 2.5mm 3mm ⊕ NO.0 NO.1 NO.2 ㊦ PULLER ㊧ 50% ㊨	60(10x6box)	21.70	610x485x190



Bit



Material Selection

S2
Features: high strength , high torque

Process


Heat treatment
Enclosed protection gas processing method, make the group of head with high hardness and high toughness, thus effectively extend the service life of the product

Machining Accuracy

■ Using the German DIN standards, head error is less than 0.05 mm, so that the head accuracy precision 5 times more than Japan's standards, greatly prolongs the service life



HRC of different material:



BIT

32 Pcs Bit Set

32
PCS



Code	Model No.	Model name	PCS	Kg	mm
030232	BITS32	32pcs Bit Set	60(10x6box)	18,00	757x225x255

32pcs	⊖ SL3 SL4 SL5 SL6
	⊕ PH0 PH1X2 PH2X2 PH3
1pcs	PZ0 PZ1X2 PZ2X2 PZ3
	8 10 15 20 25 27 30 40
1pcs	1.5 2 2.5 3 4 5 5.5 6
	Bit Holder

10 Pcs Bit Set

10
PCS



Code	Model No.	Model name	PCS	Kg	mm
030310	BITS-10	10pcs Bit Set	72(12x6box)	9,00	322x285x211

9pcs	⊖ SL4 SL5 SL6
	⊕ PH0 PH1 PH2X3 PH3
1pcs	Bit Holder

10
PCS




Code	Model No.	Model name	PCS	Kg	mm
033110	BITS-10L	10pcs Bit Set	72(12x6box)	15,80	502x212x245

9pcs	⊕ #2x45mm	⊕ #2x110mm
	⊕ #2/⊖ 6x65mm	⊕ #1x100mm
1pcs	⊕ #1/⊖ 5x65mm	⊕ #2x100mm
	⊕ #3x65mm	⊕ #1x65mm
1pcs		⊕ #2x65mm
	1/4 Bit Holder	

Double Head Bits


Double Head Bits

- S2 alloy steel.
- Matte surface with nickel plated processing.
- GREATER MACHINING ACCURACY
German DIN standards ensure greatest possible head error range is less than 0.05mm.
- SIZE :6.35mm (1/4") head size



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030322	PH2-45	#2	6.35	45	1200(100x12box)	13.60	268x236x220
030313	PH1-65	#1	6.35	65	1200(100x12box)	19.10	340x265x185
030323	PH2-65	#2	6.35	65	1200(100x12box)	21.10	340x265x185
030333	PH3-65	#3	6.35	65	1200(100x12box)	20.10	340x265x185
030342	PH1-65B	#1	6.35	65	1200(100x12box)	19.10	340x265x185
030352	PH2-65B	#2	6.35	65	1200(100x12box)	21.10	340x265x185
030350	PH2-65BJ	#2	6.35	65	1200(100x12box)	19.15	358x219x197
030324	PH2-110	#2	6.35	110	240(20x12box)	8.10	281x207x249
030360	PH2-110BJ	#2	6.35	110	720(60x12box)	21.09	308x238x187
030326	PH2-150	#2	6.35	150	240(20x12box)	11.00	296x242x249
030328	PH2-200	#2	6.35	200	240(20x12box)	13.25	296x242x249
030320	PH2-300	#2	6.35	300	200(20x10box)	16.35	337x205x190
030335	PH3-100	#3	6.35	100	600(50x12box)	17.80	308x238x187
030336	PH3-150	#3	6.35	150	240(20x12box)	22.10	296x242x249

Double Head Bits



Code	Model No.	A-B	Bmm	Lmm	PCS	Kg	mm
032060	SL6-PH2-65	#2-6	6.0	65	1200(100x12box)	20.10	340x265x185


Double Head Bits (Short Square-neck)



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030354	PH2-65BS	#2	6.35	65	1200(100x12box)	21.00	386x252x179
030337	PH3-65BS	#3	6.35	65	1200(100x12box)	21.30	386x252x179
030355	PH2-100BS	#2	6.35	100	720(60x12box)	10.10	328x244x210
030338	PH3-100BS	#3	6.35	100	720(60x12box)	10.10	328x244x210

Double Head Bits

High Torsion Phillips Bits




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030371	PH1-65T	#1	6.35	65	1200(100x12box)	19.10	340x265x185
030372	PH2-65T	#2	6.35	65	1200(100x12box)	21.10	340x265x185
030373	PH3-65T	#3	6.35	45	1200(100x12box)	20.10	340x265x185
030376	PH2-110T	#2	6.35	160	240(20x12box)	8.10	281x207x249
030377	PH3-150T	#3	6.35	150	240(20x12box)	22.10	296x242x249

Single Head Bits


Single Head Phillips Bits

- S2 alloy steel.
- Matte surface with nickel plated processing.
- GREATER MACHINING ACCURACY
German DIN standards ensure greatest possible head error range is less than 0.05mm.
- SIZE :6.35mm (1/4") head size



Code	Model No.	A	Bmm	Lmm	PCS	Kg	mm
030301	PH0-25	#0	6.35	25	1200(100x12box)	7.00	265x235x151
030311	PH1-25	#1	6.35	25	1200(100x12box)	7.60	265x235x151
030321	PH2-25	#2	6.35	25	1200(100x12box)	8.05	265x235x151
030331	PH3-25	#3	6.35	25	1200(100x12box)	8.60	265x235x151


Single Head Slotted Bits



Code	Model No.	A	Bmm	Lmm	PCS	Kg	mm
030141	SL4-25	0.7-4	6.35	25	1200(100x12box)	7.40	265x235x151
030151	SL5-25	0.9-5	6.35	25	1200(100x12box)	7.90	265x235x151
030161	SL6-25	1.1-6	6.35	25	1200(100x12box)	8.10	265x235x151
033144	SL4-100	0.7-4	6.35	100	600(50x12box)	10.90	308x238x187
030153	SL5-100	0.9-5	6.35	100	600(50x12box)	13.70	308x238x187
030167	SL6-100	1.1-6	6.35	100	600(50x12box)	14.90	308x238x187


Single Head Bits

Hexagon Bits



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030502	HX-2	2	6.35	25	1200(100x12box)	8.55	265x235x151
030503	HX-3	3	6.35	25	1200(100x12box)	8.95	265x235x151
030504	HX-4	4	6.35	25	1200(100x12box)	9.45	265x235x151
030505	HX-5	5	6.35	25	1200(100x12box)	10.00	265x235x151
030506	HX-6	6	6.35	25	1200(100x12box)	10.95	265x235x151


Torx Driver Bits



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030410	T10	10	6.35	25	1200(100x12box)	7.80	265x235x151
030415	T15	15	6.35	25	1200(100x12box)	8.10	265x235x151
030420	T20	20	6.35	25	1200(100x12box)	8.30	265x235x151
030425	T25	25	6.35	25	1200(100x12box)	8.60	265x235x151
030427	T27	27	6.35	25	1200(100x12box)	8.80	265x235x151
030430	T30	30	6.35	25	1200(100x12box)	9.10	265x235x151
030440	T40	40	6.35	25	1200(100x12box)	9.40	265x235x151

Single Head Reduced Shaft Bits

- DURABLE S2 steel bits.
- Magnetic tip.
- Precision machining.




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
031825	AR2.5-50#0	#0	6.35	50	1200(100x12box)	12.15	340x265x185
031835	AR3.0-50#0	#0	6.35	50	1200(100x12box)	12.50	340x265x185
031837	AR3.0-70#0	#0	6.35	70	1200(100x12box)	14.80	340x265x185
031935	AR3.0-50#1	#1	6.35	50	1200(100x12box)	12.60	340x265x185
031945	AR4.5-50#1	#1	6.35	50	1200(100x12box)	13.05	340x265x185
031937	AR3.0-70#1	#1	6.35	70	1200(100x12box)	14.60	340x265x185
031947	AR4.5-70#1	#1	6.35	70	1200(100x12box)	15.60	340x265x185
032045	AR4.5-50#2	#2	6.35	50	1200(100x12box)	13.30	340x265x185
032065	AR6.0-50#2	#2	6.35	50	1200(100x12box)	15.70	340x265x185
032047	AR4.5-70#2	#2	6.35	70	1200(100x12box)	17.80	340x265x185
032067	AR6.0-70#2	#2	6.35	70	1200(100x12box)	21.60	340x265x185



Single Head Bits

Single Head Hexagon Bits




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030543	HX4-75	4	6.35	75	600(50x12box)	11.10	308x238x187
030651	HX5-75	5	6.35	75	600(50x12box)	13.05	308x238x187
030661	HX6-75	6	6.35	75	600(50x12box)	15.05	308x238x187
030644	HX4-100	4	6.35	100	600(50x12box)	13.10	308x238x187
030654	HX5-100	5	6.35	100	600(50x12box)	16.70	308x238x187
030664	HX6-100	6	6.35	100	600(50x12box)	19.10	308x238x187
030546	HX4-150	4	6.35	150	240(20x12box)	7.80	430x290x130
030655	HX5-150	5	6.35	150	240(20x12box)	9.85	430x290x130
030665	HX6-150	6	6.35	150	240(20x12box)	12.15	430x290x130

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030612	HX1.5-50	1.5	6.35	50	1200(100x12box)	14.00	340x265x165
030622	HX2.0-50	2	6.35	50	1200(100x12box)	14.90	340x265x165
030625	HX2.5-50	2.5	6.35	50	1200(100x12box)	12.00	340x265x165
030632	HX3.0-50	3	6.35	50	1200(100x12box)	12.60	340x265x165
030642	HX4.0-50	4	6.35	50	1200(100x12box)	14.40	340x265x165
030652	HX5.0-50	5	6.35	50	1200(100x12box)	17.20	340x265x165
030662	HX6.0-50	6	6.35	50	1200(100x12box)	18.45	340x265x165

Impact Resistant Bit

- The special design convert downward impact to transverse vibration , which can protect head from broken.
- Two times Impact resistant ability than normal bit.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
030385	PH1-65H	#1	6.35	65	240(20x12box)	7.5	358x219x197
030386	PH2-65H	#2	6.35	65	240(20x12box)	21.5	358x219x197
030387	PH3-65H	#3	6.35	65	240(20x12box)	7.2	358x219x197
030388	PH2-110H	#2	6.35	110	240(20x12box)	8.5	358x219x197

Hex Key



Matching Size Between Hex Key And Screw

	Pressure Plug	Button Head Cap Screw	Flat Head Cap Screw	Socket set Screw	Socket Head Cap Screw
1.5				M3	M1.6 M2
2		M3	M3	M4	M2.5
2.5		M4	M4	M5	M3
3		M5	M5	M6	M4
4		M6	M6	M8	M5
5	1/8	M8	M8	M10	W3/8M6
6	1/4	M10	M10	M12	W7/8M8
8	3/8	M12	M12	M16	W1 1/4M10
10	1/2	M14 M16	M14 M16	M18 M20	W1 3/4M12


with high grade alloy steel material and specially heating treatment,jetech hex key products could reach hardness HRC54-59 and its torsion could exceed torque standards of AINI ,DIN AND GB



Jetech T-type hex key handle adopted exceptional patented design , with comfortable hang gripping,no stress between two fingers at use,and fiber glass reinforced Nylon plastic obtain

25° Upwards Inclined Use

- ball point hex key head can insert into hex screw at maximum angle 25° which is convenient for use at narrow space without effect on its high torsion



Hex Key Set

Ball Point 7pcs Set

mm

1.5 2 2.5 3 4 5 6

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
023107	BS-C7	40	57	63	95	60(6x10box)	9.30	562x192x212
023207	BM-C7	40	57	63	142	60(6x10box)	10.60	520x235x216
023307	BL-C7	40	57	63	186	60(6x10box)	12.80	570x282x218

Flat Plated 7pcs Set

mm

1.5 2 2.5 3 4 5 6

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
023407	PS-C7	40	57	63	95	60(6x10box)	9.30	562x192x212
023507	PM-C7	40	57	63	142	60(6x10box)	10.60	520x235x216
023607	PL-C7	40	57	63	186	60(6x10box)	12.80	570x282x218

Ball Point 9pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
021709	BS-C9	50	42	65	120	60(6x10box)	19.00	757x220x220
021809	BM-C9	50	42	65	183	60(6x10box)	24.07	780x277x222
021909	BL-C9	50	42	65	235	36(6x6box)	30.36	755x358x252

Flat Plated 9pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
022309	PS-C9	50	42	65	120	60(6x10box)	19.00	757x220x220
022409	PM-C9	50	42	65	183	60(6x10box)	24.35	780x277x222
022509	PL-C9	50	42	65	235	36(6x6box)	30.45	755x358x252

Ball Point 9pcs Set (SAE)

inch

1/16 5/64 3/32 1/8 5/32 3/16 1/4 5/16 3/8

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
022909	BM-C9IN	50	42	65	83	60(6x10box)	24.70	780x277x222
023009	BL-C9IN	50	42	65	235	36(6x6box)	30.40	755x358x252

Ball Point 10pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10 12

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
021810	BM-C10	52	35	54	200	60(6x10box)	38.50	720x310x238
021910	BL-C10	52	35	54	260	60(6x10box)	46.86	732x371x245

Ball Point 10pcs Set (SAE)

inch

1/16 5/64 3/32 1/2 1/8 5/32 3/16 1/4 5/16 3/8

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
022910	BM-C10IN	52	35	54	195	60(6x10box)	38.50	720x310x238
023010	BL-C10IN	52	35	54	255	60(6x10box)	47.20	732x371x245

Flat End 10pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10 12

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
022310	PS-C10	53	36	54.3	135	60(6x10box)	28.41	605x225x345
022410	PM-C10	52	35	54	200	60(6x10box)	38.62	720x310x238
022510	PL-C10	52	35	54	260	60(6x10box)	28.88	732x371x245

Hex Key Set

Flat End 10pcs Set (SAE)

mm

1/6 5/64 3/32 1/8 5/32 3/16 1/4 5/16 3/8 1/2

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
023001	PS-C10IN	52	35	54	200	60(6x10box)	28.059	605x225x345
023110	PM-C10IN	52	35	54	200	60(6x10box)	36.292	720x310x238
023210	PL-C10IN	52	35	54	260	36(6x6box)	29.096	448x371x245

Flat Black Finish 9pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
022609	PS-B9	50	42	65	120	60(6x10box)	19.00	757x220x220
022709	PM-B9	50	42	65	183	60(6x10box)	24.35	780x277x222
022809	PL-B9	50	42	65	235	36(6x6box)	30.45	755x358x252

Ball Point Black Finish 9pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
022009	BS-B9	50	42	65	120	60(6x10box)	19.00	757x220x220
022109	BM-B9	50	42	65	183	60(6x10box)	24.12	780x277x222
022209	BL-B9	50	42	65	235	36(6x6box)	30.10	755x358x252

Flat Black Finish 9pcs Set (SAE)

mm

1/6 5/64 3/32 1/8 5/32 3/16 1/4 5/16 3/8

Code	Model No.	PCS	Kg	mm
024009	PS-B9IN	60 (6x10box)	17.689	757x220x220

Flat Black Finish 10pcs Set (SAE)

mm

1/6 5/64 3/32 1/8 5/32 3/16 1/4 5/16 3/8 1/2

Code	Model No.	PCS	Kg	mm
024210	PL-B10IN	36(6 x6box)	29.096	448x371x245
024110	PM-B10IN	60(6x10box)	36.292	720x310x238
024010	PS-B10IN	60(6x10box)	28.059	605x225x345

Flat Black Finish 10pcs Set

mm

1.5 2 2.5 3 4 5 6 8 10 12

Code	Model No.	PCS	Kg	mm
022810	PL-B10	36(6 x6box)	28.88	448x371x245
022710	PM-B10	60 (6x10box)	37.492	720x310x238

12pcs Hex Key

Code	Model No.	mm	PCS	Kg	mm
024812	BLS-12	3 4 5 6 8 10 12 14 & FD-8	10(1x10box)	21.00	375x225x245
024912	PLS-12	3 4 5 6 8 10 12 14 & FD-8	10(1x10box)	20.00	375x225x235

13pcs Hex Key Set

13

PCS

Code	Model No.	mm	PCS	Kg	mm
026413	BM-C13	1.5 2 2.5 3 4 5 6 8 10 12 14 17 19 (ball point)	6(1x6box)	16.70	345x325x210
026513	PM-B13	1.5 2 2.5 3 4 5 6 8 10 12 14 17 19 (flat end)	6(1x6box)	16.70	345x325x210



Hex Key Set

T Type Hex Key Set

8
PCS




Code	Model No.	Model name	PCS	Kg	mm
040480	TPS-8S	8pcs T Type Hex Key Set	16(1x16box)	24.50	630x440x240
8pcs	TPS-2C	TPS-2.5C	TPS-3C	TPS-4C	
	TPS-5C	TPS-6C	TPS-8C	TPS-10C	



7
PCS

Code	Model No.	Model name	PCS	Kg	mm
040470	TPS-7S	7pcs Bit Set		13.287	460x385x245
7pcs	TPS-2C	TPS-2.5C	TPS-3C	TPS-4C	
	TPS-5C	TPS-6C	TPS-8C		

T-Handle Hex key



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
040402	TPS-2C	100	85	10	145	240(10x24box)	8.80	362x342x301
040425	TPS-2.5C	100	85	10	145	240(10x24box)	10.00	362x342x301
040403	TPS-3C	100	85	10	145	240(10x24box)	10.90	362x342x301
040404	TPS-4C	125	100	10	178	120(10x12box)	8.80	414x212x310
040405	TPS-5C	125	100	10	178	120(10x12box)	11.30	414x212x310
040406	TPS-6C	150	122	15	212	120(10x12box)	17.80	492x329x260
040408	TPS-8C	180	122	15	244	60(10x6box)	13.70	492x329x260
040410	TPS-10C	180	122	18	244	48(8x6box)	15.00	380x285x262

Code	Model No.	PCS	Kg	mm
040414	TPS-5/32C	120(10 x12box)	8.87	414 x 212 x 310
040415	TPS-3/16C	120(10x12box)	10.43	414 x 212 x 310
040416	TPS-1/4C	120(10x12box)	18.185	492 x 329 x 260
040413	TPS-1/8C	240(10x24box)	10.573	362 x 342 x 301
040435	TPS-3/32C	240(10x24box)	9.373	362 x 342 x 301
040418	TPS-5/16C	60(10x6box)	12.932	380 x 285 x 262
040420	TPS-3/8C	48(8x6box)	12.946	380 x 285 x 262

Star Wrench Set

Star Wrench Set Nickel Plated



- TT is torque with hole
- T is torque without hole

SWS-8 Content T:5 & TT: 6 7 8 9 10 15 20


SWS-9 Content TT:10 15 20 25 27 30 40 45 50

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
023708	SWS-8	25	35	37	70	60(6x10box)	5.90	570x198x180
023709	SWS-9	38	49	54	175	60(6x10box)	22.00	780x277x222

- PREMIUM S2 MATERIAL.
- Tamper proof design.
- PRECISE FIT
Adopting precision machining, these Torx star key wrenches provide an exact fit in screws and fasteners.
- HINGED CARRYING CASE
Carrying case with convenient hinged design makes it's easier to carry and stor.



SWL-9



SWM-8

SWL-9 Content TT:10 15 20 25 27 30 40 45 50

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
024309	SWL-9	40	38.5	54.5	235	36(6x6box)	17.66	463x360x255


SWM-8 Content TT: 9 10 15 20 25 27 30 40

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
023908	SWM-8	25	55	35	137	60(10x6box)	13.00	412x270x217


Hex Key Set

9pcs Set Plated With Connective Rod

- Made of the premium alloy steel, it gets high torsion and hardness after the heat treatment.
- The ball end part is specially designed to be used under the inclined 25°



Ball Point



Flat Plated



1.5 2 2.5 3 4 5 6 8 10 270mm Extension bar

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
021911	BL-C9+1	60	50	60	270	36(6x6box)	22.4	460x350x255
022511	PL-C9+1	60	50	60	270	36(6x6box)	22.5	460x350x255

Folding Hex Key

Folding Hex Key



2.0 2.5 3.0 4.0 5.0 5.5 6.0 8.0

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
025608	FD-8	116	25	30	120	60(6x10box)	15.40	332x250x525



1.5 2.0 2.5 3.0 4.0 5.0 5.5 6.0 8.0

Code	Model No.	PCS	Kg	mm
025609	FD-9	60(6x10box)	14.082	332 x 250 x 525

Folding Hex Key (SAE)



5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 1/16

Code	Model No.	PCS	Kg	mm
025809	FD-9IN	60(6*10box)	14.322	332x250x525

Folding Hex Key

- PREMIUM S2 MATERIAL.
- COMPACT STORAGE: Hex keys securely stored in durable folder made of Nylon for easy, quick handling. Compact size means it fits easily into any tool case.
- OPTIMIZED TORQUE TRANSMISSION: Special heat treatment process ensures strength and maximum torque.



T6 T9 T10 T15 T20 T25 T27 T30 T40


Code	Model No.	PCS	Kg	mm
025709	FT-9	60(6*10box)	11.682	332*250*525

Key Wrench

Code	Model No.	mm	PCS	Kg	mm
023807	KW-7	1.5 2 2.5 3 4 5 6	60(6x10box)	8.50	480x465x179
023808	KW-8	1.5 2 2.5 3 4 5 6 8	60(6x10box)	12.40	530x230x365
023809	KW-9	1.5 2 2.5 3 4 5 6 8 10	60(6x10box)	19.20	600x405x230

Individual Hex Key

Flat Black Finish Hex Key



Flat End Standard

Code	Model No.	A-Bmm	PCS	Kg	mm
021615	PS-1.5B	45-14	720(60x12box)	1.15	204x140x119
021620	PS-2B	50-16	720(60x12box)	1.78	204x140x119
021625	PS-2.5B	56-18	720(60x12box)	3.10	204x176x126
021630	PS-3B	63-20	720(60x12box)	4.10	244x200x126
021640	PS-4B	70-25	720(60x12box)	8.60	286x166x211
021650	PS-5B	80-28	360(30x12box)	8.20	289x159x215
021660	PS-6B	90-32	360(30x12box)	11.30	321x161x176
021680	PS-8B	100-36	120(10x12box)	8.40	321x161x176
021610	PS-10B	112-40	120(10x12box)	11.40	360x170x175
021614	PS-14B	152-72	40(4x10box)	14.6	296x242x249
021617	PS-17B	178-80	20(2x10box)	15.5	354x272x224
021619	PS-19B	197-90	20(2x10box)	19.8	354x272x224

Flat End Long


Code	Model No.	A-Bmm	PCS	Kg	mm
021315	PM-1.5B	74-14	720(60x12box)	1.50	249x145x124
021320	PM-2B	80-16	720(60x12box)	2.70	249x145x124
021325	PM-2.5B	87-18	720(60x12box)	4.20	286x146x154
021330	PM-3B	96-20	720(60x12box)	6.30	286x142x200
021340	PM-4B	107-25	720(60x12box)	11.50	321x161x176
021350	PM-5B	120-28	360(30x12box)	10.50	360x170x175
021360	PM-6B	136-32	360(30x12box)	16.20	355x265x185
021380	PM-8B	154-36	120(10x12box)	11.40	335x265x185
021310	PM-10B	172-40	120(10x12box)	18.80	479x169x174
021312	PM-12B	192-45	60(10x6box)	16.90	354x272x224
021314	PM-14B	212-56	40(4x10box)	16.70	287x229x230
021317	PM-17B	236-63	20(2x10box)	13.20	339x266x187
021319	PM-19B	260-70	20(2x10box)	19.90	352x265x215

Flat End Extra Long

Code	Model No.	A-Bmm	PCS	Kg	mm
021415	PL-1.5B	79-14	720(60x12box)	1.60	249x145x124
021420	PL-2B	95-16	720(60x12box)	3.10	286x146x121
021425	PL-2.5B	110-18	720(60x12box)	4.90	320x140x122
021430	PL-3B	126-20	720(60x12box)	7.60	208x194x198
021440	PL-4B	142-25	720(60x12box)	14.40	355x205x186
021450	PL-5B	160-28	360(30x12box)	12.60	439x139x144
021460	PL-6B	180-32	360(30x12box)	15.90	476x169x174
021480	PL-8B	200-36	120(10x12box)	14.20	390x294x181
021410	PL-10B	224-40	120(10x12box)	23.40	390x294x181
021412	PL-12B	250-45	60(10x6box)	20.00	354x325x265
021414	PL-14B	280-56	40(4x10box)	21.00	375x375x255
021417	PL-17B	320-63	20(2x10box)	18.50	430x287x235
021419	PL-19B	360-70	20(2x10box)	24.20	455x275x215

Individual Flat Plated Hex Key

Flat Plated Standard Length



Flat Plated Standard

Code	Model No.	A-Bmm	PCS	Kg	mm
020915	PS-1.5C	45-14	720(60x12box)	1.15	204x140x119
020920	PS-2C	50-16	720(60x12box)	1.78	204x140x119
020925	PS-2.5C	56-18	720(60x12box)	3.10	204x176x126
020930	PS-3C	63-20	720(60x12box)	4.10	244x200x126
020940	PS-4C	70-25	720(60x12box)	8.60	286x166x211
020950	PS-5C	80-28	360(30x12box)	8.20	289x159x215
020960	PS-6C	90-32	360(30x12box)	11.30	321x161x176
020980	PS-8C	100-36	120(10x12box)	8.40	321x161x176
020910	PS-10C	112-40	120(10x12box)	11.40	360x170x176

Flat Plated Long


Code	Model No.	A-Bmm	PCS	Kg	mm
021015	PM-1.5C	74-14	720(60x12box)	1.50	249x145x124
021020	PM-2C	80-16	720(60x12box)	2.70	249x145x124
021025	PM-2.5C	87-18	720(60x12box)	4.20	286x146x154
021030	PM-3C	96-20	720(60x12box)	6.30	286x146x200
021040	PM-4C	107-25	720(60x12box)	11.50	321x161x176
021050	PM-5C	120-28	360(30x12box)	10.50	360x170x175
021060	PM-6C	136-32	360(30x12box)	16.20	355x205x185
021080	PM-8C	154-36	120(10x12box)	11.40	355x205x185
021010	PM-10C	172-40	120(10x12box)	18.80	479x169x174
021012	PM-12C	192-45	60(10x6box)	16.00	354x272x224
021014	PM-14C	212-56	40(4x10box)	16.70	287x229x230
021016	PM-16C	226-61	40(4x10box)	22.20	312x294x245
021017	PM-17C	236-63	20(2x10box)	13.20	339x266x187
021018	PM-18C	255-65	20(2x10box)	16.00	352x265x215
021019	PM-19C	260-70	20(2x10box)	19.00	352x265x215
021022	PM-22C	275-80	20(2x10box)	25.10	352x265x265
021024	PM-24C	305-90	4(1x4box)	7.00	412x352x149
021027	PM-27C	320-100	4(1x4box)	9.00	427x382x149
021032	PM-32C	370-125	4(1x4box)	14.80	435x205x185
021036	PM-36C	405-140	2(1x2box)	10.50	480x205x120

Flat Plated Extra Long

Code	Model No.	A-Bmm	PCS	Kg	mm
021515	PL-1.5C	79-14	720(60x12box)	1.60	249x145x124
021520	PL-2C	95-16	720(60x12box)	3.10	286x146x121
021525	PL-2.5C	110-18	720(60x12box)	4.90	320x140x122
021530	PL-3C	126-20	720(60x12box)	7.60	208x194x198
021540	PL-4C	142-25	720(60x12box)	14.40	355x205x186
021550	PL-5C	160-28	360(30x12box)	12.60	439x139x144
021560	PL-6C	180-32	360(30x12box)	15.00	479x169x174
021580	PL-8C	200-36	120(10x12box)	14.20	390x294x181
021510	PL-10C	224-40	120(10x12box)	23.40	390x294x181

Individual Hex Key

Flat Plated Extra Long Length(SAE)



Flat Plated Standard


Code	Model No.	PCS	Kg	mm
027001	PS-1/16C	720(60 x12box)	1.115	188x170x300
027002	PS-5/64C	1000(1x1box)	1.617	234x206x291
027003	PS-3/32C	720(60x12box)	2.482	204x176x126
027004	PS-1/8C	720(60x12box)	4.461	244x200x126
027005	PS-5/32C	720(60x12box)	7.908	286x166x211
027007	PS-1/4C	360(30x12box)	12.439	321x161x176
027008	PS-5/16C	120(10x12box)	7.701	321x161x176
027009	PS-3/8C	120(10x12box)	11.882	360x170x175
027010	PS-1/2C	60(10x6box)	11.808	354x272x224
027006	PS-3/16C	360(30x12box)	6.577	289x159x215
027013	PS-3/4C	20(2x10box)	13.473	352x265x215
027012	PS-5/8C	20(2x10box)	8.941	352x265x215
027011	PS-9/16C	40(4x10box)	11.524	287x229x245

Flat Plated Extra Long

Code	Model No.	PCS	Kg	mm
028006	PL-3/16C	360(30 x12box)	10.954	439 x 139 x 144
028003	PL-3/32C	720(60x12box)	4.062	320 x 140 x 122
028013	PL-3/4C	20(2x10box)	22.588	455 x 275 x 215
028009	PL-3/8C	120(10x12box)	20.556	390 x 284 x 181
028005	PL-5/32C	720(60x12box)	13.677	333 x 217 x 184
028012	PL-5/8C	20(2x10box)	14.509	430 x 287 x 235
028011	PL-9/16C	40(4x10box)	19.869	375 x 375 x 255

Ball Point Black Finish Hex Key

Ball Point Black Hex Key



Ball Point Black Standard Length

Code	Model No.	A-Bmm	PCS	Kg	mm
020615	BS-1.5B	45-14	720(60X12box)	1.30	289x159x215
020620	BS-2B	50-16	720(60X12box)	1.90	289x159x215
020625	BS-2.5B	56-18	720(60X12box)	3.20	265x235x151
020630	BS-3B	63-20	720(60X12box)	5.30	265x235x151
020640	BS-4B	70-25	720(60X12box)	8.60	315x272x155
020650	BS-5B	80-28	360(30x12box)	8.20	289x159x215
020660	BS-6B	90-32	360(30x12box)	12.40	328x192x188
020680	BS-8B	100-36	120(10x12box)	8.80	328x192x188
020610	BS-10B	112-40	120(10x12box)	13.50	328x192x188

Ball Point Black Finish Hex Key


Ball Point Black Long

Code	Model No.	A-Bmm	PCS	Kg	mm
020715	BM-1.5B	75-14	720(60X12box)	1.80	289x159x215
020720	BM-2B	80-16	720(60X12box)	3.20	286x146x121
020725	BM-2.5B	87-18	720(60X12box)	5.70	286x176x154
020730	BM-3B	96-20	720(60X12box)	6.90	289x159x215
020740	BM-4B	108-25	720(60X12box)	1.70	328x192x188
020750	BM-5B	119-28	360(30x12box)	1.50	360x200x175
020760	BM-6B	138-32	360(30x12box)	6.80	327x229x190
020780	BM-8B	152-36	120(10x12box)	1.80	327x229x190
020710	BM-10B	170-40	120(10x12box)	8.80	479x199x180

Ball Point Black Extra Long

Code	Model No.	A-Bmm	PCS	Kg	mm
020815	BL-1.5B	79-14	720(60X12box)	2.00	289x159x215
020820	BL-2B	95-16	720(60X12box)	3.50	286x146x121
020825	BL-2.5B	111-18	720(60X12box)	6.10	320x140x122
020830	BL-3B	126-20	720(60X12box)	7.30	208x194x198
020840	BL-4B	142-25	720(60X12box)	14.70	327x229x190
020850	BL-5B	160-28	360(30x12box)	12.70	439x139x144
020860	BL-6B	181-32	360(30x12box)	19.70	263x247x184
020880	BL-8B	199-36	120(10x12box)	14.20	388x292x190
020810	BL-10B	222-40	120(10x12box)	23.50	388x292x190

Ball Point Plated Hex Key



Ball Point Plated Standard

Code	Model No.	A-Bmm	PCS	Kg	mm
020315	BS-1.5C	45-14	720(60X12box)	1.15	200x195x148
020320	BS-2C	50-16	720(60X12box)	1.78	228x204x179
020325	BS-2.5C	56-18	720(60X12box)	3.10	204x176x126
020330	BS-3C	63-20	720(60X12box)	4.10	244x200x126
020340	BS-4C	70-25	720(60X12box)	8.60	286x166x211
020350	BS-5C	80-28	360(30x12box)	8.20	289x159x215
020360	BS-6C	90-32	360(30x12box)	11.30	326x161x176
020380	BS-8C	100-36	120(10x12box)	8.40	321x161x176
020310	BS-10C	112-40	120(10x12box)	11.40	360x170x176

Ball Point Plated Long

Code	Model No.	A-Bmm	PCS	Kg	mm
020415	BM-1.5C	74-14	720(60x12box)	1.50	252x180x160
020420	BM-2C	80-16	720(60x12box)	2.70	252x180x160
020425	BM-2.5C	87-18	720(60x12box)	4.20	252x180x160
020430	BM-3C	96-20	720(60x12box)	6.30	286x142x200
020440	BM-4C	107-25	720(60x12box)	11.45	321x161x176
020450	BM-5C	120-28	360(30x12box)	10.50	360x170x175
020460	BM-6C	136-32	360(30x12box)	16.20	355x205x185
020470	BM-7C	145-34	360(30x12box)	22.50	298x214x238
020480	BM-8C	154-36	120(10x12box)	11.40	355x205x185
020410	BM-10C	172-40	120(10x12box)	18.80	479x169x174
020412	BM-12C	192-45	60(10x6box)	16.00	354x272x224
020414	BM-14C	212-56	40(4x10box)	16.70	287x229x230
020416	BM-16C	226-61	40(4x10box)	22.20	312x294x245
020417	BM-17C	236-63	20(2x10box)	13.20	339x266x187
020418	BM-18C	255-65	20(2x10box)	16.00	352x265x215
020419	BM-19C	260-70	20(2x10box)	19.00	352x265x215
020422	BM-22C	275-80	20(2x10box)	25.10	352x265x215


Individual Ball Point Plated Hex Key

Ball Point Plated Extra Long

Code	Model No.	A-Bmm	PCS	Kg	mm
020515	BL-1.5C	79-14	720(60x12box)	1.60	249x145x124
020520	BL-2C	95-16	720(60x12box)	3.10	286x146x121
020525	BL-2.5C	110-18	720(60x12box)	4.90	320x140x122
020530	BL-3C	126-20	720(60x12box)	7.60	208x194x198
020540	BL-4C	142-25	720(60x12box)	14.40	355x205x186
020550	BL-5C	160-28	360(30x12box)	12.60	439x139x144
020560	BL-6C	180-32	360(30x12box)	15.00	479x169x174
020570	BL-7C	190-34	360(30x12box)	27.75	390x294x181
020580	BL-8C	200-36	120(10x12box)	14.20	390x294x181
020510	BL-10C	224-40	120(10x12box)	23.40	390x294x181
020512	BL-12C	250-45	60(10x6box)	20.00	345x325x265
020514	BL-14C	280-56	40(4x10box)	21.00	375x375x255
020517	BL-17C	320-63	20(2x10box)	18.50	430x287x235
020519	BL-19C	360-70	20(2x10box)	24.20	457x280x203

Ball Point Plated Hex Key (SAE)

- Made of the premium alloy steel, it gets high torsion and hardness after the heat treatment.
- The ball end part is specially designed to be used under the inclined 25°



Ball Point Plated Long (SAE)


Code	Model No.	A-Bmm	PCS	Kg	mm
020115	BM-1/16C	71-14	720(60x12box)	1.85	252x180x160
020120	BM-5/64C	77-16	720(60x12box)	2.40	249x145x124
020125	BM-3/32C	84-18	720(60x12box)	3.60	286x146x154
020130	BM-1/8C	93-20	720(60x12box)	6.30	286x142x200
020140	BM-5/32C	104-25	720(60x12box)	11.00	321x161x176
020150	BM-3/16C	115-28	360(30x12box)	9.10	360x170x175
020160	BM-1/4C	131-32	360(30x12box)	16.80	335x205x185
020180	BM-5/16C	149-36	120(10x12box)	10.80	335x205x185
020110	BM-3/8C	167-40	120(10x12box)	16.55	479x169x174

Ball Point Plated Extra Long (SAE)

Code	Model No.	A-Bmm	PCS	Kg	mm
020215	BL-1/16C	76-14	720(60x12box)	1.92	252x180x160
020220	BL-5/64C	92-16	720(60x12box)	2.70	286x146x121
020225	BL-3/32C	107-18	720(60x12box)	4.20	320x140x122
020230	BL-1/8C	123-20	720(60x12box)	7.80	208x194x198
020240	BL-5/32C	139-25	720(60x12box)	13.60	335x205x185
020250	BL-3/16C	155-28	360(30x12box)	10.90	439x139x144
020260	BL-1/4C	175-32	360(30x12box)	21.30	263x247x184
020280	BL-5/16C	195-36	120(10x12box)	13.50	390x294x181
020210	BL-3/8C	219-40	120(10x12box)	20.50	390x294x181


Individual Star Wrench Plated

Individual Star Wrench Plated



Code	Model No.	A- Bmm	PCS	Kg	mm
029809	SWM-TT9	76-21	720(60x12box)	4.037	289x159x215
029810	SWM-TT10	82-20	720(60x12box)	4.26	289x159x215
029815	SWM-TT15	86-24	720(60x12box)	6.28	286x176x154
029820	SWM-TT20	93-27	720(60x12box)	8.61	289x159x215
029825	SWM-TT25	107-30	720(60x12box)	11.19	321x161x176
029827	SWM-TT27	111-32	360(30x12box)	8.16	360x200x175
029830	SWM-TT30	123-35	360(30x12box)	12.14	327x229x190
029840	SWM-TT40	136-39	360(30x12box)	18.20	296x242x249
029845	SWM-TT45	153-44	120(10x12box)	9.32	327x229x190
029850	SWM-TT50	175-48	120(10x12box)	12.94	479x199x180

Individual Star Wrench Plated



Torx

Code	Model No.	A- Bmm	Cmm	PCS	Kg	mm
029705	SWS-T5	40-17	1.4	720(60x12box)	1.805	289x159x215

Temper Resistance Torx

Code	Model No.	A- Bmm	Cmm	PCS	Kg	mm
029706	SWS-TT6	43-17	1.7	720(60x12box)	2.021	289x159x215
029707	SWS-TT7	46-17	1.9	720(60x12box)	2.093	289x159x215
029708	SWS-TT8	48-17	2.3	720(60x12box)	2.957	289x159x215
029709	SWS-TT9	48-17	2.56	720(60x12box)	2.957	289x159x215
029710	SWS-TT10	51-18	2.7	720(60x12box)	3.388	286x176x154
029715	SWS-TT15	54-19	3.2	720(60x12box)	4.181	289x159x215
029720	SWS-TT20	57-20	3.8	720(60x12box)	5.693	289x159x215




JETECH Pliers are made of 60 Chrome-Vanadium alloy steel material which enable high hardness and high tenacity. And dual colored handles made of elastic plastic material for comfortable and strong hand gripping.

Holding Tool





Diagonal Plastic Plier (with Coil Spring)- Precisionally Processed



Machined flat surface

JETECH diagonal plastic pliers, well machined flat head surface and precisely machined cutting edges with fine knife peak width only 0.2mm, enable plastic gate cutting easily and smoothly



Function of Snap Ring Pliers


Snap Ring Pliers have two different ways. Please refer to drawing above.




Hardness of Cutting Edge HRC 62-65

60 Chrome-vanadium alloy steel, induction hardened at cutting working surface, reach hardness at HRC 62-65, high tenacity and durable to cut wires.

- The Cr-Mo jaws
Sharp blades give strong cutting power.
- NON-SLIP ERGONOMIC GRIP.
- Black phosphating.
- The multifunctional bolt cutter covers a great range of applications including cutting bolts, threaded rods, mesh, wires, and so on.



- C60 high carbon steel.
- QUICK ADJUSTMENT
Smooth match between the hook thread and nut thread makes the adjustment process quick and easy.
- Black phosphating.



Code	Model No.	Description of goods	PCS
083714	PWH-350	14" Heavy Duty Pipe Wrench	16(1x16 box)
083718	PWH-450	18" Heavy Duty Pipe Wrench	10(1x10 box)
083724	PWH-600	24" Heavy Duty Pipe Wrench	6(1x6 box)
083736	PWH-900	36" Heavy Duty Pipe Wrench	4(1x4 box)
083748	PWH-1200	48" Heavy Duty Pipe Wrench	2(1x2 box)

- Made of Chromovanadium, high tenacity.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080315	DP-5D	17.5	26.0	10.3	133	60(6x10box)	10.00	450x207x194
080316	DP-6D	21.5	31.0	10.6	165	60(6x10box)	12.00	475x230x200

- Made of Chrome vanadium, high hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS 	Kg 	mm 
080305	DP-5	17.2	25.5	10.3	138	60(6x10box)	11.00	460x285x210
080306	DP-6	20.5	30.0	11.0	165	60(6x10box)	14.20	475x327x239

- Made of high carbon steel, high hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.

The technical drawing includes a side view of the pliers with dimension lines for 'A' (the length of the handle) and 'B' (the length of the jaws). To the right of the side view is a perspective view of the pliers, and to the far right is a small 3D rendering of the pliers with red handles.

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS 	Kg 	mm
084206	DPC-6	23.3	24.8	9.7	155	60(6x10box)	16.50	485x252x405
084208	DPC-8	26	34	10.8	180	60(6x10box)	20.60	510x290x460

- Made of Chrome Vanadium, high tenacity, high hardness
- The cutter edge achieved high hardness and wear resistance after special heat process, cut ability is improved also.
- After precision process, The pliers body is more close fitting without swing, which makes cutting more easily and power saved.
- The handle dipping with elastic rubber, makes it more convenience and soft for handling.
- Eccentric design makes usage power saved.

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080317	DP-6E	20.5	30	10.5	160	60(6x10box)	13.90	485x330x245

- Made of Chrome vanadium, high tenacity.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.

Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	 PCB	 Kg	 mm
082005	RP-5D	14.5	43	8.5	133	60(6x10box)	6.70	450x207x194
082006	RP-6D	17.5	55	10	160	60(6x10box)	11.20	482x252x203
080580	RP-8D	20.0	70	10	200	60(6x10box)	13.70	480x300x210

- Made of Chrome vanadium, high tenacity.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.


Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080206	RP-6	17.5	57	10	170	60(6x10box)	12.05	472x346x255
080208	RP-8	20	70	10	205	60(6x10box)	15.00	485x300x300

- Made of high carbon steel, high hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.

Code	Model No.	Amm	Bmm	Cmm	Lmm	 PCS	 Kg	 mm
084106	RPC-6	16.5	45	2.8	165	60(6x10box)	12.8	485x268x405
084108	RPC-8	18.0	78	3.5	200	60(6x10box)	16.7	505x290x400

- Power saved Diagonal pliers
- Made of Chrome Vanadium, high tenacity, high hardness
- The cutter edge achieved high hardness and wear resistance after special heat process, cut ability is improved also.
- After precision process, The pliers body is more close fitting without swing, which makes cutting more easily and power saved.
- The handle dipping with elastic rubber, makes it more convenience and soft for handling.
- Eccentric design makes usage power saved.
- Standard: QB/T 2440-2442-2007
- Refer to: ISO 5745:1988

Code	Model No.	Amm	Bmm	Cmm	Lmm	 PCS	 Kg	 mm
080210	RP-6E	17.5	57	9.8	165	60(6x10box)	13.20	504x380x409



- Made of 60 Chrome vanadium, high tenacity and hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.


Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS 	kg 	mm 
080006	TP-6	22	24	12.5	170	60(6x10box)	19.00	472x346x255
080007	TP-7	24	39	13.0	195	60(6x10box)	22.00	485x363x274
080008	TP-8	28	43	14.5	215	60(6x10box)	30.50	485x373x300

- Made of high carbon steel, high hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
084006	TPC-6	24.5	44.5	9.9	160	60(6x10box)	15.1	480x264x386
084007	TPC-7	27.7	48.0	11.0	180	60(6x10box)	19.3	495x295x398
084008	TPC-8	30.0	49.6	11.3	200	60(6x10box)	25.5	495x298x405

Combination Pliers With Hole


- Made of Chrome vanadium, high tenacity and hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
080906	TP-6J	22	24	12.5	170	60(6 × 10box)	18.70	472x346x255
080907	TP-7J	24	39	13.1	195	60(6 × 10box)	21.80	497x366x295
080908	TP-8J	28	43	14.4	215	60(6 × 10box)	28.70	472x378x321

Combination Pliers (Labor Saving)

- Power saved Diagonal pliers
- Made of Chrome Vanadium, high tenacity, high hardness
- The cutter edge achieved high hardness and wear resistance after special heat process, cut ability is improved also.
- After precision process, The pliers body is more close fitting without swing, which makes cutting more easily and power saved.
- The handle dipping with elastic rubber, makes it more convenience and soft for handling.
- Eccentric design makes usage power saved.




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
080010	TP-6E	22	24	12.4	150	60(6x10box)	15.70	472x346x255
083010	TP-8E	28	43	14.4	200	60(6x10box)	23.50	472x378x321

Plastic Cutting Pliers Flat Shaped

Plastic Cutting Pliers (Dipping Handles)


- Made of Chrome vanadium, high tenacity.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
089005	PP-5S	16.5	25.5	8.5	125	60(6x10box)	7.90	450x201x194
089006	PP-6S	18.0	29	10.0	155	60(6x10box)	11.50	482x252x203

Plastic Cutting Pliers (Bi-Colored Handles)

- Made of 60 Chrome vanadium, high tenacity and hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
080105	PP-5	16.5	25.5	9.5	135	60(6x10box)	9.50	690x220x205
080106	PP-6	18	29.5	10.5	158	60(6x10box)	12.90	472x346x255

Diagonal Electronic Pliers

Diagonal Electronic Pliers (Dipping Handles)


- Made of Chrome vanadium, high tenacity.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- Standard: GB/T 15730-2008



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
089205	NP-5S	13.0	20.0	7.5	128	60(6x10box)	6.90	450x201x194

Diagonal Electronic Pliers (Bi-Colored Handles)

- Made of 60 Chrome vanadium, high tenacity and hardness.
- Cutting edge processed by high frequency heat treatment, ensure high hardness, abrasive resistance and cutting ability.
- The pliers processed precisely, ensure the body close fitting without swing. Also precision process for cutting edge, make it more easily for cutting.
- The handle is made of elastic rubber, more soft and comfortable.




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
080205	NP-5	13.5	20	7.5	125	60(6x10box)	7.70	460x285x210

Snap Ring Pliers

Internal Snap Ring Pliers


- Cr.V material
- INTERNAL CIRCLIP DESIGN
Tips close when handles close for inserting or removing retaining rings sitting inside the housing.
- COIL SPRING WITH PRECISION PROCESSING
Fine knife width peak of 0.2mm to enable smooth cutting.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
082115	SR-5A	27.5	15.5	8.5	129	60(10X6box)	8.10	420x180x170
082117	SR-7A	43.5	20	10	182	60(10X6box)	12.30	420x245x210
082119	SR-9A	55.0	25.0	10.5	234	60(10X6box)	20.80	530x285x215
082113	SR-13A	75.0	8.1	3.2	330	60(6X10box)	31.80	400x300x210

External Snap Ring Pliers


- Cr.V material
- EXTERNAL CIRCLIP DESIGN
Tips open when handles close for inserting or removing retaining rings fitted around a shaft.
- COIL SPRING WITH PRECISION PROCESSING
Fine knife width peak of 0.2mm to enable smooth cutting.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
082105	SR-5B	27.5	22.0	8.3	126	60(10X6box)	6.55	420x180x170
082107	SR-7B	43.5	26.5	10	182	60(10X6box)	11.70	420x245x210
082109	SR-9B	55.0	34.5	10.5	232	60(10X6box)	19.90	530x285x215
082103	SR-13B	75.0	48.0	3.2	330	60(6X10box)	31.80	400x300x210

Bent Internal Snap Ring Pliers


- Cr.V material
- INTERNAL CIRCLIP DESIGN WITH BENT TIPS
Tips close when handles close for inserting or removing retaining rings fitted inside the housing. Bent tips offer a different working angle than standard pliers.
- COIL SPRING WITH PRECISION PROCESSING
Fine knife width peak of 0.2mm to enable smooth cutting.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
082215	SR-5C	19	15	8.5	124	60(10X6box)	8.20	405X180X235
082217	SR-7C	30	21	9.5	168	60(10X6box)	12.30	520X245X275
082219	SR-9C	40	24	10.5	217	60(10X6box)	21.40	515X285X330
082213	SR-13C	55	16.8	31.6	306	60(6X10box)	33.20	400X390X210

Bent External Snap Ring Pliers

- Cr.V material
- EXTERNAL CIRCLIP DESIGN WITH BENT TIPS
Great for when the rings are too close to a surface or at an awkward or cramped angle.
- COIL SPRING WITH PRECISION PROCESSING
Fine knife width peak of 0.2mm to enable smooth cutting.




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	Hmm
082205	SR-5D	19	21	8.0	120	60(10X6box)	6.85	405X180X235
082207	SR-7D	30	26.5	9.5	168	60(10X6box)	12.05	520X245X275
082209	SR-9D	40	34	10.5	220	60(10X6box)	20.25	515X285X330
082203	SR-13D	53	49	31.6	306	60(6X10box)	33.20	400X390X210

Locking Pliers

Curved Jaw With Wire Cutter


- Chrome vanadium jaws
- Classic trigger release mechanism designed for easy handling, maximum locking force, and fast repositioning.
- Featured with a wire cutter at the jaw of each piece, bringing you with more convenience.
- The adjustable screws on the bottom are for easy changing of the clamping pressure.
- Curved jaw pliers provide grip to these flat, round, square and hex-shaped materials..



Code	Model No.	Amm	Bmm	PCS	Kg	Hmm
081105	LGP-5	135	40	60(10x6box)	11.15	376x217x256
081107	LGP-7	191	52	40(10x4box)	15.15	420x267x199
081110	LGP-10	226	64	40(10x4box)	22.95	450x332x217

Straight Jaw


- Chrome vanadium jaws
- For convenient one-handed use.
- Featured with a wire cutter.



Code	Model No.	Amm	Bmm	PCS	Kg	Hmm
081207	SGP-7	184	61	40(10x4box)	17.70	420x267x199
081210	SGP-10	220	70	40(10x4box)	24.50	450x332x217

Long Nose With Wire Cutter


- Chrome vanadium jaws
- SECURE GRIP: Long, straight nose design with hardened teeth provides a secure grip on your working materials even in narrow and confined areas.EASY LOCKING: A classic trigger release mechanism for easy handling and maximum locking force.



Code	Model No.	Amm	Bmm	PCS	Kg	Hmm
081306	LNP-6	167	39	60(10x6box)	13.20	360x267x256
081309	LNP-9	21.5	51	40(10x4box)	17.60	435x325x295

Welding Clamp

- Cr-v
- With a wire cutter




Code	Model No.	Amm	Bmm	PCS	Kg	Hmm
081409	WCP-9	225	66	20(1x20box)	12.50	425x293x294

Locking Pliers

Cocking Pliers Sheet Metal Tool


- Cr-v
- With a wire cutter



Code	Model No.	Amm	Bmm	PCS	Kg	mm
081508	SMP-8	209	60	20(1x20box)	11.70	439x229x290

Locking Pliers "C" Clamp with standard Tips


- Cr-v
- With a wire cutter



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
081611	CGP-11	281	140	71	90	10(1x10box)	9.65	312x294x245

Chain Type Locking Pliers


- Chrome vanadium jaws.
- QUICK RELEASE DESIGN
For convenient one-handed use.
- 20" CHAIN LOCKS ON TO IRREGULAR SHAPES.
- ADJUSTABLE THUMB SCREW FOR JAW CAPACITY.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
081710	LCC-10	227	55	508		24(6x4box)	19,70	309x295x268

Slip-Joint Pliers


Material Carbon Steel; straight jaw.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080307	CP-6	34.5	27	9	155	60(6x10box)	12.60	490x260x220
080308	CP-8	41.5	31	11.5	200	60(6x10box)	18.00	490x300x260
080310	CP-10	48	41	12	249	36(6x6box)	17.00	390x360x260

Water Pump Pliers

- High carbon steel.
- An ergonomic, easy-to-hold design handle.
- ALL-PURPOSE JAW - Versatile tool that securely grips a variety of irregular shapes.




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080405	WP-5	24.5	24.5	6.5	125	120(6x20box)	14.60	380x210x390
080408	WP-8	40	35.5	8.5	205	60(6x10box)	19.80	480x300x230
080410	WP-10	45.5	38	11.5	250	48(6x8box)	21.00	460x340x240
080412	WP-12	51	43	12	305	36(6x6box)	23.50	385x335x240

Mini Pliers

Bent Nose Pliers


- Cr-v



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080501	MP-5E	11	30	18	133	120(6x20box)	13.10	600x220x400

Long Nose Pliers


- Cr-v



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080502	MP-5R	12.5	30	6.5	127	120(6x20box)	14.60	600x220x400

Needle Nose Pliers


- Cr-v



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080503	MP-5A	10	53	6.5	160	120(6x20box)	15.30	570x250x400

Flat Nose Pliers


- Cr-v



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080505	MP-5L	11.5	30	7	128	120(6x20box)	15.00	600x220x400


Cutting Pliers

- Cr-v



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080504	MP-5D	11.5	17.5	7	125	120(6x20box)	14.60	600x220x400


Cable Cutter (Cr-V)



Code	Model No.	Lmm	PCS	Kg	mm
083606	CC-6	170	60(6x10box)	13.80	510x253x188
083608	CC-8	215	60(6x10box)	20.90	590x291x200
083610	CC-10	242	60(6x10box)	24.50	640x322x215

Cable Cutter


- Applicable to cut strand copper, aluminium cable, Not proper to cut iron wire, steel cable, can't hot-line work.
- Cutting range:
CC-14: 95mm² CC-18: 150mm²
CC-24:240mm² CC-36: 500mm²



Code	Model No.	Lmm	PCS	Kg	mm
083614	CC-14	370	20(1x20box)	13.20	490x432x158
083618	CC-18	480	10(1x10box)	11.00	490x432x158
083624	CC-24	630	8(1x8box)	15.40	665x408x184
083636	CC-36	912	2(1x2box)	8.80	967x209x130

Nippers

- Professional to remove the broken and rusty screw.



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
080406	BP-6	16	10	13.6	150	60(6x10box)	12.70	485x330x245

Nippers

- Stainless Steel
- 5"
- Suitable for cutting copper wire



Code	Model No.	Lmm	PCS	Kg	mm
160804	EP-5	125	120(12x10box)	10.69	460x260x220

Heavy Duty Bench Vise

- Precisely casting by good quality material, electrostatic spraying finish.
- The steel structure provide high and strong clamping power, safety for use.
- The lead screw nut is made to special structure, difficult for shape change, crack and fall off.
- The chassis is made to special structure, never slide after lock.



Code	Model No.	PCS	Kg
083504	BV-4	1(1x1box)	11.96
083505	BV-5	1(1x1box)	17.40
083506	BV-6	1(1x1box)	25.60
083508	BV-8	1(1x1box)	31.58



Insulated Tools



German TÜV information product GS certification standard.



German electrical, association of electronic and information technology.



IEC International Electrotechnical Commission




Suitable for working on live parts.



Insulated Screwdriver

- Approved by VDE certificate
- Insulated by 1000V



1000V05
IEC60900:2004

Code	Model No.	A-B mm	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
054023	⊖ IS2.5-75	0.4-2.5	4.2	24	75	152	120(6x20box)	3.95	360x200x190
054044	⊖ IS4.0-100	0.8-4.0	5.8	26	100	185	120(6x20box)	6.15	393x237x190
054055	⊖ IS5.5-125	1.0-5.5	7.3	28.5	125	220	120(6x20box)	10.00	508x292x235
054066	⊖ IS6.5-150	1.2-6.5	8.3	28.5	150	246	120(6x20box)	12.15	508x292x235

Code	Model No.	B	Cmm	Dmm	Pmm	Lmm	PCS	Kg	I mm
054143	⊕ IS#0-75	#0	5	24	75	152	120(6x20box)	4.20	360x200x190
054153	⊕ IS#1-80	#1	6.5	26	80	160	120(6x20box)	6.40	508x212x185
054164	⊕ IS#2-100	#2	8	28.5	100	195	120(6x20box)	9.40	453x237x190

Insulated Screwdriver 8pcs Set




Code	Model No.	Contents	PCS	Kg	I mm
054008	IS-8S	⊖ 2.5-75 4.0-100 5.5-125 6.5-150 ⊕ #0-75 #1-80 #2-100 Digital test pencil	12(1x12box)	12.10	485x325x315

Insulated Pliers

Insulated Combination Pliers


- Material: Chrome Vanadium.
- VDE certificated.
- Insulated for 1000V.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	I mm
083006	ITP-6	23	45	165	60(6x10box)	16.60	510x260x400
083007	ITP-7	28	50	190	60(6x10box)	21.50	510x280x420
083008	ITP-8	30	52	205	60(6x10box)	24.45	510x300x440

Insulated Wire Stripper


- Material: Chrome Vanadium.
- VDE certificated.
- Insulated for 1000V.



Code	Model No.	Amm	Lmm	PCS	Kg	I mm
083306	IWS-6	30	165	60(6x10box)	15.50	510x260x400

Insulated Diagonal Pliers


- Material: Chrome Vanadium.
- VDE certificated.
- Insulated for 1000V.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	I mm
083206	IDP-6	23	30	170	60(6x10box)	25.70	510x210x400
083208	IDP-8	30	32	212	60(6x10box)	27.05	510x300x420

Insulated Long Nose Pliers

- Material: Chrome Vanadium.
- VDE certificated.
- Insulated for 1000V.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	I mm
083106	IRP-6	15	60	168	60(6x10box)	12.25	510x280x400
083108	IRP-8	20	82	208	60(6x10box)	15.60	510x300x420



INDEX



Electronic Tool



Product Introduction

Steady, safety and reliable function
Use LSI double integral A/D converter as heart
Circuit overload protection for whole process
Unique design
Available for DC voltage, AC voltage, Resistance
Diode and circuit continuity



Digital voltage tester
portable and easy to use



Aluminum alloy
LED bulb, much more brighter

Multimeter

Multimeter Warranty Terms

- We'll provide the free maintenance and replacement of spare parts service if there are material or technical defects for the products within one year from the purchase date (Based on the purchase order document date)
- The products broken by the accident, negligence, misusage or using at the improper situation are not in the range of free maintenance and replacement of spare parts service.
- The products which are repaired by the other maintenance companies but not which appointed by JETECH are not in the range of free maintenance and replacement of spare parts service.

Analogue Multimeter



- Stable, safety and durable
- Use the large scale integrated circuit A/D adapter as the core
- Overall overload protection circuit
- Special appearance design
- Testing range: DC voltage, AC voltage, AC, resistance, diode and circuit connecting or cutting
- Note: Please be clear with the grades when using, otherwise the circuit will be broken.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
160904	AM-A	80	160	20(1x20box)	10.50	407x347x303
160905	AM-B	111	173	20(1x20box)	12.00	407x277x293

Digital Multimeter



- Stable, safety and durable
- Use the large scale integrated circuit A/D adapter as the core
- Overall overload protection circuit
- Special appearance design
- Testing range: DC voltage, AC voltage, AC, resistance, diode and circuit connecting or cutting
- Note: Please be clear with the grades when using, otherwise the circuit will be broken.




DC voltage: 200mV+/- (0.5%+2);
2V/20V/200V/600V+/- (0.8%+2)
AC voltage: 200V/600V+/- (1.2%+10)
DC voltage: 200μA+/- (1.2%+2);
20μA/200μA/2000μA+/- (1.0%+2);
2000mA+/- (1.0%+2); 10A+/- (2.0%+2);
Resistance: 200Ω+/- (1.0%+2);
2KΩ/20KΩ/200KΩ+/- (0.8%+2);
2000KΩ+/- (1.2%+2);

Code	Model No.	Amm	Lmm	PCS	Kg	mm
160901	DM-A	70	140	60(10x6box)	15.00	607x237x370
160902	DM-B	80	160	40(10x4box)	13.50	518x287x386
160903	DM-C	83	165	30(5x6box)	22.50	652x357x358
160909	DM-D	79.5	159	20(1x20box)	22.50	350x320x280

Clamp Multimeter



- Stable, safety and durable
- Use the large scale integrated circuit A/D adapter as the core
- Overall overload protection circuit
- Special appearance design
- Testing range: DC voltage, AC voltage, AC, resistance, diode and circuit connecting or cutting
- Note: Please be clear with the grades when using, otherwise the circuit will be broken.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
160906	DCM-A	65	151	60(1x60box)	14.00	517x292x278

Clamp Multimeter


- Stable, safety and durable
- Use the large scale integrated circuit A/D adapter as the core
- Overall overload protection circuit
- Special appearance design
- Testing range: DC voltage, AC voltage, AC, resistance, diode and circuit connecting or cutting
- Note: Please be clear with the grades when using, otherwise the circuit will be broken.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
160907	DCM-B	79	230	20(1x20box)	10.60	517x292x278


Electrician Cutter

Electrician Cutter Straight Jaw




Code	Model No.	Tmm	Amm	Bmm	Lmm	PCS	Kg	mm
160401	EK-8A	3	30	110	121	60(10x6box)	10.00	352x202x247

Electrician Cutter Curved Jaw



Code	Model No.	Tmm	Amm	Bmm	Lmm	PCS	Kg	mm
160402	EK-8B	3	28	120	198	60(10x6box)	10.00	352x202x247

Soldering Iron




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
160130	LSI-30	19	95	216	98(8x12box)	16.00	590x320x390
160140	LSI-40	19	107	230	98(8x12box)	17.00	590x320x395
160150	LSI-50	19	112	235	98(8x12box)	17.00	590x320x395
160160	LSI-60	30	115	240	98(8x12box)	17.00	590x320x395



INDEX


Voltage Tester

Voltage Tester



Code	Model No.	Amm	Lmm	PCS	Kg	mm
140101	VTD-130	18	133	240(12x20box)	6.00	436x396x265

Voltage Tester



Code	Model No.	Amm	Lmm	PCS	Kg	mm
140201	VT-140	15	146	240(12x20box)	10.00	430x396x215

Digital Voltage Tester

○Digital display test pencil, carry conveniently, read more clearly.




Code	Model No.	Amm	Lmm	PCS	Kg	mm
140102	VTD-140	25	145	240(12x20box)	22.10	620x450x295

Tweezers

110mm Needle Tip Tweezers

○Tainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171000	TT-1	8.6	108.5	120(12x10box)	3.12	227x206x312

125mm Needle Tip Tweezers

○Stainless steel




Code	Model No.	Amm	Lmm	PCS	Kg	mm
171002	TT-2	26.5	125	120(12x10box)	6.50	568x396x142

Antistatic Tweezers

135mm Needle Tip Tweezers


○Stainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171003	TT-3	9	135	100(10x10box)	4.00	212x204x193

120mm Curved Tip Tweezers


○Stainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171004	TT-4	9	112	100(10x10box)	3.60	212x204x193

120mm Wide Tip Tweezers

○Stainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171005	TT-5	10.2	118	120(12x10box)	3.60	227x206x312

110mm Micro Tip Tweezers

○Stainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171006	TT-6	10	109.5	120(12x10box)	3.24	227x206x312

130mm Needle Tip

○Stainless steel




Code	Model No.	Amm	Lmm	PCS	Kg	mm
171401	ETT-1	10	128	120(12x10box)	4.02	210x290x285

Antistatic Tweezers

130mm Wide Tip


○Stainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171402	ETT-2	10	129	120(12x10box)	4.19	210x290x285

130mm Curved Tip


○Stainless steel



Code	Model No.	Amm	Lmm	PCS	Kg	mm
171403	ETT-3	10	128	120(12x10box)	4.27	210x290x285

LED Flash Light


○Aluminum alloy LED bulb,much more brighter



Code	Model No.	Amm	Lmm	PCS	Kg	mm
161302	AF-L	26.5	125	72(6x12box)	6.50	360x245x200


Rechargeable Glare flashlight

NEW




Code	Model No.	Amm	Lmm	PCS	Kg	mm
161303	AF-R		170	24(4x6box)	7.56	538x352x260

Portable Magnetic Working Torch



Code	Model No.	Amm	Lmm	PCS	Kg	mm
170316	A15-FL-M	24	165	48(12x4box)	4.80	480x240x260


Hot Glue Gun



Code	Model No.	Amm	Lmm	PCS	Kg	mm
100302	HMG40-80	195	175	20(1x20box)	16.60	450x430x520
100303	HMG60-100	195	175	20(1x20box)	16.60	450x430x520

9" Revolving Caulking Gun

○Applicable for the glass, metal, plastic, leather and etc.
○Capacity: 300-334ml
○360° rotatable design, applicable to use in the corner and slit




Code	Model No.	Amm	Lmm	PCS	Kg	mm
100401	CG-9	58	340	24(6x4box)	16.5	313x289x240

Caulking Gun

9" Sausage Caulking Gun

- Applicable for the glass, metal, plastic, leather and etc.
- Capacity: 300~334ml
- Made of aluminum alloy, the handle can't be rotated, convenient and high strength.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
100402	CCG-9	68	448	24(6x4box)	16.5	380x285x262

Antistatic Brush

Straight Handle



Code	Model No.	Amm	Lmm	PCS	Kg	mm
160802	ASB-S	11	180	120(12x10box)	3.60	522x405x198

U Type Handle



Code	Model No.	Amm	Lmm	PCS	Kg	mm
160803	ASB-U	55	120	60(6x10box)	10.30	725x498x200

Plastic Tin Absorber



Code	Model No.	Lmm	PCS	Kg	mm
160204	ASA-B	170	120(12x10box)	8.50	605x327x248

Wire Stripper

Automatic Wire Stripper

- Precisely strip wire function, don't break the wire
- The cutting edge open and close freely, comfortable grip feeling.
- Material: Zinc Alloy Casting
- Capacity:




EWS-A: ϕ 0.5mm— ϕ 1.2mm— ϕ 1.6mm— ϕ 2.0mm
EWS-B: ϕ 1.0mm— ϕ 1.6mm— ϕ 2.0mm— ϕ 2.6mm— ϕ 3.2mm
EWS-C: ϕ 1.25mm— ϕ 2.0mm— ϕ 3.5mm— ϕ 5.5mm— ϕ 8.0mm

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
160501	EWS-A	20	28	170	48(6x8box)	19.80	547x445x230
160502	EWS-B	20	28	170	48(6x8box)	19.20	547x445x230
160503	EWS-C	20	28	170	48(6x8box)	19.70	547x445x230

Wire Stripper 6"


- Material: Whole body cold rolled steel sheet.
- Precision wire stripping hole, ensure stripping easily and no damage to inner line.
- Comfortable plastic handle, easy for use.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
160300	WS-5	18	128	72(6x12box)	10.00	400x235x260
160301	WS-6	30	165	60(10x6box)	10.00	335x255x259
160302	WS-8	36	215	60(10x6box)	14.60	405x300x310

Multifunction Wire Stripper

- Available for: single branch line and flat cable diameter 0.5~6.0mm




Code	Model No.	Amm	Lmm	PCS	Kg	mm
160201	FWS-7	85	170	60(10x6box)	15.50	458x266x522

Crimper

9" Crimper-Insulated Terminal


- Carbon Steel
- For:
AWG 22-18/16-14/12-10
DIN 0.5-1.0/1.5-2.5/4.0-6.0mm²



Code	Model No.	Amm	Lmm	PCS	Kg
160601	RCP-001	55	220	36(6x6box)	21.50

9" Crimper-Non-Insulated Terminal


- Carbon Steel
- For:
AWG 20-18/16-14/12-10/8.0
DIN 1.5/2.5/6.0/10mm²



Code	Model No.	Amm	Lmm	PCS	Kg
160602	RCP-002	55	220	36(6x6box)	21.70

9" Crimper-RG Type Coaxial Cable Connector

- Carbon Steel
- For:
AWG 0.255/0.213/0.100/0.068/0.324
DIN 6.48/5.41/2.54/1.72/8.23mm²
RG58,59,62,174




Code	Model No.	Amm	Lmm	PCS	Kg
160603	RCP-003	54	220	36(6x6box)	21.10

Crimper

9" Crimper-Cord-End Terminal(Small AWG)


- Carbon Steel
- For:
AWG 22/20/18/16/14/12
DIN 0.5/0.75/1.0/1.5/2.5/4.0mm²



Code	Model No.	Amm	Lmm	PCS	Kg
160604	RCP-004	55	220	36(6x6box)	22.30

9" Crimper-Cord-End Terminal (Large AWG)


- Carbon Steel
- For:
AWG 10/8.0/6.0
DIN 6.0/10/16mm²



Code	Model No.	Amm	Lmm	PCS	Kg
160605	RCP-005	54	220	36(6x6box)	22.40

9" Crimper-8 Position 8 Contact Connector

- Carbon Steel
- For:
8P8C/RJ45 Plugs




Code	Model No.	Amm	Lmm	PCS	Kg
160606	RCP-006	55	220	36(6x6box)	21.30



Crimper

9" Crimper-6 Position 6 Contact Connector


- Carbon Steel
- For:
6P2C,6P4C/RJ11 Plugs
6P6C/RJ12 Plugs



Code	Model No.	Amm	Lmm	PCS	Kg
160607	RCP-007	54	220	36(6x6box)	22.50

9" Crimper-Open Barred Terminal


- Carbon Steel
- For:
AWG 20-18/16-14/12-10
DIN 0.5-1.0/1.5-2.5/4.0-6.0mm²



Code	Model No.	Amm	Lmm	PCS	Kg
160608	RCP-008	55	220	36(6x6box)	22.40

9" Crimper-Open Barred Terminal

- Carbon Steel
- For:
AWG 26-24/24-22/22-18
DIN 0.1-0.25/0.25-0.5/0.5-1.0mm²




Code	Model No.	Amm	Lmm	PCS	Kg
160609	RCP-009	55	220	36(6x6box)	22.10

Crimper

9" Crimper-Open Barred Terminal


- Carbon Steel
- For:
AWG 14/22/8.0-6.0
DIN 2.5/0.5/8.0-10mm²



Code	Model No.	Amm	Lmm	PCS	Kg
160610	RCP-010	55	220	36(6x6box)	22.30

9" Multipurpose Crimper-4P/6P/8P Contact Connector

- Carbon Steel
- For:
8P8C/RG-45
6P6C/RJ-12
6P4C/RJ-11&6P2C



Code	Model No.	Amm	Lmm	PCS	Kg
160611	RCP-011	52	192	36(6x6box)	

Measuring Tools




JETECH soft case measuring tape in elastomer plastic cover, make soft hand comfortable handheld, absorb drop shock, with belt clip made of durable and flexible metal spring material.



Buckles strengthen tape tip

Models width 19mm and 25mm have tape end with reinforce sheet to protect tape from bend and crack.



Corrective tape end hook design adjusts hook thickness to make accurate zero point no matter measuring hook out hung or hook heads.



- Tape is made of SK4 high carbon
- White acrylic coating
- Transparent surface coating
- Durable and antiseptic

Measuring Tape

Measuring Tape (metric)


- Tape is made of SK4 high carbon steel
- White acrylic coating
- Transparent surface coating, durable and antiseptic



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
091320	PS13-2.0	45	20	50	120(6x20box)	10.00	435x384x245
091330	PS13-3.0	50	20	55	60(6x10box)	7.40	435x202x245
091635	PS16-3.5	50	25	60	60(6x10box)	9.60	500x202x245
091950	PS19-5.0	60	25	65	60(6x10box)	13.60	555x202x245
092550	PS25-5.0	60	35	65	60(6x10box)	16.00	670x200x255
092575	PS25-7.5	70	35	75	60(6x10box)	24.00	675x227x245

Measuring Tape (dual scaled metric and imperial)

- Tape is made of SK4 high carbon steel
- White acrylic coating
- Transparent surface coating, durable and antiseptic
- Standard: QB/T 2443-2011



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
091321	PS13-2.0D	48	20	50	120(6x20box)	9.70	470x365x220
091331	PS13-3.0D	55	20	57	60(6x10box)	8.40	450x190x245
091636	PS16-3.6D	60	24	63	60(6x10box)	10.60	500x200x245
091951	PS19-5.0D	60	25	60	60(6x10box)	13.30	575x200x255
092551	PS25-5.0D	61	34	65	60(6x10box)	16.30	675x227x245
092581	PS25-8.0D	70	34	73	60(6x10box)	24.30	675x227x245

Auto lock Measuring Tape(metric)

- Tape is made of SK4 high carbon steel
- White acrylic coating
- Transparent surface coating, durable and antiseptic
- It can lock automatically with the auto-stop device



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
091327	PSP13-2.0	50	20	50	120(6x20box)	11.60	470x365x220
091637	PSP16-3.5	55	25	60	60(6x10box)	11.00	480x200x250
091957	PSP19-5.0	60	30	66	60(6x10box)	14.00	575x200x253
092557	PSP25-5.0	60	35	60	60(6x10box)	17.30	670x200x255

Long Steel Measuring Tape


- Tape is made of SK4 high carbon steel
- White acrylic coating
- Transparent surface coating, durable and antiseptic



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
090410	SPL10-10	75	40	75	60(6x10box)	12.50	560x350x202
090420	SPL10-20	95	40	95	48(6x8box)	15.00	374x350x311
090430	SPL10-30	110	40	110	48(6x8box)	21.66	420x340x355


Long Steel Measuring Tape (nylon coated)

- Tape is made of SK4 high carbon steel
- White acrylic coating
- Transparent surface coating, durable and antiseptic
- Nylon coated tape, wear resistance and corrosion resistance



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
090130	NST10-30	300	130	170	10(1x10box)	10.80	515x320x195
090150	NST10-50	345	145	195	10(1x10box)	14.36	515x360x230


Long Steel Measuring Tape



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
090230	MPL13-30	315	170	196	10(1x10box)	11.80	445x340x220
090250	MPL13-50	355	190	235	10(1x10box)	15.40	415x375x260


Level

Standard Level



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
070103	LVS-300	50	20	300	60(6x10box)	10.40	343x290x305
070105	LVS-400	50	20	400	60(6x10box)	13.60	445x290x305
070104	LVS-450	50	20	450	60(6x10box)	13.06	493x290x305
070106	LVS-600	50	20	600	60(6x10box)	16.00	643x290x305
070107	LVS-750	50	20	750	36(6x6box)	11.50	786x290x185
070108	LVS-800	50	20	800	36(6x6box)	14.30	940x400x210
070109	LVS-900	50	20	900	36(6x6box)	13.20	943x290x193
070110	LVS-1000	50	20	1000	12box	6.20	1035x140x120
070112	LVS-1200	50	20	1200	12box	6.00	1230x140x115


Grip Holed Level



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
070206	LVB-600	60	23	600	60(6x10box)	25.50	630x400x335
070209	LVB-900	60	23	900	36(6x6box)	23.70	940x400x210
070212	LVB-1200	60	23	1200	12box	9.20	1230x170x125
070215	LVB-1500	60	23	1500	12box	11.30	1535x170x125
070218	LVB-1800	60	23	1800	6box	6.80	1840x95x130


Magnetic level

Standard Level



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
070504	LVM-400	60	23	400	60(6x10box)	13.60	445x290x305
070506	LVM-600	60	23	600	60(6x10box)	16.00	643x290x305
070512	LVM-1200	60	23	1200	12(1x12box)	6.00	1230x140x115

Magnetic Level Heavy Duty



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
070304	LVM-400H	60	23	400	60(6x10box)	13.60	525x430x352
070306	LVM-600H	60	23	600	60(6x10box)	25.50	630x400x335
070312	LVM-1200H	60	23	1200	12(1x12box)	9.20	1230x170x125

Feeler Gauge

9pcs Feeler Gauge

- Material: 65# spring steel



Code	Model No.	Content mm	PCS	Kg	mm
170809	FGS-9	0.04 0.05 0.06 0.07 0.08 0.10 0.15 0.20 0.30	240(10x24box)	7.76	327x195x290

14pcs Feeler Gauge

- Material: 65# spring steel



Code	Model No.	Content mm	PCS	Kg	mm
170814	FGS-14	0.05 0.10 0.15 0.20 0.25 0.30 0.40 0.50 0.60 0.70 0.80 0.90 1.00 2" Straight ruler piece	120(10x12box)	9.90	326x206x246

23pcs Feeler Gauge

- Material: 65# spring steel



Code	Model No.	Content mm	PCS	Kg	mm
170823	FGS-23	0.02 0.03 0.04 0.05 0.10 0.15 0.20 0.25 0.30 0.35 0.40 0.45 0.50 0.55 0.60 0.65 0.70 0.75 0.80 0.85 0.90 0.95 1.00	120(10x12box)	13.76	384x267x240

32pcs Feeler Gauge

- Material: 65# spring steel



Code	Model No.	Content mm	PCS	Kg	mm
170832	FGS-32	0.02 0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.10 0.13 0.15 0.18 0.20 0.23 0.25 0.28 0.30 0.33 0.38 0.40 0.45 0.50 0.55 0.60 0.63 0.65 0.70 0.75 0.80 0.85 0.90 1.00	120(10x12box)	17.10	394x308x202



Striking Tools



COMFORTABLE

Use the special heat treatment at the base to make the base's intensity stronger than the body's intensity and reduce the counterforce when knocking and reduce the harm of hand when operating.

Shock Absorb

- Soft surface, no damage to object surface.
- Metal sands inside absorb striking shock and reduce rebound force.
- The handle is made of steel and covered by rubber, strong in use.

Segmented heat treatment

Heat treatment ensures hammer heads higher hardness, reduce strike rebound force and also avoid hurt to hand.

Lighter and stronger handle

Accuracy in accordance with Din standard.
60Cr.V material
Chrome plated, antirust

Feeler Gauge

16pcs Curved Feeler Gauge

NEW




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
170816	FGSC-16	36	10	500	120(10x12box)	20,36	550x480x275

Steel Ruler

Steel Ruler



○ Stainless Steel



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
072101	SR-150	19.1	0.8	172	240(10x24box)	6.50	208x199x100
072102	SR-300	25.1	1.0	326	240(10x24box)	18.90	367x271x100
072103	SR-500	27.9	1.0	529	120(10x12box)	16.80	573x213x760
072104	SR-1000	28.0	1.1	1033	60(10x6box)	33.60	1080x160x80

Steel Ruler

○ Stainless Steel



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
072201	AS-200	36.1	1.0	200	120(10x12box)	20.90	496x306x280
072202	AS-300	36.1	1.0	300	120(10x12box)	27.10	696x390x280
072203	AS-500	36.1	1.0	500	60(6x10box)	10.00	555x485x275

Digital Callipers

Digital Callipers




Code	Model No.	Aange(mm)	Accuracy(mm)	PCS	Kg	mm
072302	DVC-150	0-150	± 0.03	48(6x8box)	20.1	562x398x215
072303	DVC-200	0-200	± 0.03	48(6x8box)	20,5	562x398x215

Striking Tool

Claw Hammer With Wooden Handle


- The head of hammer is forged by the premium medium carbon steel
- Processed by the special heat treatment at the base to make the base's intensity stronger than the body's intensity and reduce the counterforce when knocking and reduce the harm of hand when operating.



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
120208	HCW-8	8(0.5lb)	29	125	290	48(6x8box)	20.00	410x279x410
120213	HCW-13	13(0.8lb)	34	147	310	36(6x6box)	21.25	410x279x315
120216	HCW-16	16(1lb)	28	135	330	36(6x6box)	24.60	424x345x301
120220	HCW-20	20(1.25lb)	20	175	330	36(6x6box)	32.00	424x345x301
120224	HCW-24	24(1.5lb)	40	173	405	24(6x4box)	22.10	459x345x209

Claw Hammer With Fiberglass Handle


- The surface of head is processed by high-frequency quenching, high hardness and impact resistance
- The head and handle are specially processed, don't slip easily.
- The hand is designed by ergonomics, grip comfortably



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
121226	HCMP-13	45	125	280	36(6x6box)	21.25	375x285x285
121232	HCMP-16	50	150	320	36(6x6box)	24.46	395x305x300

Machinist Hammer With Wooden Handle


- The head of hammer is forged by the premium medium carbon steel
- Processed by the special heat treatment at the base to make the base's intensity stronger than the body's intensity and reduce the counterforce when knocking and reduce the harm of hand when operating.



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
120302	HEW-2	200g	30	98	285	60(6x10box)	19.10	408x396x241
120303	HEW-3	300g	30	105	302	36(6x6box)	16.10	369x239x256
120304	HEW-4	400g	32	110	320	24(6x4box)	13.30	401x279x219
120305	HEW-5	500g	32	120	325	24(6x4box)	16.30	401x279x219
120308	HEW-8	800g	34	130	355	18(6x3box)	18.00	434x383x159
120310	HEW-10	1000g	35	140	370	12(6x2box)	15.40	470x310x145

300g Scaling Hammer With Hickory Handle


- The flat head is used to remove the rust before welding
- High-grade walnut wooded handle



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
120603	HWE-3	25	135	280	36(6x6box)	16.10	370x365x270

Claw Hammer With Fiberglass Handle


- Fiber glass handle grip
- The head of hammer is forged by the premium medium carbon steel
- Processed by the special heat treatment at the base to make the base's intensity stronger than the body's intensity and reduce the counterforce when knocking and reduce the harm of hand when operating.



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
121216	HCP-16	16(1lb)	34	156	330	36(6x6box)	26.10	474x345x301
121220	HCP-20	20(1.25lb)	40	173	327	36(6x6box)	31.00	424x343x301
121224	HCP-24	24(1.5lb)	40	155	323	24(6x4box)	22.20	459x345x209

Ball Pein Hammer With Wooden Handle


- The head of hammer is forged by the premium medium carbon steel
- Processed by the special heat treatment at the base to make the base's intensity stronger than the body's intensity and reduce the counterforce when knocking and reduce the harm of hand when operating.



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
120108	HBW-8	8(0.5lb)	27	85	287	60(6x10box)	21.00	408x369x241
120112	HBW-12	12(0.75lb)	30	93	310	36(6x6box)	19.00	401x279x315
120116	HBW-16	16(1lb)	30	105	342	36(6x6box)	25.00	401x279x315
120124	HBW-24	24(1.5lb)	33	115	357	24(6x4box)	23.00	434x291x265
120132	HBW-32	32(2lb)	39	130	390	18(6x3box)	22.10	424x389x171
120140	HBW-40	40(2.5lb)	40	135	390	18(6x3box)	27.00	538x436x163
120148	HBW-48	48(3lb)	40	145	390	12(3x3box)	20.00	474x389x171

300g Slag Hammer With Hickory Handle


- The sharp head is used to remove the slag when welding
- High-grade walnut wooded handle



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
120503	HWS-3	25	150	285	36(6x6box)	12.10	370x325x270

Ball Pein Hammer With Fiberglass Handle

- Fiber glass handle grip
- The head of hammer is forged by the premium medium carbon steel
- Processed by the special heat treatment at the base to make the base's intensity stronger than the body's intensity and reduce the counterforce when knocking and reduce the harm of hand when operating.




Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
121116	HBP-16	16(1lb)	30	105	340	36(6x6box)	25.00	401x279x315
121124	HBP-24	24(1.5lb)	40	125	372	24(6x4box)	26.00	474x315x269
121132	HBP-32	32(2lb)	40	132	375	18(6x3box)	24.60	474x389x171

Striking Tool

Rubber Shockproof Hammer


- Steel shot-filled head.
- Quality PVC material covers the whole body.
- An excellent helper in automotive work, construction, woodwork, or other precision work with delicate surfaces to protect.



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
122135	HDB-35	35	30	80	270	40(10x4box)	21.20	330x220x440
122145	HDB-45	45	35	100	300	36(6x6box)	26.80	370x350x300
122155	HDB-55	55	37	100	340	24(4x6box)	24.00	435x285x385
122165	HDB-65	65	40	135	370	12(3x3box)	23.20	480x450x160

Rubber Hammer


- The head is made of the rubber
- Wooden handle
- Apply to the working environment without any print, such as the decoration



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
120408	HRW-8	8(0.5lb)	30	80	310	60(6x10box)	20.10	388x370x485
120412	HRW-12	12(0.75lb)	30	95	310	36(6x6box)	30.80	405x370x320
120416	HRW-16	16(1lb)	30	95	317	24(6x4box)	12.40	420x420x240
120424	HRW-24	24(1.5lb)	32	120	320	24(6x4box)	23.00	480x190x280

Centre Punch


- Made of 60#CR-V steel
- The product safety requirement is higher than American ASME standard ASME B107.48M-1998, and add the test request two times higher than ASME standard to guarantee the safety usage.
- Chrome plated on the product's surface to be rust proof.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
123203	SCP3-120	120	3	120(10 x 12box)	9.70	510x223x198
123204	SCP4-120	120	4	120(10 x 12box)	10.10	510x223x198
123205	SCP5-150	150	5	120(10 x 12box)	17.60	595x243x198

Pin Punch

- SPP2-150 Tip width:2mm,Hexagonal handle Φ:9.5mm,Length:150mm
- SPP3-150 Tip width:3mm,Hexagonal handle Φ:9.5mm,Length:150mm
- SPP4-150 Tip width:4mm,Hexagonal handle Φ:9.5mm,Length:150mm
- SPP5-150 Tip width:5mm,Hexagonal handle Φ:9.5mm,Length:150mm
- SPP6-150 Tip width:6mm,Hexagonal handle Φ:12mm,Length:150mm
- SPP8-150 Tip width:8mm,Hexagonal handle Φ:12mm,Length:150mm
- Application to the mechanical maintenance, installation, bicycle, motorcycle, automobile repair industry and etc, strictly control every punch tip's size tolerance to guarantee it fit the pin very well.




Code	Model No.	Amm	Bmm	PCS	Kg	mm
123102	SPP2-150	150	2	120(10 x 12box)	9.10	510x243x198
123103	SPP3-150	150	3	120(10 x 12box)	9.50	510x243x198
123104	SPP4-150	150	4	120(10 x 12box)	9.90	510x243x198

Pin Punch

Code	Model No.	Amm	Bmm	PCS	Kg	mm
123105	SPP5-150	150	5	120(10 x 12box)	10.30	510x243x198
123106	SPP6-150	150	6	120(10 x 12box)	11.50	595x243x198
123108	SPP8-150	150	8	120(10 x 12box)	12.50	595x243x198
123110	SPP10-150	150	10	120(10 x 12box)	13.30	595x243x198

Taper Punch



Code	Model No.	Amm	Bmm	PCS	Kg	mm
123303	STP3-120	120	3	120(10 x 12box)	8.50	510x243x198
123304	STP4-120	120	4	120(10 x 12box)	8.70	510x243x198
123305	STP5-150	150	5	120(10 x 12box)	11.20	595x243x198

5pcs Punch Set



Code	Model No.	mm	PCS	Kg	mm
123005	SP-5S	SPP4-150 SCP4-120 STP3-120 SDP5-130 SGC12-130	36(6x6box)	13.70	437x219x218

6pcs Pin Punch Set

- Made of 60#CR-V, high intensity and good tenacity
- Chrome plated on the surface to be rust proof



Code	Model No.	mm	PCS	Kg	mm
123006	SPP-6S	SPP2-150 SPP3-150 SPP4-150 SPP5-150 SPP6-150 SPP8-150	36(1x36box)	27.50	386x328x200



Striking Tool


13pcs Punch Set



Code	Model No.	Tip width a (mm)	PCS	Kg	mm
123013	SP-13S	SPP2-150 SPP3-150 SPP4-150 SPP5-150 SPP6-150 SPP8-150 SCP4-120 SCP5-150 STP3-120 SDP5-130 SGC12-130 SGC15-150 SGC18-170	16(1x16box)	21.30	348x229x247

Cold Chisel


- SGC12-130 Tip width:12mm,Hexagonal handle Φ:9.5mm,Length:130mm
- SGC15-150 Tip width:15mm,Hexagonal handle Φ:12mm,Length:150mm
- SGC18-170 Tip width:18mm,Hexagonal handle Φ:14mm,Length:175mm
- Application to the mechanical maintenance, installation, construction, auto repair, rock project, concrete project and etc, slotting, remove slag, shaping, graving and so on.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
123512	SGC12-130	130	12	120(10 × 12box)	12.50	510x223x198
123515	SGC15-150	150	15	120(10 × 12box)	22.90	595x243x198
123518	SGC18-170	175	18	120(10 × 12box)	32.20	695x267x198

Flat Chisel

- Tip width:20mm,Hexagonal handle Φ:16mm,Length:200mm
- Tip width:22mm,Hexagonal handle Φ:20mm,Length:250mm
- Tip width:25mm,Hexagonal handle Φ:22mm,Length:300mm
- Application to the mechanical maintenance, installation, construction, auto repair, rock project, concrete project and etc, slotting, remove slag, shaping, graving and so on.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
123520	SGC20-200	200	20	60(10 × 6box)	23.20	
123522	SGC22-250	250	22	36(6 × 6box)	24.70	384x319x142
123525	SGC25-300	300	25	24(6 × 4box)	24.20	


3pcs Flat Chisel Set



Code	Model No.	PCS
123003	SGC-3S	10 (1 × 10box)


Cap Punch

- Tip width a(MM):5mm Diameter b(MM): 9.5 Length L(MM): 130
- Application to the mechanical maintenance, installation, construction, auto repair, rock project, concrete project and etc, slotting, remove slag, shaping, graving and so on.




Code	Model No.	Amm	Bmm	PCS	Kg	mm
123401	SDP5-130	130	5	120(10 × 12box)	10.30	510x223x198

Pry Bar




Code	Model No.	Lmm	PCS	Kg	mm
123604	PB18-400	400	20(1 × 20box)	16.75	425x235x175
123606	PB20-600	600	16(1 × 16box)	25.90	632x240x140
123608	PB22-800	800	12(1 × 12box)	31.15	833x185x140
123610	PB22-1000	1000	8(1 × 8box)	26.60	1023x235x95
123615	PB25-1500	1500	6(1 × 6box)	39.70	1530x220x100

Wrecking Bar




Code	Model No.	Lmm	PCS	Kg	mm
123704	WB18-400	400	20(1 × 20box)	22.10	425x440x180
123706	WB18-600	600	16(1 × 16box)	26.75	640x515x150
123710	WB20-1000	1000	12(1 × 12box)	38.70	1023x405x150

Cutting Tool




Soft and Comfortable Handhold
and Easily Apply Power
Both Sharp and Durable



Double Milled Cutting Edge

Blade edge with two sharpened as
bellow picture, stand stronger force
than normal single step blade,
sharper and longer durability in use.



JETECH Cutter Knife Blades,
made of JIS SK2+ Chrome,
1.2% high carbon steel
material, processed through
consistent heat treatment,
reach Vickers hardness
840 degree, and high tenacity
so to be extremely sharp and
durable in use.

Cutter Knife case, made of
inner ABS plastic and outer
TPE: Thermal Plastic
Elastomer with soft and
comfortable handhold
and easily apply power.




Material: CRV
Twice heating processing

CUTTING TOOL

Auto-lock Cutter Knife (22mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130460	CF-J60	36	25	155	120(10x12box)	17,38	495x435x285

Auto-lock Cutter knife (18mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130150	CF-M50	34	21	163	120(10x12box)	14,90	495x435x285

Wheel-lock Cutter Knife (18mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130151	CF-M51	34	21	163	120(10x12box)	14,90	495x435x285

Wheel-lock Cutter Knife (TPE soft grip) (18mm)

- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130153	CF-51R	37	21	163	120(10x12box)	14,90	495x435x285

CUTTING TOOL

Auto-lock Cutter Knife (TPE soft grip) (18mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130152	CF-50R	37	21	163	120(12x10box)	14,90	495x435x285

Auto-lock Cutter Knife (TPE soft grip) with Steel Claw (18mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130154	CF-52R	37	20	170	120(12x10box)	15,55	495x435x285

Wheel-Lock Cutter Knife (TPE soft grip) with Steel Claw (18mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130155	CF-53R	37	20	170	120(12x10box)	15,55	495x435x285

Small Auto-lock Cutter Knife (9mm)

- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130303	CF-33	16	11.5	134	120(10x12box)	5,50	346x237x237

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130305	CF-35	16	13	125	240(20x12box)	4,50	329x217x253

Spare Blades

10pcs Dispenser pack (22mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
130201	M50D	18mm	24	15.5	137	120(12x10box)	9,80	326x206x246

10pcs Dispenser pack (22mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
130230	M60D	22mm	28	16	141	120(12x10box)	14,30	329x217x215

10pcs Hard Case Pack (22mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
130203	M60	22mm	28	12.5	136	120(12x10box)	14,30	329x217x215

50pcs Hard Case Pack (18mm)

- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130250	M50-50	30	24	137	72(6x12box)	26,00	310x220x190

Spare Blades

10pcs Hard Case Pack (18mm)

- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840




Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
130210	M50	18mm	24	11.5	133	120(12x10box)	4,20	321x161x176

Spare Blades(9mm)

10pcs Dispenser pack (9mm)


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840



Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
130331	M30D	9mm	15	12	108	120(10x12box)	6,50	310x185x180

10pcs Hard Case Pack (9mm)

- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840




Code	Model No.	Specification oz	Amm	Bmm	Lmm	PCS	Kg	mm
130330	M30	9mm	14	10	120	240(20x12box)	8,30	275x225x145

CUTTING TOOLS

Laminate Cutter Knife


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel.
- Vickers hardness 840.
- Designed for professional use on plastic, acrylic sheet, plexiglass and so on. Its strong cutting force makes it perfect for no matter professional or home use, DIY projects or others.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130171	CF-71	23	14	150	120(10x12box)	6.30	400x360x190

Spare Blades For Laminate Cutter


- ABS case
- Blade:SK2+Chrome,1.2% high carbon steel
- Vickers hardness 840




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
130270	M-70	22	10	76	120(10x12box)	4.80	290x270x190

Hacksaw

Hacksaw With Blade



Code	Model No.	Amm	Bmm	PCS	Kg	mm
130701	HSA-12	144	440	48(6x8box)	21.00	620x482x272




Code	Model No.	Amm	Bmm	PCS	Kg	mm
130702	HSB-12	120	450	48(6x8box)	20.40	534x487x285



Code	Model No.	Amm	Bmm	PCS	Kg	mm
130703	HSC-12	160	395	24(6x4box)	15.00	435x360x312


Hacksaw With Blade



Code	Model No.	Amm	Bmm	PCS	Kg	mm
130704	HSD-6	95	250	60(10x6box)	10.10	410x275x215


Hacksaw Spare Blade Bi-Metal

- Welded by Bi-Metal, sawtooth are made of super hard material



Code	Model No.	Amm	Bmm	PCS	Kg	mm
130818	HSS-18T	8.5	350	1000(100x10box)	20.00	360x180x160
130824	HSS-24T	8.5	350	1000(100x10box)	20.00	360x180x160
130832	HSS-32T	8.5	350	1000(100x10box)	20.00	360x180x160

Tin Snip



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
081908	TSS-8	95	55	203	48(6x8box)	22.05	620x275x245
081910	TSS-10	105	75	265	36(6x6box)	22.15	470x340x265
081912	TSS-12	105	95	305	24(4x6box)	19.65	370x320x305
081914	TSS-14	105	115	356	16(4x4box)	15.40	425x210x295

Scissors

- Stainless Steel




Code	Model No.	Lmm	PCS	Kg	mm
131006	SSS-6	155	120(6x20box)	6.30	386x210x289
131007	SSS-7	185	120(6x20box)	7.10	386x210x289

CUTTING TOOLS

Aviation Snip Straight Cutting Edge


- Material: 65# CR-M
- Hardness: 60-62degree
- Capacity: Iron Φ 1.2mm galvanized iron Φ 0.7mm



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
089101	AVS-10	60	50	250	24(6x4box)	12.00	360x320x240

Aviation Snip Right Cutting Edge


- Material: 65# CR-M
- Hardness: 60-62degree
- Capacity: Iron Φ 1.2mm galvanized iron Φ 0.7mm



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
089103	AVSR-10	60	50	250	24(6x4box)	12.00	360x320x240

Aviation Snip Left Cutting Edge


- Material: 65# CR-M
- Hardness: 60-62degree
- Capacity: Iron Φ 1.2mm galvanized iron Φ 0.7mm



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
089102	AVSL-10	60	50	250	24(6x4box)	12.00	360x320x240

Hand Riveter


- Four sizes of replaceable nosepieces are included with three of them screwing in one handle.
- A wrench is stored in the other handle, making it easy to change for the right size.
WIDE APPLICATION - Suitable for aluminum rivets only with sizes of 3/32"(2.4mm), 1/8"(3.2mm), 5/32"(4.0mm), and 3/16"(4.8mm). It fastens metal sheets, pipe, and others in manufacturing industries.



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
100101	HR101	76	60	250	24(6x4box)	15.00	375x375x265


Heavy Duty Hand Riveter

- Long arm hand riveter with high leverage extends its length to 21in/535mm.
- Five sizes of replaceable nosepieces are included with four of them screwing in the handles.
- A portable wrench is equipped to make it convenient to change for the right size.
- It fastens metal sheets, pipe, and others in manufacturing industries. Suitable for aluminum rivets size: 1/8"(3.2mm), 5/32" (4.0mm), 3/16" (4.8mm), 7/32" (6.0mm), and 1/4" (6.4mm).



Code	Model No.	Bmm	Lmm	PCS	Kg	mm
100102	HR201	170	535	10(1x10box)	25.10	565x401x265


Hand Riveter



Code	Model No.	PCS	Kg	mm
100103	HR301	10(1 x10box)	20.03	428x348x243

Pvc Pipe Cutter

- Made with 3Cr13 stainless steel.
- Quick-release function helps achieve one-hand operation.
- Wide application range: cutting pipes and tubes such as PVC, PPR, PEX, PE and so on.



Code	Model No.	Amm	Lmm	PCS	Kg	mm
130601	PPC-42	105	196	48(6x8box)	14.00	690x290x290
130602	PPC-35	40	210	60(10x6box)	14.80	530x280x310
130603	PPC-63	120	430	20(5x4box)	27.80	485x450x350

Multipurpose Scissors

Multipurpose Scissors

- Stainless steel blade, precision-processed, sharp and durable
- Cutting capacity: φ 10mm copper or aluminium cable
- Hardness:HRC55±3
- Handle with spring, easy to use
- Not suitable for steel wire



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg
131011	CSS-8	50	50	205	60(6X10box)	11.80

Multipurpose Scissors

- Stainless steel blade, precision-processed, sharp and durable
- Cutting capacity: φ 10mm copper or aluminium cable
- Hardness:HRC55±3
- Handle with spring, easy to use
- Not suitable for steel wire



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg
131012	CSB-8	50	40	190	60(6X10box)	11.80

Multipurpose Scissors

- Stainless steel blade, precision-processed, sharp and durable
- Cutting capacity: φ 10mm copper or aluminium cable
- Hardness:HRC55±3
- Handle with spring, easy to use
- Not suitable for steel wire



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg
131013	CSA-7	50	25	185	60(6X10box)	11.40

Multipurpose Scissors

- Stainless steel blade, precision-processed, sharp and durable
- Cutting capacity: φ 10mm copper or aluminium cable
- Hardness:HRC55±3
- Handle with spring, easy to use
- Not suitable for steel wire




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg
131014	CSS-7			185	60(6X10box)	11.30

File

Flat File

- Made of SK2, super hard carbon steel
- The file teeth are precisely processed, there are tine on the teeth of file and the teeth are aligned
- Super cutting capacity, compact bite resistance and chip removal ability, make it operate smoothly.



Second Cut

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110121	FFM-150	150	16	120(10x12box)	15.10	365x307x235
110122	FFM-200	200	20.1	120(10x12box)	23.90	365x357x235
110123	FFM-250	250	23.3	60(10x6box)	18.40	407x195x235
110124	FFM-300	300	27.54	60(6x10box)	27.60	457x195x235

Smooth


Code	Model No.	Amm	Bmm	PCS	Kg	mm
110111	FF-150	150	16	120(10x12box)	15.10	365x307x235
110112	FF-200	200	20.1	120(10x12box)	23.90	365x357x235
110113	FF-250	250	23.3	60(10x6box)	18.40	407x195x235
110114	FF-300	300	27.54	60(10x6box)	27.60	457x195x235

Bastard

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110131	FFT-150	150	16	120(10x12box)	16.90	365x307x235
110132	FFT-200	200	20.1	120(10x12box)	23.90	365x357x235
110133	FFT-250	250	23.3	60(10x6box)	18.40	407x195x235
110134	FFT-300	300	27.54	60(10x6box)	27.60	457x195x235

Half-Round File

- Made of SK2, super hard carbon steel
- The file teeth are precisely processed, there are tine on the teeth of file and the teeth are aligned
- Super cutting capacity, compact bite resistance and chip removal ability, make it operate smoothly.



Second Cut

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110221	FHR-150	150	12	120(10x12box)	16.56	365x307x235
110222	FHR-200	200	14.5	120(10x12box)	23.75	365x357x235
110223	FHR-250	250	18	60(10x6box)	18.70	407x195x235
110224	FHR-300	300	21	60(10x6box)	26.60	457x195x235

Smooth


Code	Model No.	Amm	Bmm	PCS	Kg	mm
110241	FHRS-150	150	12	120(10x12box)	16.56	365x307x235
110242	FHRS-200	200	14.5	120(10x12box)	23.75	365x357x235
110243	FHRS-250	250	18	60(10x6box)	18.70	407x195x235
110244	FHRS-300	300	21	60(10x6box)	26.60	457x195x235

Bastard

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110231	FHRT-150	150	12	120(10x12box)	16.90	365x307x235
110232	FHRT-200	200	14.5	120(10x12box)	23.75	365x357x235
110233	FHRT-250	250	18	60(10x6box)	18.70	407x195x235
110234	FHRT-300	300	21	60(10x6box)	26.60	457x195x235

Round File

- Made of SK2, super hard carbon steel
- The file teeth are precisely processed, there are tine on the teeth of file and the teeth are aligned
- Super cutting capacity, compact bite resistance and chip removal ability, make it operate smoothly.



Second Cut

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110321	FR-150	150	4.0	120(10x12box)	12.60	365x307x235
110322	FR-200	200	5.0	120(10x12box)	16.90	365x357x235
110323	FR-250	250	6.5	60(10x6box)	12.15	407x195x235
110324	FR-300	300	7.5	60(10x6box)	17.70	457x195x235

Smooth


Code	Model No.	Amm	Bmm	PCS	Kg	mm
110341	FRS-150	150	4.0	120(10x12box)	12.55	365x307x235
110342	FRS-200	200	5.0	120(10x12box)	16.90	365x357x235
110343	FRS-250	250	6.5	60(10x6box)	12.10	407x195x235
110344	FRS-300	300	7.5	60(10x6box)	17.70	457x195x235

Bastard

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110331	FRT-150	150	4.0	120(10x12box)	12.68	365x307x235
110332	FRT-200	200	5.0	120(10x12box)	17.35	365x357x235
110333	FRT-250	250	6.5	60(10x6box)	12.15	407x195x235
110334	FRT-300	300	7.5	60(10x6box)	17.75	457x195x235

Triangle File

- Made of SK2, super hard carbon steel
- The file teeth are precisely processed, there are tine on the teeth of file and the teeth are aligned
- Super cutting capacity, compact bite resistance and chip removal ability, make it operate smoothly.



Second Cut

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110421	FTS-150	150	8.0	120(10x12box)	15.40	365x307x235
110422	FTS-200	200	8.5	120(10x12box)	22.60	365x357x235
110423	FTS-250	150	11.2	60(10x6box)	17.30	407x195x235

Smooth


Code	Model No.	Amm	Bmm	PCS	Kg	mm
110441	FTSS-150	150	8.0	120(10x12box)	15.40	365x307x235
110442	FTSS-200	200	8.5	120(10x12box)	22.60	365x357x235
110443	FTSS-250	150	11.2	60(10x6box)	17.50	407x195x235

Bastard

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110431	FTST-150	150	8.0	120(10x12box)	15.40	365x307x235
110432	FTST-200	200	8.5	120(10x12box)	22.60	365x357x235
110433	FTST-250	150	11.2	60(10x6box)	17.50	407x195x235

Square File

- Made of SK2, super hard carbon steel
- The file teeth are precisely processed, there are tine on the teeth of file and the teeth are aligned
- Super cutting capacity, compact bite resistance and chip removal ability, make it operate smoothly.



Second Cut

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110521	FS-150	150	4.5	120(10x12box)	12.40	365x307x235
110522	FS-200	200	5.0	120(10x12box)	17.20	365x307x235
110523	FS-250	150	6.5	60(10x6box)	15.30	407x195x235

Smooth

Code	Model No.	Amm	Bmm	PCS	Kg	mm
110541	FSS-150	150	4.5	120(10x12box)	12.40	365x307x235
110542	FSS-200	200	5.0	120(10x12box)	17.20	365x307x235
110543	FSS-250	150	6.5	60(10x6box)	15.30	407x195x235

Bastard


Code	Model No.	Amm	Bmm	PCS	Kg	mm
110531	FST-150	150	4.5	120(10x12box)	12.40	365x307x235
110532	FST-200	200	5.0	120(10x12box)	17.20	365x307x235
110533	FST-250	150	6.5	60(10x6box)	15.30	407x195x235



Mini File Set

Mini File 3pcs Set


- Sk2
- Include : half-round, flat , round file each.
- MF-3A: φ3x140mm.
- MF-3B: φ4x160mm.
- MF-3C: φ6x180mm.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
111031	MF-3A	50	184	240(20x12box)	8,50	430x240x255
111032	MF-3B	55	205	240(20x12box)	14,50	430x240x255
111005	MF-3C	61	220	180(30x6box)	17,00	420x250x300

Mini File 5pcs Set


- Sk2
- Include : half-round, flat, round,square,triangle file each.
- MF-5A: φ3x140mm.
- MF-5B: φ4x160mm.
- MF-5C: φ6x180mm.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
111051	MF-5A	78	183	120(10x12box)	7,55	430x240x255
111052	MF-5B	85	205	120(10x12box)	12,55	430x240x255
111006	MF-5C	86	222	120(10x12box)	19,25	420x250x300

Mini File 10pcs Set

- Sk2
- Include : round pointed,half-round, flat , barrette, dual half round, round,oval, square, triangle,knife file each.
- MF-10A: φ3x140mm.
- MF-10B: φ4x160mm.
- MF-10C: φ6x180mm.




Code	Model No.	Amm	Bmm	PCS	Kg	mm
111001	MF-10A	150	180	120(10x12box)	21,00	430x380x270
111002	MF-10B	167	202	120(10x12box)	26,25	430x380x270
111007	MF-10C	195	224	60(10x6box)	20,30	420x250x300

Diamond Mini File Set

Diamond Mini File 3pcs Set


- Sk2
- Diamond grit.
- Include : half-round, flat , round file each.
- DF-3A: φ3x140mm.
- DF-3B: φ4x160mm.
- DF-3C: φ6x180mm.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
111033	DF-3A	50	182	240(20x12box)	9,00	430x240x255
111034	DF-3B	55	205	240(20x12box)	15,00	430x240x255
111008	DF-3C	60	222	180(30x6box)	18,00	420x250x300

Diamond Mini File 5pcs set


- Sk2
- Diamond grit.
- Include : half-round, flat, round,square,triangle file each.
- DF-5A: φ3x140mm.
- DF-5B: φ4x160mm.
- DF-5C: φ6x180mm.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
111053	DF-5A	78	183	120(10x12box)	7,85	430x240x255
111054	DF-5B	86	203	120(10x12box)	13,50	430x240x255
111009	DF-5C	85	220	120(20x6box)	19,30	420x250x300

Diamond Mini File 10pcs Set

- Sk2
- Diamond grit.
- Include : round pointed,half-round, flat , barrette, dual half round, round,oval, square, triangle,knife file each.
- DF-10A: φ3x140mm.
- DF-10B: φ4x160mm.
- DF-10C: φ6x180mm.




Code	Model No.	Amm	Bmm	PCS	Kg	mm
111003	DF-10A	150	180	120(10x12box)	15,50	430x380x270
111004	DF-10B	167	200	120(10x12box)	25,00	430x380x270
111010	DF-10C	195	225	60(10x6box)	21,35	420x250x300

	3pcs	5pcs	10pcs
Round Point A: 5.3mm L: 140mm 6g	×	×	○
Half Round A: 5.0mm L: 140mm 8g	○	○	○
Flat A: 5.8mm L: 140mm 8g	○	○	○
Barrette A: 5.6mm L: 140mm 8g	×	×	○
Dual Half Round A: 4.9mm L: 140mm 8g	×	×	○
Round A: 3.9mm L: 140mm 8g	○	○	○
Oval A: 3.1mm L: 140mm 8g	×	×	○
Square A: 2.6mm L: 140mm 6g	×	○	○
Triangle A: 3.6mm L: 140mm 6g	×	○	○
Knife A: 5.5mm L: 140mm 6g	×	×	○

Tine On Teeth Of Files

0-8 degree tooth angle ensures sharp cutting and better eject of shaving.Clean surface materials before teething process ensure even and consistent teeth shape with consistent filling effects.





Twist Drill Bit




- Material: HSS
- 2% Cobalt



Various Sizes



- 118° 4-facet point angle
- Assure accurately sized holes
- Smooth finish
- Easily remove chips




Drill bit life is extended up to six times longer lifetime with appropriate cooling system.

Twist Drill Bit

Twist Drill Bit

- Tip HRC 64±2 Handle HRC 23-28
- 118° 4-facet point angle
- Assure accurately sized holes
- Smooth finish
- Easily remove chips
- Recommended for use on: Normal steel cast iron, aluminum alloy.
Not suitable for: Stainless steel.



Code	Model No.	Amm	Bmm	Lmm	
069010	HTD-10	1.0	12	34	1000(100x10box)
069015	HTD-15	1.5	20	43	1000(100x10box)
069020	HTD-20	2.0	24	49	1000(100x10box)
069025	HTD-25	2.5	30	57	1000(100x10box)
069028	HTD-28	2.8	33	61	1000(100x10box)
069030	HTD-30	3.0	33	61	1000(100x10box)
069032	HTD-32	3.2	36	65	1000(100x10box)
069035	HTD-35	3.5	39	70	1000(100x10box)
069040	HTD-40	4.0	43	75	1000(100x10box)
069042	HTD-42	4.2	43	75	1000(100x10box)
069045	HTD-45	4.5	47	80	1000(100x10box)
069048	HTD-48	4.8	52	86	1000(100x10box)
069050	HTD-50	5.0	52	86	1000(100x10box)
069052	HTD-52	5.2	52	86	1000(100x10box)
069055	HTD-55	5.5	57	93	1000(100x10box)
069060	HTD-60	6.0	57	93	1000(100x10box)
069065	HTD-65	6.5	63	101	1000(100x10box)
069068	HTD-68	6.8	69	109	1000(100x10box)
069070	HTD-70	7.0	69	109	500(50x10box)
069075	HTD-75	7.5	69	109	500(50x10box)
069080	HTD-80	8.0	75	117	500(50x10box)
069085	HTD-85	8.5	75	117	500(50x10box)
069090	HTD-90	9.0	81	125	500(50x10box)
069095	HTD-95	9.5	81	125	500(50x10box)
069100	HTD-100	10.0	87	133	500(50x10box)
069102	HTD-102	10.2	87	133	500(50x10box)
069105	HTD-105	10.5	87	133	500(50x10box)
069110	HTD-110	11.0	94	142	500(50x10box)
069115	HTD-115	11.5	94	142	500(50x10box)
069120	HTD-120	12.0	101	151	500(50x10box)
069125	HTD-125	12.5	101	151	500(50x10box)
069130	HTD-130	13.0	101	151	500(50x10box)

Twist drill Bit Set

6pcs Set



Code	Model No.	Content(Amm)	PCS	Kg	mm
069906	HTD-6S	2.0,3.0,4.0,5.0,6.0,8.0	120(10x12box)	15.85	44.5x35.5x23

10pcs Set




Code	Model No.	Content(Amm)	PCS	Kg	mm
069910	HTD-10S	1.0,2.0,3.0,4.0,5.0,6.0,7.0,8.0,9.0,10.0	120(10x12box)	34.60	44.5x35.5x35.5

19pcs Set



Code	Model No.	Content(Amm)	PCS	Kg	mm
069919	HTD-19S	1.0,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0,5.5,6.0,6.5,7.0,7.5,8.0,8.5,9.0,9.5,10.0	120(10x12box)	56.35	52.5x35.5x40



INDEX

[illegible][illegible]

[illegible][illegible]

- Listed by Code

[illegible]

- Listed by Code

[illegible]

[illegible][illegible]

- Listed by Code

S

R

● Listed by Code

T

U

V

W